




7033 Brush Oak

	US Units	Metric Units
Style Number	1019V	
Construction	SPC	
Profile	Fold-N-Tap	
Size	5" x 48"	12.7 cm x 121.92 cm
Overall Thickness	0.217"	5.5 mm
Wear Layer Thickness	20 mil (0.02")	0.5 mm
Attached Underlayment	EVA Pad	
Attached Underlayment Thickness	0.059"	1.5 mm
Finish	ScuffResist	
Edge Description	Accent Bevel	
Area per Carton	15 sq ft	1.39 sq m
Area per Pallet	1575 sq ft	146.32 sq m
Installation	Floating	
Installation Grade	Above, On, Below	
Color Variation	Yes	
Ortho-Phthalates Free	Yes	
FloorScore Certified	Yes	
Residential Warranty	Lifetime Residential Resilient Limited Warranty - Defects, Wear, Waterproof, Petproof	
Commercial Warranty	10 Year Light Commercial	
Smoke Density (ASTM E662, Flaming Mode)	Passes, <450	
Radiant Panel (ASTM E648)	Passes, Class I	

Features

Paragon 5" Plus offers rustic visuals featuring tactile pine with heavy wire-brushing, black-fill oak and weathered pine with lots of plank variation. It is 100% waterproof for a beautiful, high-performing floor and features Soft Silence® pad for noise reduction and added comfort.


Colors





7033 Brush Oak

Coordinating Trim




Baby Threshold*

BT3HS | 94"
VSBTH | 94"



T-Molding*

TM3HS | 94"
VSTM6 | 94"



Multi-Purpose Reducer

RD3HS | 94"
VSMP6 | 94"



Quarter Round

QTRHS | 94"
VSQT6 | 94"



Overlap Stairnose

VSST6 | 94"





Flush Stairnose

VFSN1 | 94"

*Packaged with molding track

Coordinating Metal Trim



Finish

Satin Silver

Satin Nickel

Dark Bronze

Reducer

143SA

144SA

145SA

T-Mold

146SA

147SA

148SA

Stair Cap

140SA

141SA

142SA

Installation Range

Profile Size

3.5mm

5.5mm

8mm

Installation Range

1.5mm to 3.5mm heights

3.6mm to 5.5mm heights

6mm to 8mm heights

TREADZ®



Center

LVCTR

Right

LVCAR

Left

LVCAL

White Riser

LVWRI*

*packages of 3

