

## **ORION II COLLECTION**

**ITEM#**: U1769V-L30P2

**DESCRIPTION**: ORION II LAF SOFA W/PWR FR & HR

Thank you for purchasing this quality product. Be sure to check all packing materials carefully for small parts, which may have come loose during shipment. Identify and count all items and compare with the parts list shown below. It is recommended to have two people during assembling and to remove the back and base of the furniture out from the box.

# Please follow the drawings below to assemble the item

PARTS LIST			
NO.	DESCRIPTION	SKETCH	QTY
A	Seat		1PC
В	Left Side Facing (LSF) Backrest		1PC
С	Middle Backrest		1PC
D	Right Side Facing (RSF) Backrest		1PC
Е	Left Side Facing (LSF) Backrest		1PC
F	Power Cable 29V		1PC
G	Small Round End Power Cable 9V	•	1PC

All images shown are for illustration purpose only. Actual product may vary due to product enhancement.




## ORION II COLLECTION

ITEM#: U1769V-L30P2


**DESCRIPTION**: ORION II LAF SOFA W/PWR FR & HR

Step 1:

Insert the backrests (B/C/D) to the seat (A). Make sure the backrests are secured in position.



Step 2: Insert the LSF wing (E) to the LSF backrest (B). Make sure the wings are secured in position.



All images shown are for illustration purpose only. Actual product may vary due to product enhancement.



# ORION II COLLECTION


ITEM#: U1769V-L30P2

**DESCRIPTION**: ORION II LAF SOFA W/PWR FR & HR

#### Step 3:


Connect the cable on the backrests (B & D) to the cables

on the seat (A).



## Step 4:

Locate the two round electric cables which is fasted to the metal frame near the back center of the seat (A). Connect the larger round electric motor cables then connect Small Round End Power Cable 9V (G) to the other electric cable with the smaller round end on seat (A).



All images shown are for illustration purpose only. Actual product may vary due to product enhancement.




## ORION II COLLECTION

ITEM#: U1769V-L30P2

**DESCRIPTION**: ORION II LAF SOFA W/PWR FR & HR


### Step 5:

Locate the power socket on the back to the side of the seat (A). Connect the Power Cable 29 V (F) into the power socket.



## Step 6:

Connect the power and open/close the footrest and headrest by pressing the buttons.



All images shown are for illustration purpose only. Actual product may vary due to product enhancement.

Page 4 of 4 49901880