


DUT25401B



Front Control, Pocket Handle Dishwasher, 5 Programs, 48 dBA



CEE Tier 1

GENERAL PROPERTIES

| | |
|--------------------|-----------------|
| Style | Front Control |
| Finish | Black |
| Handle | Pocket Handle |
| Connectivity | – |
| Tub Type | Tall Tub |
| Tub and Door Liner | Stainless Steel |
| Control Type | Push Buttons |
| Toe Kick | Black Plastic |
| Leveling System | 4 Leveling Legs |

EFFICIENCY

| | |
|---------------------------------------|---------------------|
| Energy Efficiency Class | Tier 1 |
| ENERGY STAR® Certified | Most Efficient |
| Total Annual Energy Consumption (kWh) | 234 kWh/year |
| Total Annual Water Consumption (g) | 2.59 – 5.86 g/cycle |

PREMIUM TECHNOLOGY



MOST EFFICIENT

Beko dishwashers are ENERGY STAR® Most Efficient. They save water and energy while exceeding the stringent cleanability Index required to receive this designation.



FULL STAINLESS STEEL TUB

Our stainless steel interior not only resists hard water stains, spots, and corrosion, it's more durable, offers more noise cancellation, and supports higher temperatures than the plastic interiors found in other dishwashers.



SANITIZE FUNCTION

The Sanitize function reaches higher temperatures, provides complete peace of mind, especially for cleaning baby bottles and feeding accessories.



DUT25401B



Front Control, Pocket Handle Dishwasher, 5 Programs, 48 dBA

FEATURES

| | |
|--|--------|
| Number of Wash Cycles | 5 |
| SilentTech™ | 48 dBA |
| CornerIntense® | – |
| Deep Wash | – |
| EverClean™ Filter | – |
| SelfDry | – |
| IonGuard | – |
| Drying System | Static |
| Interior Illumination | – |
| DMSF Overflow Protection | Yes |
| Turbidity Sensor | Yes |
| Delay Timer | Yes |
| Detergent & Rinse Aid Dispenser (with Indicator) | Yes |
| Flood Protection | Yes |
| Overflow Safety | Yes |
| Water Softener | – |
| Watertap Indicator | Yes |
| LED Spot (Light Indicator on Floor) | No |
| Interior High Loop with Air Gap | Yes |
| All-In-1 Tablet | Yes |
| ProSmart Inverter Motor | Yes |
| NSF®-Certified – Sanitize Option | Yes |

RACK SYSTEM

| | |
|------------------------------|-------------------------------|
| Full Size Third Rack | – |
| Easy Fold Lower Rack Tines | – |
| Cutlery Basket | Standard, Full-Size |
| Upper Rack | Standard, 2 Mug Shelves |
| Easy Fold Upper Rack Tines | – |
| Height-Adjustable Upper Rack | Yes, 3 Positions, When Loaded |
| Nylon Coated Racks | Yes |

CAPACITY

| | |
|--------------------------|----|
| Number of Place Settings | 14 |
|--------------------------|----|

TECHNICAL INFORMATION

| | |
|--|------------|
| Watts (W) | 1,400 W |
| Current (A) | 12 A |
| Volts (V) | 120 V |
| Frequency (Hz) | 60 Hz |
| Power Cord Full Length | Yes |
| Power Cord Install Length from Edge of Unit When Facing the Door | 4 ft. |
| Minimum Water Pressure (psi) | 4.35 – 145 |
| Length Discharge Hose | 6 ft. |

DIMENSIONS & WEIGHT

| | |
|--|---|
| Product H x W x D (in) | 32 ³ / ₁₆ x 23 ⁹ / ₁₆ x 22 ⁷ / ₁₆ |
| Required Cutout Dimensions (H x W x D) | 34 x 24 x 24 |
| Net Weight (lbs) | 78.04 |

ACCESSORIES (INCLUDED)

| | |
|-----------------------------|------------|
| Installation Accessory Pack | 1784430063 |
| Toe Kick | 1765810101 |
| Stemware Rack | 1752850100 |



WARRANTY

| | |
|-------------------------|-------------------------------|
| All Products | 2-Year Full Warranty |
| ProSmart Inverter Motor | 10-Year Warranty – Parts Only |

DUT25401B



Front Control, Pocket Handle Dishwasher, 5 Programs, 48 dBA



NOTE TO THE INSTALLER: All height, width, and depth dimensions are shown in inches (as well as metric). Beko U.S., Inc. reserves the absolute and unrestricted right to change product materials and specifications, at any time, without notice. Please visit our website, www.BekoAppliances.com, or call 888.352.2356 to verify the latest specifications with final dimensional data and other details prior to installation and making a cutout. Applicable product limited warranty information may be found in accompanying product materials, or you may contact your account manager for further details. Proper installation is the responsibility of the installer. Product failure due to improper installation is not covered under the Limited Warranty.