

# Product data sheet

## CONSTRUCTION TYPE

|                               |       |
|-------------------------------|-------|
| Built-in appliance            | •     |
| Integrated appliance          | •     |
| Door hinging                  | right |
| Convertible hinging           | •     |
| Can be installed side by side | •     |

## DESIGN

|               |                                  |
|---------------|----------------------------------|
| SmartLight    | •                                |
| Lighting      | BrilliantLight Pro               |
| Design option | Compatible with furniture fronts |

## USER CONVENIENCE

|   |                 |
|---|-----------------|
| Freshness system                                  | MasterFresh Pro |
| Longlife AirClean system                          | •               |
| Water dispenser                                   | •               |
| Number of IceMakers with plumbed water connection | 1               |
| Freeze&Cool                                       | •               |
| DuplexCool Pro                                    | •               |
| FullAccess  | •               |
| EasyClean   | •               |
| MaxLoad hinge                                     | •               |
| IceMaker with fresh-water connection              | •               |
| DynaCool  | •               |
| NoFrost   | •               |
| SoftClose   | •               |
| SelfClose   | •               |
| Networking with Miele@home                        | •               |

## CONTROLS

|   |                                |
|---|--------------------------------|
| Precise adjustment  | Fridge and freezer temperature |
| SuperCool&AirClean  | •                              |
| QuickIce  | •                              |
| User interface  | M Touch Pro                    |
| Independent temperature regulation of fridge and freezer compartments | •                              |

|                             |   |
|-----------------------------|---|
| SuperFrost                  | • |
| Number of temperature zones | 3 |
| Sabbath mode                | • |
| Holiday mode                | • |
| Eco mode                    | • |

#### FRIDGE / FRIDGE SECTION

|  |   |
|--|---|
| Height-adjustable, half-width tempered glass shelves | 4 |
| of which gallon bins                                 | 1 |
| SlidingShelf   | • |
| Door rack for tins                                   | 2 |
| Number of crisper drawers                            | 2 |
| Door rack for bottles                                | 1 |

#### FREEZER / FREEZER SECTION

|                           |   |
|---------------------------|---|
| Number of freezer baskets | 2 |
|---------------------------|---|

#### EFFICIENCY AND SUSTAINABILITY

|             |   |
|-------------|---|
| Energy Star | • |
|-------------|---|

#### SAFETY

|   |   |
|---|---|
| Spill-proof glass shelves                   | • |
| Acoustic door alarm                         | • |
| Acoustic temperature alarm, freezer section | • |

#### TECHNICAL DATA

|  |                  |
|--|------------------|
| Replacing lamps                            | Customer Service |
| Number of phases                           | 1                |
| Niche width in inches (mm), min.           | 36 (914)         |
| Niche width in inches (mm), max.           | 36 (914)         |
| Niche height in inches (mm), min.          | 84 1/8 (2134)    |
| Niche height in inches (mm), max.          | 84 1/8 (2134)    |
| Niche depth in mm                          | 25 (635)         |
| Appliance width in mm                      | 35 1/4 (894)     |
| Appliance height in mm                     | 83 5/8 (2123)    |
| Appliance depth in mm                      | 24 (608)         |
| Door hinge technology                      | Fixed door       |
| Max. weight of door, fridge section, in kg | 104 (47)         |

|                                       |                     |
|---------------------------------------|---------------------|
| Total usable capacity in l            | 18.82 (533) ft³ (l) |
| Current consumption in milliamps (mA) | 4000                |
| Voltage in V                          | 110-120             |
| Fuse rating in A                      | 10                  |
| Frequency in Hz                       | 60                  |
| Length of power cable in m            | 9 (3.0)             |
| Weight in lbs (kg)                    | 488 (221.0)         |

ACCESSORIES SUPPLIED

|                          |   |
|--------------------------|---|
| Longlife AirClean filter | • |
| Longlife AirClean filter | • |
| Ice scoop                | • |
| Ice scoop                | • |

APPLIANCE CATEGORY

|                  |   |
|------------------|---|
| Fridge / freezer | • |
|------------------|---|