

GRUPPO INCASSO NRS

Version
FNINS20B5SS-R/ Built-in – 19
11/16" (50 cm) 500 CFM

Collection
Silence - NRS

EAN code
8034122350332



Photograph is for information purposes only
May not correspond to the selected version

FEATURES

- NRS technology for a quieter kitchen
- Electronic control
- Metallic grease filter, removable and washable
- Combined Carbon.Zeo filter, regenable
- Remote control (optional)
- Dynamic Light (2700K - 5600K)
- SRS Speed reduction system

Recommended mounting height from cooking surface to hood bottom: 24" - 36"

Availability Carbon.Zeo filter KACL.1039 for hoods produced from Sept. 2024

OPTIONAL ACCESSORIES

- 105080053 Remote control
- KACL.1039 Carbon.Zeo Microtech filter
- KACL.400 Silent / Conveyor NRS
- KACL.815 Protective cleaning cloths for stainless steel (box 10 pcs)

TECHNICAL FEATURES

- Installation type Built-in
- Dimensions 20 / 50 cm
- Finish Scotch brite stainless steel (AISI 304)
- Motor 500 CFM
- Type of control Electronic control
- Speed 4
- Lighting Led 2x1,2 W - 3200 K
- Filter Top - Gr. Incasso NRS / 50 cm
- Charcoal filter Carbon.Zeo Microtech filter (optional)
- Minimum distance Gas hob: 25 in
Electric hob: 21 in

PACKAGING:WEIGHTS AND VOLUMES


- Gross weight 58 lbs
- Net weight 48 lbs
- Volumes 10 ft³
- Packaging size Length 38 in
Height 17 in
Depth 26 in

CONSUMPTION AND CONNECTION FEATURES

- Maximum consumption 280 W
- Plug type Hood comes standard with Nema 5-15P power cord

MOTOR TECHNICAL SHEET

- Maximum capacity 610 m³/h
I.E.C. 61591
- Maximum noise level 54,5 dB(A)re1pW
I.E.C.60704-2-13
- Maximum pressure (Pa) 510 Pa
- Max. motor power 224 W



Cut-out size: 19 15/16" (506) x 10 5/16" (262)

GRUPPO INCASSO NRS

Version
FNINS20B5SS-R/ Built-in – 19
11/16" (50 cm) 500 CFM

Collection
Silence - NRS

EAN code
8034122350332

MOTOR TECHNICAL SHEET

Motor Speed	1	2	3	4
Noise level dB(A)re1pW-I.E.C.60704-2-13	37	41	46	54,5
Capacity (m3/h) I.E.C.61591	220	290	375	610
Maximum pressure (Pa)	390	440	490	510
Power (W)	130	150	178	224
Air outlet	150	150	150	150

CAPACITY / PRESSURE

