



PRF0214752

# EC24SRN12IPR-L

**12.5 CuFt capacity, seamless integration, and elegant design for modern refrigeration.**

Design by **24" Single Door Left, Column, Panel Ready, 12.5 cf Refrigerator**

Generic Data

|                      |                               |               |
|----------------------|-------------------------------|---------------|
| <b>FINISHING</b>     | <b>DIMENSIONS (INCH)</b>      | <b>SERIES</b> |
| Panel Ready          | 23 3/4" x 23 5/16" x 83 9/16" | DOLOMITE      |
| <b>LIGHTING</b>      | <b>ELECTRICAL</b>             |               |
| LED 6500K 300 lumens | 120 V                         |               |

Refrigeration

|                                          |                            |                                      |
|------------------------------------------|----------------------------|--------------------------------------|
| <b>AMPERAGE</b>                          | <b>HERTZ</b>               | <b>WATT</b>                          |
| 2.0A                                     | 60                         | 372 W                                |
| <b>DEFROST TYPE</b>                      | <b>POWER CORD</b>          | <b>ADJUSTBALE SHELVES</b>            |
| No Frost                                 | Power Cord                 | YES                                  |
| <b>REMOVABLE SHELVES</b>                 | <b>NUMBER OF SHELVES</b>   | <b>DRAWERS</b>                       |
| YES                                      | 3                          | 3 - Soft Close Drawers               |
| <b>SHELF MATERIAL</b>                    | <b>DOOR STORAGE</b>        | <b>DOOR FEATURES</b>                 |
| Spill-Proof Glass                        | 4 Height adjustable Bins   | Black plastic panel ready door frame |
| <b>STORAGE FEATURES</b>                  | <b>REVERSIBLE DOOR</b>     | <b>SOLID DOORS</b>                   |
| 3 glass shelves and 3 soft close drawers | YES                        | Panel ready/Stainless Steel Kit      |
| <b>DOOR ALARM</b>                        | <b>SABBATH MODE</b>        | <b>REFRIGERATION TEMP MIN</b>        |
| YES                                      | YES                        | 35°F                                 |
| <b>REFRIGERATION TEMP MAX</b>            | <b>TEMPERATURE DISPLAY</b> | <b>CHILLER DRAWER TEMP</b>           |
| 46°F                                     | YES                        | 30°F (-1°C) to 41°F(5°C)             |
| <b>CUFT</b>                              | <b>FRIDGE CAPACITY</b>     | <b>HEIGHT</b>                        |
| 12.5 cuft                                | 12.5 cuft                  | 83 9/16"                             |
| <b>DEPTH</b>                             | <b>COUNTER DEPTH</b>       | <b>DEPTH WITH DOOR OPEN</b>          |
| 23 5/16"                                 | 23 5/16"                   | 55 5/16"                             |
| <b>DEPTH WITH HANDLES</b>                | <b>DEPTH WITH OUTDOOR</b>  | <b>DEPTH WITHOUT HANDLES</b>         |
| 27 5/4"                                  | 22 19/32"                  | 23 5/4"                              |
| <b>LEVELING LEGS</b>                     | <b>CUTOUT</b>              |                                      |
| YES                                      | 24" x 25" x 84"            |                                      |

Kits

**HANDLE**

EPHKCSS

**JOINING KIT**

ECJXCXX

**STAINLESS STEEL PANEL KIT**

EPNKC24SS

**CARBON FILTER REPLACEMENT**

L00114-1

**TUBULAR HANDLE STAINLESS  
STEEL KIT**

ETHKCSS

**WATER FILTERCOVER**

ERWFC