

Product data sheet

CONSTRUCTION TYPE

Range	•
Appliance width in inches	36

HEATING TYPE

All electric	•
Cooktop	Induction

DESIGN

Colour	CleanTouch Steel
Oven display	DirectSelect

OPERATING MODES

Convection Bake	•
Convection Roast	•
Booster	•
Booster	•
Maxi Broil	•
Surround	•
Bake	•
Convection Broil	•

COOKTOP FEATURES

Heating type	Induction
Number of induction cooking zones	5
Power level display	1 - 9
Residual heat indicator	•
PowerFlex cooking zones	4
PowerFlex cooking areas	2
Number of vario cooking zones	1 ring

USER CONVENIENCE

Metal knobs	•
Time-of-day display	•

Timer	•
Safety shut-off	•
Programmable cooking duration	•
Individual settings	•

APPLIANCE DOOR

CleanGlass door	•
Door contact switch	•
SoftClose oven door	•

OVEN CAVITY

Oven capacity in l	5.3 (150) ft ³ (l)
Number of oven shelf levels	6
Number of halogen lights	double
TwinPower Convection Fans	•

CLEANING CONVENIENCE

Stainless steel front with partial CleanTouch Steel finish	•
Self Clean oven	•
Cooktop surface	Ceramic surface

EFFICIENCY AND SUSTAINABILITY

Rapid PreHeat	•
Rapid PreHeat	•

SAFETY

Appliance cooling system with touch-cool fronts	•
Safety shut-off	•
System lock	•
Door contact switch	•
Door lock during SelfClean	•

TECHNICAL DATA

Appliance width in mm	36 1/8 (915)
Appliance height in mm (min.)	35 5/8 (902)
Appliance height in mm (max.)	37 1/8 (940)
Dimensions in mm (depth) with bullnose	27 3/4 (702)

Fuse rating in A	50
Frequency in Hz	60
Voltage in V	120
Voltage convertible in V	240/208
Number of phases	1

ACCESSORIES SUPPLIED

Self Clean ready wire rack	1
Self Clean ready wire rack with rail system	1
Self Clean ready side racks	1