



DIVINE
MULTI SIDED

A NEW DIMENSION

DIVINE / PROUDLY HANDCRAFTED IN NORTH AMERICA

H38FSD
H42FSD

SEE THROUGH
DIRECT VENT

QUICK DIMENSIONS

	H38FSD*		H42FSD*	
	UNIT	FRAM.	UNIT	FRAM.
F.WIDTH	39 ⁵ / ₁₆	40 ³ / ₄	43 ⁵ / ₁₆	45
B.WIDTH	39 ⁵ / ₁₆	40 ³ / ₄	43 ⁵ / ₁₆	45
HEIGHT	40 ⁹ / ₁₆	42 ¹ / ₂	44 ³ / ₈	49 ¹ / ₂
DEPTH	24 ¹ / ₂	23 ³ / ₄	24 ¹ / ₂	24
VIEWING	35 ¹ / ₄ × 26 ³ / ₈		39 ³ / ₈ × 30 ³ / ₈	

DIVINE FSD TRADITIONAL

Standard

Traditional burner
and logset

Heritage brick liner

Wrought iron grate

Manual Hi-Lo
flame control

Options

Multi-function
remote control

Wall remote

Battery backup

Fans

Surrounds in satin black
or stainless steel

WiFi phone app control

DIVINE FSD CONTEMPORARY KIT

Standard

Contemporary burner

Manual Hi-Lo
flame control

Options

Glass media

Multi-function
remote control

Wall remote

Battery backup

Fans

Surrounds in satin black
or stainless steel

WiFi phone app control

BTU LISTING

H38FSDN / 34,000
H38FSDNI / 34,000
H38FSDL / 32,000
H38FSDLI / 32,000

H42FSDN / 37,000
H42FSDNI / 37,000
H42FSDL / 37,000
H42FSDLI / 37,000

EFFICIENCY (FE)

H38FSDN / 57.5%
H38FSDNI / 58.5%
H38FSDL / 57.5%
H38FSDLI / 58.5%

H42FSDN / 66%
H42FSDNI / 68.3%
H42FSDL / 66%
H42FSDLI / 68.3%






MONTIGO / STAINLESS SURROUND



MONTIGO / SATIN BLACK SURROUND

DIVINE FSD DIMENSIONS



	A	B	C	D	E	F	G	H	I	J	K	L	M	N	O	P	Q
H38FSD	37 $\frac{3}{4}$	35 $\frac{1}{4}$	39 $\frac{1}{16}$	26 $\frac{3}{8}$	24 $\frac{1}{2}$	24	12	6 $\frac{7}{8}$	43 $\frac{3}{16}$	36 $\frac{1}{2}$	37 $\frac{1}{16}$	33 $\frac{3}{16}$	40 $\frac{9}{16}$	3 $\frac{3}{8}$	8 $\frac{5}{8}$	7 $\frac{3}{8}$	3
H42FSD	42	39 $\frac{3}{8}$	43 $\frac{3}{16}$	30 $\frac{3}{8}$	24 $\frac{1}{2}$	24	12	6 $\frac{7}{8}$	46 $\frac{1}{16}$	40 $\frac{1}{2}$	41 $\frac{1}{16}$	37 $\frac{3}{8}$	44 $\frac{3}{8}$	3 $\frac{3}{8}$	8 $\frac{5}{8}$	7 $\frac{3}{8}$	3



MONTIGO / DIVINE / H38FSDNI / TRADITIONAL LOGSET



MONTIGO / DIVINE / H42FSDNI / TRADITIONAL LOGSET



REMOTE[†]
RX200**



WALL REMOTE[†]
EC1550



WIFI PHONE APP
CONTROL
SIT-WIFI[†]



HERITAGE^Δ

^Δ Standard on H38FSD[†]I, H42FSD[†]I
[†]Profile 2 units only

Unit Specifications

ICON LEGEND

AVAILABLE

+

NOT AVAILABLE

-


DEDICATED

◊


STANDARD

◦


PIER FRAMING



BAY FRAMING




CORNER FRAMING



NON COMBUSTIBLE STUD INCLUDED WITH UNIT

Approximate dimensions to center. For best results mount noncombustible stud onto unit, then bolt to 2x4 header and floor.

SEE THROUGH FRAMING



	A	B	C	D
H38FSD	40 3/4"	42 1/2"	N/A	23 3/4"
H42FSD	45"	49 1/2"	46 1/2"	24"

NON COMBUSTIBLE STUD INCLUDED WITH UNIT - NOT NEEDED FOR H38FSD

	BTU NATURAL GAS	BTU LIQUID PROPANE	VENTING	CLEARANCE TOP - REAR VENT	CLEARANCE TOP - TOP VENT	CLEARANCE SIDES	CLEARANCE BACK	CLEARANCE FLOOR	FRONT VIEWING AREA	FRONT GLASS TYPE	STANDARD MEDIA	MICRO MESH	POWERVENT	REMOTE CONTROL	FANS	UPLIGHTING	DOWNLIGHTING
H38FSD*	34,000	32,000	5"/8"	9	17 1/2	1	2	0	35 3/4" X 26 3/8"	HIGH TEMPERATURE	TRADITIONAL	◦	+	+	+	-	-
H38FSD*I	34,000	32,000	5"/8"	9	17 1/2	1	2	0	35 3/4" X 26 3/8"	HIGH TEMPERATURE	TRADITIONAL	◦	+	+	+	-	-
H42FSD*	37,000	37,000	5"/8"	9	17 1/2	1	2	0	39 3/8" X 30 3/8"	HIGH TEMPERATURE	TRADITIONAL	◦	+	+	+	-	-
H42FSD*I	37,000	37,000	5"/8"	9	17 1/2	1	1	0	39 3/8" X 30 3/8"	HIGH TEMPERATURE	TRADITIONAL	◦	+	+	+	-	-
H38PF*I-2	34,000	32,000	5"/8"	9	17 1/2	1	1	0	32 1/2" X 21 1/8"	HIGH TEMPERATURE	TRADITIONAL	◦	+	◦	-	-	-
HL38PF*I-2	34,000	32,000	5"/8"	9	17 1/2	1	1	0	32 1/2" X 21 1/8"	HIGH TEMPERATURE	HW1157	◦	+	◦	-	-	-
H38PR*I-2	34,000	32,000	5"/8"	9	17 1/2	1	1	0	32 1/2" X 24 3/4"	HIGH TEMPERATURE	TRADITIONAL	◦	+	◦	-	-	-
HL38PR*I-2	34,000	32,000	5"/8"	9	17 1/2	1	1	0	32 1/2" X 24 3/4"	HIGH TEMPERATURE	HW1157	◦	+	◦	-	-	-
H38CL*I-2	34,000	32,000	5"/8"	9	17 1/2	1	1	0	32 1/2" X 24 3/4"	HIGH TEMPERATURE	TRADITIONAL	◦	+	◦	-	-	-
HL38CL*I-2	34,000	32,000	5"/8"	9	17 1/2	1	1	0	32 1/2" X 24 3/4"	HIGH TEMPERATURE	HW1157	◦	+	◦	-	-	-
H38CR*I-2	34,000	32,000	5"/8"	9	17 1/2	1	1	0	32 1/2" X 24 3/4"	HIGH TEMPERATURE	TRADITIONAL	◦	+	◦	-	-	-
HL38CR*I-2	34,000	32,000	5"/8"	9	17 1/2	1	1	0	32 1/2" X 24 3/4"	HIGH TEMPERATURE	HW1157	◦	+	◦	-	-	-