

Designed especially for the US market, the single oven "Albertine" range is the baby of the CornuFé family. With one large multi-function convection oven, a five zone induction cooktop constructed of durable ceramic glass that easily wipes clean, and one large storage drawer. The CornuFé 90 is available in eleven colors and 3 trim accent choices of Polished Brass, Satin Chrome and Polished Chrome.



S P E C I F I C A T I O N S

CORNUFÉ 90 "ALBERTINE" INDUCTION: C9-I

900 W x 651 (w/o Handles), 729 (w/ Handles) D x 915 (942 max) H (mm) 35.4 W x 25.62 (w/o Handles), 28.70 (w/ Handles) D x 36.02 (37.08 max) H (inches) 315 lb uncrated, 410 lb Crated High-performance 5 zone induction cooktop Large electric convection oven

Induction Cooktop ratings:

Front Left: 1.4 kW (Max) 2.2 kW (Boost) Rear Left: 1.85 kW (Max) 3.0 kW (Boost) Center: 2.3 kW (Max) 3.7 kW (Boost) Front Right: 1.85 kW (Max) 3.0 kW (Boost) Rear Right: 1.85 kW (Max) 3.0 kW (Boost) *Note: Front Right and Rear Right Burners can be bridged*

POWER

Voltage: 240v; 60Hz, 50 AMP

$\rm F~I~N~I~S~H~E~S$

Five Classic Colors: Matte Black, Stainless Steel, Gloss Black, Provence Blue, and Pure White
Four Étoile Colors: Morning Dew, Graphite, Ocean, and Wintersky
Suzanne Kasler Color Collection Colors: Tapestry and Roquefort
Three Trim Options: 1) Stainless Steel Trim and Rail with Satin Chrome Accents, 2) Stainless Steel Trim with Polished Brass Rail and Accents, and
3) Stainless Steel Trim, Polished Stainless Steel Rail, with Polished Chrome Accents
NOTE: Side panels are stainless steel for all colors except Gloss Black and Matte Black ranges have flat black side panels. The Polished Brass Trim is natural, non coated metal and will patina over time.

Ovens:

Enameled steel door with glass inner door Electric convection oven featuring 7 cooking modes 2 Convection Fans, 8 Heating Elements 1 Deluxe oven tray 1 Large Tray Equipped with Broil Pan 1 Pastry Tray 2 Telescopic Racks 714 W x 389 D x 381 H (mm) 28.1 W x 15.3 D x 15 H (inches) 3.81 cubic feet **IA CORNUE**

CORNUFÉ HOOD COLLECTION



CORNUFÉ 90 HOOD: H9

900 W x 650 D x 700 H (mm) 35.4 W x 25.6 D x 27.5 H (inches) Traditional wall-mounted chimney hood Available in all color and trim options 4-Speed Variable Motor One 600 CFM blower - unobstructed air flow with Ø6" duct **Remote Control and In-Hood Activation Controls** Three 20W high-intensity lights 2 dishwasher-safe baffle filters with grease capture system Voltage: 120v; 60Hz, total rating: 425W, 3.6 AMP Telescopic flue cover extends to maximum hood height of 39.3" (1000 mm)

LA CORNUE



FRONT VIEW



SIDE VIEW



FRONT VIEW



SIDE VIEW

CORNUFÉ CASCADE : CH3630CAC & CH4430CAC

36"W x 24"D x 30"H (600 cfm/8" collar) 44"W x 24"D x 30"H (1200 cfm/10" collar)

Duct Cover Options: 12", 24" and 48" Tall Custom Duct Cover heights are available

Product Weight: 36"(30"H): 97 lbs 44"(30"H): 124 lbs

Electrical Requirements: 600 CFM models draw approx. 2.7 Amps 1200 CFM models draw approx. 5.4 Amps

Hood Sone Level: Ranges from 5-7

30"

12"-

SIDE VIEW

1

4 1/2"



FRONT VIEW



FRONT VIEW

SIDE VIEW



FRONT VIEW



SIDE VIEW





CORNUFÉ EUCLID : CH3630EUC & CH4430EUC

JA CORNUE

Hood Style: Trapezoid

Available in both 36" & 44" 36"W x 24"D x 30"H (600 cfm/8" collar) 44"W x 24"D x 30"H (1200 cfm/10" collar)

Duct Cover Options: 12", 24" and 48" Tall *Custom Duct Cover heights are available*

Product Weight: 36"(30"H) : 98 lbs/ 44"(30"H) : 126 lbs

Electrical Requirements: 600 CFM models draw approx. 2.7 Amps 1200 CFM models draw approx. 5.4 Amps

Hood Sone Level: Ranges from 5-7

CORNUFÉ LOGE	:	CH3630LGE & CH4430LGE
	٠	

Hood Style: Box

Available in both 36" & 44" 36"W x 24"D x 30"H, 42"H or 54"H (600 cfm/8" collar) 44"W x 24"D x 30"H, 42"H or 54"H (1200 cfm/10" collar)

Product Weight:

36"(30"H) : 104 lbs / 36"(42"H) : 122 lbs / 36"(54"H) : 141 lbs 44"(30"H) : 130 lbs / 44"(42"H) : 151 lbs / 44"(54"H)

: 172 lbs

Electrical Requirements: 600 CFM models draw approx. 2.7 Amps 1200 CFM models draw approx. 5.4 Amps

Hood Sone Level: Ranges from 5-7



FRONT VIEW





FRONT VIEW

SIDE VIEW

CORNUFÉ MARQUEE : CH3630MRQ & CH4430MRQ

A CORNUE

Hood Style: Arched Front

Available in both 36" & 44" 36"W x 24"D x 30"H (600 cfm/8" collar) 44"W x 24"D x 30"H (1200 cfm/10" collar)

Duct Cover Options: 12", 24" and 48" Tall *Custom Duct Cover heights are available*

Product Weight: 36"(30"H) : 101 lbs/ 44"(30"H) : 126 lbs

Electrical Requirements: 600 CFM models draw approx. 2.7 Amps 1200 CFM models draw approx. 5.4 Amps

Hood Sone Level: Ranges from 5-7

CORNUFÉ SERIES DETAILS & ACCESSORIES

CLASSIC COLORS

	N	Matte Black
	М	Gloss Black
	I	Stainless Steel
1	W	Pure White
	L	Provence Blue

ÉTOILE COLORS

Р	Morning Dew
G	Graphite
0	Ocean
H	Wintersky

TRIM OPTIONS

	Trim	Accents	Rails
Ν	Stainless Steel	Satin Chrome	Stainless Steel
F	Stainless Steel	Polished Brass	Polished Brass
Р	Stainless Steel	Polished Chrome	Polished Stainless Steel

Note: The Polished Brass Trim is natural, non coated metal and will patina over time.

ACCESSORIES:

Part Number	Description
09KIRSIR01	Recirculating kit for CornuFe Hood

SUZANNE KASLER COLORS

A	Tapestry
Q	Roquefort

Please confirm inventory status at time of order.