# Brenham™ | K-1999-SS4

Wall-mount or concealed carrier arm mount commercial bathroom sink with 4" centerset faucet holes and shroud, antimicrobial finish

## Features

- Antimicrobial finish inhibits the growth of mold-, mildew-, stain-, and odor-causing bacteria on the fixture surface. This product does not protect users against bacteria, viruses, or other disease organisms. Always clean and wash this product thoroughly before and after each use
- Ideal for healthcare and education installations
- 4" (102 mm) centerset faucet holes
- Oval basin
- Overflow drain
- Includes wall hanger
- Combination consists of basin and shroud



## Available Colors/Finishes

*Color tiles intended for reference only.*

0 White



1-800-4KOHLER (1-800-456-4537)
Kohler Co. reserves the right to make revisions without notice to product specifications.
For the most current specification sheet, go to www.kohler.com USA or www.kohler.ca Canada.
6-5-2026 18:0 - US-CA

## Codes/Standards

***ADA, OBC, CSA B651 compliant when installed to the specific requirements of these regulations.***

ADA | CSA B651 | OBC

ASME A112.19.2/CSA B45.1
ADA
ICC/ANSI A117.1
CSA B651
OBC

## Technical Information

| | |
|---|---|
| Number of Deck Holes: | 3 |
| Faucet Hole(s) Size: | 1-3/8" (35 mm) |
| Center(s): | 4" (102 mm) |
| With Overflow: | Yes |
| Drain Hole Diameter: | 1-3/4" (44 mm) |
| Basin Configuration: | Single Bowl |
| Basin Length: | 14-3/8" (365 mm) |
| Basin Width: | 12-5/16" (313 mm) |
| Basin Depth: | 4-9/16" (115 mm) |

## Material

- Vitreous china

## Included Combo Skus

- K-1997-SS4 Wall-mount or concealed carrier arm mount commercial bathroom sink with 4" centerset faucet holes, antimicrobial finish
- K-1998-SS Shroud, antimicrobial finish

## Recommended Products/Accessories

K-23726 Drain treatment

K-23725 Cast iron cleaner

## Warranty

***See website for detailed warranty information.***


KOHLER® Vitreous China Bathroom Sink Lifetime Limited Warranty




1-800-4KOHLER (1-800-456-4537)
Kohler Co. reserves the right to make revisions without notice to product specifications.
For the most current specification sheet, go to www.kohler.com USA or www.kohler.ca Canada.
6-5-2026 18:0 - US-CA

THE BOLD LOOK OF KOHLER.

**Concealed Arm Hole Location**




**Standard Installation**




**Recommended ADA/TAS Installation**

| Recommended ADA/TAS installation: | | |
|---|---|---|
| | ADA and TAS | Children's Environment<br>ADA and TAS Ages 6-12 yrs |
| A | 34" (864 mm) | 31" (787 mm) |
| B | 27" (686 mm) | 24" (610 mm) |
| C | 11" (279 mm) | 11-1/16" (281 mm) |
| D | 9" (229 mm) | 9-1/16" (230 mm) |
| E | 8" (203 mm) | 8-1/16" (205 mm) |

## Installation

- Wall-mount
- Drilled for concealed arm carrier installation

## Installation Notes

***Install this product according to the installation instructions.***

Product dimensions are nominal and may vary per ASME A112.19.2 tolerances.
ADA, OBC, CSA B651 compliant when installed to the specific requirements of these regulations.



1-800-4KOHLER (1-800-456-4537)
Kohler Co. reserves the right to make revisions without notice to product specifications.
For the most current specification sheet, go to www.kohler.com USA or www.kohler.ca Canada.
6-5-2026 18:0 - US-CA
THE BOLD LOOK OF KOHLER.