

# Product data sheet

## CONSTRUCTION TYPE AND DESIGN

Speed oven	•
VitroLine	•
Appliance colour	Graphite grey

## CONVENIENCE FEATURES

Quick & Gentle	•
Rapid PreHeat	•
Food probe	With cable
Keeping warm	•
Crisp function	•

## OPERATING MODES

Defrost	•
MasterChef programs	•
Auto Roast	•
Gentle Bake	•
Maxi Broil	•
Intensive	•
Slow Roasting	•
Microwave	•
Microwave with Auto Roast	•
Microwave with Broil	•

<b>Microwave with Convection Bake</b>	•
<b>Microwave with Convection Broil</b>	•
<b>Surround</b>	•
<b>Bake</b>	•
<b>Convection Broil</b>	•
<b>Special modes</b>	•
<b>Broiling operating modes</b>	•

## USER CONVENIENCE

<b>Display</b>	M Touch
<b>SoftOpen</b>	•
<b>SoftClose</b>	•
<b>Ergonomic swivel handle</b>	•
<b>Language Options</b>	•
<b>MyMiele</b>	•
<b>Help function</b>	•
<b>Popcorn function</b>	•
<b>Polyphonic audible signals</b>	•
<b>Time-of-day display</b>	•
<b>Time synchronization</b>	•
<b>Date display</b>	•
<b>Timer</b>	•
<b>Programmable start of cooking duration</b>	•
<b>Programmable end of cooking duration</b>	•
<b>Programmable cooking duration</b>	•
<b>Actual temperature display</b>	•
<b>Audible signal when desired temperature is reached</b>	•

**Recommended temperatures**

•

**Recommended microwave power**

•

**Quick MW**

•

**Favourites**

•

**Sabbath Program**

•

**Networking with Miele@home**

•

**Individual settings**

•

**Timers**

•

**MotionReact DG**

•

**EFFICIENCY AND SUSTAINABILITY****Residual heat utilization**

•

**CLEANING CONVENIENCE****Stainless steel oven compartment with linen-weave pattern and PerfectClean finish**

•

**Hinged broiler**

•

**CleanGlass door**

•

**SAFETY****Appliance cooling system with touch-cool fronts**

•

**Safety shut-off**

•

**System lock**

•

**Sensor lock**

•

**TECHNICAL DATA**

<b>Appliance dimensions (W x H x D) in mm</b>	29 7/8 (757) x 18 7/8 (479) x 22 5/8 (573)
<b>Appliance dimensions (W x H x D) in mm</b>	29 7/8 (757) x 18 7/8 (479) x 22 5/8 (573)
<b>Voltage convertible in V</b>	240/208
<b>Microwave power levels in power levels</b>	1 □ 7
<b>Length of power cable in m</b>	1.80
<b>Power cable with plug</b>	•
<b>Number of phases</b>	1
<b>Fuse rating in A</b>	30
<b>Frequency in Hz</b>	60
<b>Voltage in V</b>	120
<b>Total rated load in kW</b>	4.000
<b>Weight in lbs (kg)</b>	101.41 (46.0)
<b>Weight in lbs (kg)</b>	102 (46.0)
<b>Weight in lbs (kg)</b>	102 (46.0)
<b>Weight in lbs (kg)</b>	102 (46.0)
<b>Appliance depth in mm</b>	22 5/8 (573)
<b>Appliance depth in mm</b>	22 5/8 (573)
<b>Appliance depth in mm</b>	22 5/8 (573)
<b>Appliance height in mm</b>	18 7/8 (479)
<b>Appliance height in mm</b>	18 7/8 (479)
<b>Appliance height in mm</b>	18 7/8 (479)
<b>Appliance width in mm</b>	29 7/8 (757)
<b>Appliance width in mm</b>	29 7/8 (757)
<b>Appliance width in mm</b>	29 7/8 (757)
<b>Niche depth in mm</b>	24 1/8 (610)
<b>Niche height max. in inches (mm)</b>	18 5/8 (472)
<b>Niche height min. in inches (mm)</b>	18 5/8 (470)

Niche width max. in inches (mm)	28 5/8 (724)
Niche width min. in inches (mm)	28 5/8 (724)
Electronically controlled microwave power	•
Oven interior lighting	1 LED spot
Number of shelf levels	3
Oven compartment volume in cubic feet (l)	1.52 (43) ft³ (l)
Temperatures in °F (°C)	85-475 (30-250)

AVAILABLE DISPLAY LANGUAGES

ACCESSORIES SUPPLIED