



<i>EAN code</i>	8034122370545
<i>Model Code</i>	FNPLS30W6MB-R Plus - wall - 30" (76 cm) - black - 600 CFM
<i>Collection</i>	Silence - NRS

FEATURES AND PROPERTIES

<i>Materials/Finishes</i>	Painted black steel
<i>Lighting</i>	Strip LED Dynamic Light (2700K - 5600K) Dimmable lighting
<i>Control</i>	Electronic control
<i>Installation type</i>	Wall
<i>Ducting type</i>	External ducting/Recirculating
<i>Filters</i>	Metallic grease filter, removable and washable Carbon.Zeo Microtech renewable filter (optional)
<i>Dimensions</i>	30 in
<i>Features</i>	NRS technology for a quieter kitchen Perimeter suction SRS Speed reduction system

OPTIONAL ACCESSORIES

Code	Description
KACL.1039	Carbon.Zeo Microtech renewable filter
KACL.400	Silent / Conveyor NRS
105080053	Remote control
KACL.571#N	Extension H960 Wall - Black

ELECTRICAL CONNECTION AND CONSUMPTION

Maximum consumption	340W
Voltage/Frequency	110-120V 60Hz
Connection type	Hood comes standard with Nema 5-15P power cord

BLOWER PERFORMANCE

Motor	600 CFM
-------	---------


TECNICAL SPECS OF COOKERHOOD WITH 600 CFM NRS MOTOR

Motor Speed	SRS 2*		SRS 3*	
	1	2	3	4
CFM (rated at the motor)	210	295	395	600
Sones (estimated value)	1	2	3	4.25
Duct Size	6"	6"	6"	6"


*If activated SRS has 2 settings; 3 speed max & 2 speed max

WEIGHTS AND DIMENSIONS


Gross weight	80 lbs
Net weight	69 lbs
Packaging dimensions	L 40 in H 30 in D 24 in
Notes	Recommended mounting height from cooking surface to hood bottom: 24" - 35"



Frontal view



Side view



Top view