


ORION® LINEAR ADVANCED FEATURES

Modern Flames Orion® Electric Fireplaces featuring NEW HELIOVISION® flame technology.
Our Orion electric fireplaces with the most advanced features that fits all your needs.



Shown: Flame One - Hybrid

Orion™ Multi 60" - Three Sided Install
Flame One (Hybrid)



Orion™ Slim 76" - Single Sided Install
Flame Three (Gas)

ORION® SLIM

*Single-Sided Electric Fireplace Featuring NEW HELIOVISION™ Flame Technology
Simple Slide-In Installation into 6" Wall or Wall Mounted in Any Room in the House*

Installation

- ▶ *Single-Sided Built-In Linear Fireplace*
- ▶ *Slide-In Installation 6" Wall or Wall Mounted*
- ▶ *Slide-In Clean Face Design*
- ▶ *Available in Sizes: 52" – 60" – 76" & 100"*

Flame Display

- ▶ *Features NEW HELIOVISION® Flame Technology*
- ▶ *14" High Viewing Area*
- ▶ *3 Flame Styles – 6 Flame Colors*
- ▶ *Adjustable Flame Speed*
- ▶ *Adjustable Ambient Crackling Sound*
- ▶ *Multi-Color Ember Bed*
- ▶ *Multi-Color Downlighting*
- ▶ *Multi-Dimensional Flame Appearance*
- ▶ *5,000 BTU Heater*

Units

Model

- ORION 52" SLIMOR52-SLIM
- ORION 60" SLIMOR60-SLIM
- ORION 76" SLIMOR76-SLIM
- ORION 100" SLIMOR100-SLIM

FLAME STYLES



FLAME ONE (HYBRID)



FLAME TWO (WOOD)



FLAME THREE (GAS)

FLAME COLORS




YELLOW



ORANGE



BLUE



GREEN



PURPLE



WHITE




YELLOW



ORANGE



BLUE



GREEN



PURPLE



WHITE




YELLOW



ORANGE



BLUE



GREEN



PURPLE



WHITE

MEDIA AND LOG SET

*REFLECTIVE BLACK CRUSHED GLASS AND LOG SET - WESTERN DRIFTWOOD
are included with each fireplace; you choose the set up.*



LOG SET - WESTERN DRIFTWOOD
with REFLECTIVE BLACK CRUSHED GLASS




REFLECTIVE BLACK CRUSHED GLASS

WIFI APP CONTROLS - ALL ORION® MODELS

MODERN
FLAMES
MOBILE APP



SLIM SPECIFICATIONS



PRODUCT DIMENSIONS									FRAMING DIMENSIONS		
MODEL NUMBER	A	B	C	D	E	F	G	H	I	J	K
OR52-SLIM	52-3/8" 1330MM	19-5/8" 499MM	6-5/16" 160MM	50-1/4" 1276MM	18-3/4" 476MM	5-3/4" 146MM	47-7/8" 1216MM	14-3/8" 364MM	50-3/4" 1289MM	19-1/8" 486MM	6" MINIMUM 152MM MIN.
OR60-SLIM	60" 1524MM	19-5/8" 499MM	6-5/16" 160MM	58" 1473MM	18-3/4" 476MM	5-3/4" 146MM	55-1/2" 1410MM	14-3/8" 364MM	58-1/2" 1486MM	19-1/8" 486MM	6" MINIMUM 152MM MIN.
OR76-SLIM	76-5/8" 1947MM	19-5/8" 499MM	6-5/16" 160MM	74-5/8" 1895MM	18-3/4" 476MM	5-3/4" 146MM	72-3/16" 1833MM	14-3/8" 364MM	75-1/8" 1908MM	19-1/8" 486MM	6" MINIMUM 152MM MIN.
OR100-SLIM	101" 2564MM	19-5/8" 499MM	6-5/16" 160MM	98-7/8" 2511MM	18-3/4" 476MM	5-3/4" 146MM	96-7/16" 2450MM	14-3/8" 364MM	99-1/2" 2527MM	19-1/8" 486MM	6" MINIMUM 152MM MIN.