

Product data sheet

CONSTRUCTION TYPE

Built-in appliance	•
Integrated appliance	•
Door hinging	Left
Can be installed side by side	•

DESIGN

Lighting	BrilliantLight
----------	----------------

USER CONVENIENCE

FullAccess	•
EasyClean	•
MaxLoad hinge	•
IceMaker with fresh-water connection	•
NoFrost	•
NoFrost	•
Push2open	•
Ice/water dispenser	•
Networking with Miele@home	•

CONTROLS

Eco mode	•
User interface	MasterSensor

SuperFrost	•
Number of temperature zones	1
Sabbath mode	•

FRIDGE / FRIDGE SECTION

Door baskets – small	1
Door baskets – large	3

FREEZER / FREEZER SECTION

Number of shelves	2
Number of freezer baskets	2

EFFICIENCY AND SUSTAINABILITY

Energy Star	•
-------------	---

SAFETY

Safety lock	•
Acoustic door alarm	•
Acoustic temperature alarm, freezer section	•
Optical door alarm	•
Optical temperature alarm	•

TECHNICAL DATA

Replacing lamps	Customer Service
Number of phases	1

Niche width in inches (mm), min.	24 1/8 (610)
Niche width in inches (mm), max.	24 1/8 (610)
Niche height in inches (mm), min.	84 1/8 (2134)
Niche height in inches (mm), max.	84 1/8 (2134)
Niche depth in mm	24 7/8 (629)
Appliance width in mm	23 3/4 (603)
Appliance height in mm	83 3/4 (2125)
Appliance depth in mm	24 (608)
Weight in lbs (kg)	317 (143.5)
Door hinge technology	Fixed door
Max. weight of door, fridge section, in kg	150 (68)
Storage time in case of fault in h	10
Current consumption in milliamps (mA)	4000
Voltage in V	110-120
Fuse rating in A	10
Frequency in Hz	60
Length of power cable in m	11 (3.5)

APPLIANCE CATEGORY

Freezer	•
---------	---

AVAILABLE DISPLAY LANGUAGES

Available display languages via Language Options	bahasa malaysia
--	-----------------