


Ceiling mount installation manual


Models with a pendant



Attention: lenticular screens such as LTS120AKA and Cine120-A are not suitable for ceiling installation


When using Fresnel screens such as DLT100-A and DLT100-B should be installed upside down(the label “DOWN” on the back of the screen should be shown face downwards)

1, List of package




2.Assembly of the mount

Connect the tube to the connection plate with screws and belts





3,Installation of the mount on the ceiling

Fix the mount on the ceiling







4,Installation of the console

Fix the console with the connection plate




5,Adjustment of the console


Use the adjustment belts to adjust the console.




Specifications of the installation

Model	L-Center of console to wall	H-Bottom of console to the upper side of the screen	 The diagram illustrates the installation of a console. It shows a side view of the console mounted on a wall. Key dimensions are labeled: L is the horizontal distance from the wall to the center of the console; EPD is the vertical distance from the top of the console to the top of the screen; 21 is the horizontal distance from the wall to the center of the console; B2 is the vertical distance from the bottom of the console to the bottom of the screen; and B1 is the total vertical distance from the bottom of the console to the bottom of the screen.
100L5	463mm ± 10%	373mm ± 10%	
100L9	476mm ± 10%	373mm ± 10%	


Models with a bracket



1, Packing list



Main arm



Connector




Plate of connexion×1





Plate of fixation ×1





Decoration covering




Screw of fixation ×1

2, Assembly of the product




Connect the connector with the main arm. Insert the screw of fixation




Connect the main arm with the bottom plate of fixation


Install the main arm




Drill the holes
Mark the drilling position on the wall



Screw in the screws C & D



Measurements

Console	L (mm)	Distance H (mm)	
100L9	476 ± 10%	373 ± 10%	
100L5	463 ± 10%	373 ± 10%	