

MONTIGO®

DELRAY SQUARE

DRSQ34NI

DRSQ34NI-2

DRSQ38NI

DRSQ38NI-2

DRSQ42NI

DRSQ42NI-2

DRSQ46NI

DRSQ46NI-2



DELRAY

SQUARE

The DelRay Square Universal Burner

A revolutionary burner system, creating endless opportunities

Versatility

We have developed a burner system that is not only convertible from natural gas to propane, but can switch from traditional to contemporary burner media without changing the burner system.

Media kits, such as logsets and contemporary scenes, must be ordered along with the unit.

Combustible facing

Our unique firebox design allows for installing a combustible wood facing right down to the glass opening.

Trim kits

For uneven and ledgestone finishing, a slim finishing kit connects directly to the fireplace frame to conceal the finished edge. These kits are adjustable and can cover finishing depths up to 2".





TRADITIONAL LOGSETS

Hand painted to perfection

Each logset is designed to work with the universal burner system that ensures a realistic flame pattern that fills the firebox.

All logsets come standard with a black coal firebed and glowing ember media.




WATCH IT BURN

DELRAY SQUARE 34 VIDEO



Watch the video to see the DelRay Square 34 burning with 9 media sets and 7 liners.

DELRAY SQUARE
34 MEDIA SHOWN
BELOW



WATCH IT BURN

DELRAY SQUARE 38 VIDEO



Watch the video to see the DelRay Square 38 burning with 9 media sets and 7 liners.

DELRAY SQUARE
38 MEDIA SHOWN
BELOW



SPLIT OAK
LGSSO4



BIRCH
LGSBI4



DRIFTWOOD
LGSDW4



WINTER
CSW46



BEACH
CSB46



TWILIGHT
CST46



WATCH IT BURN

DELRAY SQUARE 42 VIDEO



Watch the video to see
the DelRay Square 42
burning with 9 media
sets and 7 liners.

DELRAY SQUARE
42 MEDIA SHOWN
ABOVE

WATCH IT BURN

DELRAY SQUARE 46 VIDEO



Watch the video to see
the DelRay Square 46
burning with 9 media
sets and 7 liners.

DELRAY SQUARE
46 MEDIA SHOWN
ABOVE

CONTEMPORARY SCENES

Modern design at its best

Our contemporary scenes have been
designed to create the best possible
environment for tall, robust flames and
pair beautifully with any room.

All contemporary scenes come standard
with glass media, rocks, ceramic chips,
and glowing ember media.





DELRAY SQUARE

DRSQ34
DRSQ34-2
DRSQ38
DRSQ38-2

SINGLE SIDED
DIRECT VENT

CONTEMPORARY & TRADITIONAL

DELRAY FULL LOAD SQUARE

- Standard
- Concealed universal burner
- Multi-function remote
- Remote Hi-Lo flame control
- Remote controlled fans
- Micro mesh safety screen
- Battery backup
- Halogen downlighting
- Options
- Heat management
- Adjustable trim kits
- Traditional logsets
- Contemporary scenes
- Traditional and contemporary liners
- Propane conversion kit
- Speckled stones, glass media
- WiFi phone app control

DELRAY BASIC SQUARE

- Standard
- Concealed universal burner
- Manual Hi-Lo flame control
- Options
- Heat management
- Adjustable trim kits
- Remote control
- Fans
- Micro mesh safety screen
- Traditional and contemporary liners
- Propane conversion kit
- Battery backup
- Traditional logsets
- Contemporary scenes
- Speckled stones, glass media





OPTIONS & FEATURES



REMOTE[‡]
RX200**



WALL REMOTE[†]
EC1550



WIFI PHONE APP
CONTROL[†]
SIT-WIFI



DOWNLIGHTING[‡]



TRADITIONAL
LOGETS
LGS***3*



CONTEMPORARY
SCENES
CS*3*



TRIM KIT
DRSQT**-*



GREY
HERRINGBONE
DRSQBK3*GH



GREY
LEDGESTONE
DRSQBK3*GL



BLACK GLASS
RBGDRSQ3*



VINTAGE BRICK
DRSQBK3*VB



TAN BRICK
DRSQBK3*TB



RED BRICK
DRSQBK3*RB

LINERS



DELRAY SQUARE

MAKE A
STATEMENT

DRSQ42NI
DRSQ42NI-2
DRSQ46NI
DRSQ46NI-2

SINGLE SIDED
DIRECT VENT

DELRAY FULL LOAD SQUARE

- Standard
- Concealed universal burner
- Multi-function remote
- Remote Hi-Lo flame
- Remote controlled fans
- Micro mesh safety screen
- Battery backup
- Halogen downlighting
- Options
- Heat management
- Adjustable trim kits
- Traditional logsets
- Contemporary scenes
- Traditional and contemporary liners
- Propane conversion kit
- Speckled stones, glass media
- WiFi phone app control

DELRAY BASIC SQUARE

- Standard
- Concealed universal burner
- Manual Hi-Lo flame
- Options
- Heat management
- Adjustable trim kits
- Remote control
- Fans
- Micro mesh safety screen
- Traditional and contemporary liners
- Propane conversion kit
- Battery backup
- Traditional logsets
- Contemporary scenes
- Speckled stones, glass media





DELRAY / SQUARE / DRSQ46NI-2 / SPLIT OAK



DELRAY / SQUARE / DRSQ42NI-2 / TWILIGHT



DELRAY / SQUARE / DRSQ42NI-2 / DRIFTWOOD

OPTIONS & FEATURES



REMOTE[△]
RX200**



WALL REMOTE[†]
EC1550



WIFI PHONE APP
CONTROL
SIT-WIFI[‡]



DOWNLIGHTING[△]



TRADITIONAL
LOGETS
LGS**



CONTEMPORARY
SCENES
CS*



TRIM KIT
DRSQT**-*



GREY
HERRINGBONE
DRSQBK**GH



GREY
LEDGESTONE
DRSQBK**GL



ASH FLUTED
DRSQBK**AF



BLACK GLASS
RBGDRSQ**



VINTAGE BRICK
DRSQBK**VB



TAN BRICK
DRSQBK**TB



RED BRICK
DRSQBK**RB

DELRAY FINISHING

TRADITIONAL FINISHING • COOL WALL RELEASE / COOL WALL ADVANTAGE

The finishing options for the DelRay Square are as diverse as the unit itself. Create a surface safe for combustibles with the Cool Wall Release or Cool Wall Advantage kit, or keep it simple with traditional finishing. It's all up to you.

Traditional Finishing

DRSQ38 NON-VENTED CHASE SURFACE TEMPERATURES

Requires included cement board
and stud heat deflector.




- 140°F
16" ABOVE
OPENING
- 150°F
12" ABOVE
OPENING
- 180°F
8" ABOVE
OPENING
- 190°F
4" ABOVE
OPENING



Trim Kits

For uneven and ledgerstone finishing, we developed a slim finishing kit that fits directly to the fireplace frame to conceal the finished edge.

These kits are adjustable and cover finishing depths up to 2"



CHASE VENTING VALANCE

Prevent heat from being trapped within the chase by leaving the top open to allow heat to ventilate back into the room.

Cool Wall Release


DRSQ38 VENTED CHASE SURFACE TEMPERATURES

DRSQ34
Minimum 70² inch opening
DRSQ38
Minimum 100² inch opening
DRSQ42
Minimum 120² inch opening
DRSQ46
Minimum 140² inch opening

Temperatures shown are based on a DRSQ38NI-2 with vented chase

Minimum 6' chase
(When venting ports open or using Cool Wall Advantage kit)
Minimum 7' chase for DRSQ46

Included cement board and stud heat deflector not required when using the Cool Wall Release or Cool Wall Advantage System.



VENTING PORTS

Opening the venting ports diverts heat through the chase, resulting in lower wall surface temperatures



LINERS



MEDIA

OBSIDIAN
HW1113



ICE
HW1157

PLATINUM
HW1144



COPPER
HW1143



SPECKLED STONES
RR**SS

AMBER
HW1261



GLACIER
HW1219B

ALABASTER
HW1260



ONYX
HW1259

FROST
HW1112



EBONY
HW1091



QUARTZ
HW1106




COALS
HW1265, HW1266





DELRAY / SQUARE / DRSQ46NI-2 / WINTER SCENE / REFLECTIVE BLACK GLASS

DELRAY / SQUARE / DRSQ38NI-2 / SPLIT OAK LOGSET / TAN BRICK



Unit Specifications

ICON LEGEND

AVAILABLE 

DEDICATED 

NOT AVAILABLE 

STANDARD 

	BTU NATURAL GAS	BTU LIQUID PROpane	NG EFFICIENCY	LP EFFICIENCY	VENTING	CLEARANCE TOP - TOP VENT	CLEARANCE REAR - TOP VENT	CLEARANCE SIDES	CLEARANCE BACK	CLEARANCE FLOOR	CLEARANCE MANTEL	FRONT VIEWING AREA	FRONT GLASS TYPE	STANDARD MEDIA	MICRO MESH SAFETY SCREEN	POWERVENT	REMOTE CONTROL	FANS	UPLIGHTING	DOWNLIGHTING
DRSQ34*I-2	18,000	16,000	65.7%	65.7%	4 ⁷ / ₈ "	21	17	0	1 ¹ / ₂	0	9	29 ¹¹ / ₁₆ X 18 ⁷ / ₈	HIGH TEMPERATURE	N/A	o	+	o	o	-	o
DRSQ34*I	15,500	14,000	67.1%	65.4%	4 ⁷ / ₈ "	21	17	0	1 ¹ / ₂	0	9	29 ¹¹ / ₁₆ X 18 ⁷ / ₈	HIGH TEMPERATURE	N/A	+	+	+	+	-	-
DRSQ38*I-2	24,000	19,500	65%	61.5%	5 ⁷ / ₈ " ^Δ	21	17	0	1 ¹ / ₂	0	6	33 ¹¹ / ₁₆ X 22 ⁷ / ₈	HIGH TEMPERATURE	N/A	o	+	o	o	-	o
DRSQ38*I	20,500	16,500	63.4%	61.8%	5 ⁷ / ₈ " ^Δ	21	17	0	1 ¹ / ₂	0	6	33 ¹¹ / ₁₆ X 22 ⁷ / ₈	HIGH TEMPERATURE	N/A	+	+	+	+	-	-
DRSQ42*I-2	32,500	27,000	63.1%	63%	5 ⁷ / ₈ "	28	28	1 ¹ / ₂	1 ¹ / ₂	0	10	37 ¹¹ / ₁₆ X 26 ⁷ / ₈	HIGH TEMPERATURE	N/A	o	+	o	o	-	o
DRSQ42*I	32,500	27,000	63.1%	63%	5 ⁷ / ₈ "	28	28	1 ¹ / ₂	1 ¹ / ₂	0	10	37 ¹¹ / ₁₆ X 26 ⁷ / ₈	HIGH TEMPERATURE	N/A	+	+	+	+	-	-
DRSQ46*I-2	40,000	34,000	64.1%	64.7%	5 ⁷ / ₈ "	35	35	1 ¹ / ₂	1	0	10	41 ¹¹ / ₁₆ X 30 ⁷ / ₈	HIGH TEMPERATURE	N/A	o	+	o	o	-	o
DRSQ46*I	40,000	34,000	64.1%	64.7%	5 ⁷ / ₈ "	35	35	1 ¹ / ₂	1	0	10	41 ¹¹ / ₁₆ X 30 ⁷ / ₈	HIGH TEMPERATURE	N/A	+	+	+	+	-	-


^ΔCan be reduced to 4⁷/₈"

DELRAY SQUARE FRAMING (MINIMUM DIMENSIONS)

	A*	B	C	D	E	F	G
DRSQ34	49	40 ¹ / ₂	18	36	52 ⁷ / ₁₆	37 ¹ / ₁₆	1
DRSQ38	62 ¹ / ₈	44 ⁷ / ₁₆	18	40 ³ / ₁₆	59 ¹ / ₄	41 ¹ / ₈	2
DRSQ42	72	51	21	45	62 ⁷ / ₁₆	44 ¹ / ₈	1
DRSQ46	84	55	22	49	67 ³ / ₈	47 ⁵ / ₈	1

* Some venting configurations that require more vertical rise will require a larger enclosure to provide minimum vertical clearance between vent pipes and combustibles

Header must be on edge to meet clearance to venting



1976: The Days Before Gas Fireplaces

In 1976, Montigo president and founder, Dan Binzer, started installing zero-clearance wood burning fireplaces for local builders in Vancouver, BC. Over the years, demand grew for a gas alternative, and Dan engineered and manufactured the first ever sandpan logset. The logset was installed in a zero-clearance wood burning fireplaces shell, resulting in one of the first zero-clearance gas fireplaces on the market.

1985: Gas Fireplace Manufacturing Begins

Demand for gas grew rapidly, especially among multi-unit developments so Dan Binzer started a company called Canadian Heating that would offer full service design, engineering and manufacturing for gas fireplaces. Under the Montigo brand, Canadian Heating began manufacturing and selling a wide selection of zero-clearance gas fireplaces throughout Canada and in 1985 development began for the latest and greatest in gas fireplace technology – direct venting.

1994: Manufacturing Excellence is Achieved

Development and advancement of the gas fireplace continued over the years with continual developments to improve the efficiency of the fireplaces and perfected manufacturing processes to deliver an optimum fireplace each and every time – even for completely custom units.

Present: Leading the Way with Modern Fireplace Design

As one of the first to bring a linear designed fireplace to market, Montigo now offers the largest selection of linear fireplaces demanded by designers, architects and homeowners wanting to create a modern and contemporary space and homeowners wanting to create a modern and contemporary space.

WARNING

Some materials used in the manufacturing process of this product can expose you to Benzene which is known in the State of California to cause cancer and birth defects or other reproductive harm. For more information go to www.P65warnings.ca.gov

for more inspiration go to
www.montigo.com

MONTIGO®
the art of **fireplaces**



Our Guarantee

Montigo® stands behind the craftsmanship and durability of our products by providing a 15 year warranty on the burner and firebox in all our residential fireplaces.



Printed in USA

XB2218 - Square
XB2216 - Linear