

Whirlpool® 1.6 cu. ft. Sensor Cooking Microwave

YWMCS7022SS

Available Finishes/Colours

-  YWMCS7022SS
Stainless Steel
-  YWMCS7022SZ
FingerPrint Resistant
Stainless Steel

-  YWMCS7022SB
Black



This 1,100-watt microwave has convenient features like a Dishwasher-Safe Turntable Plate to make cleanup even easier, and 6 Auto Functions so you can reheat, cook and defrost various dishes at the touch of a button. With 1.6 Cu. Ft. Capacity and 4 Express Buttons, this Sensor Cooking microwave removes the guesswork and gives just the right amount of heat and time.

Top Features

Sensor Cooking

1200-Watt Cooking Power

Microwave Presets

Manuals & Literature:


-  [Dimension Guide](#)
-  [Owners Manual](#)
-  [Warranty Information](#)

Dimensions		Features	
Depth	18.31	Sensor Cooking	Yes
Height	12.25	Fan Speed Indicator	No
Width	21.75	Night Light	No
		Clock	Yes
		Convenience Cooking Controls	Yes
Microwave Details		Specifications	
Turntable Diameter Size In	12.75	Add 30 Seconds	Yes
Cavity Finish	Powder Coat	Control Lock	Yes
Convection	No	Soften Melt	Yes
Cooking Power Watts	1,100	Popcorn	Yes
Grill	No	Defrost	Yes
Interior Depth	17.63	Keep Warm	Yes
Interior Height	10.38	Steam Cook	Yes
Interior Light	LED	Country Of Origin	China
Interior Width	14.75	Optional Accessories	MTK1630RS, MTK1627RS
Turntable	Recessed	Extended Service Plan Parent	
Work Surface Light	No	Product To Product Pairs	
Features			
Number Of Power Levels	10		


MICROWAVE OVEN

PRODUCT DIMENSIONS


MODEL #	WMCS7022* /YWMCS7022*	
Unit of Measurement	in	cm
Overall Width (A)	21 ³ / ₄	55.3
Overall Height (B)	12 ¹ / ₄	31.2
Height of the door (C)	11 ⁷ / ₁₆	29.1
Depth without door (D)	17 ³ / ₄	45.1
Depth with door (E)	18 ⁵ / ₁₆	46.5
Depth with door open 90° (F)	35 ⁵ / ₁₆	89.7



FRONT VIEW



TOP VIEW




SIDE VIEW

NOTE: Specifications subject to change without notice.


MICROWAVE OVEN

MICROWAVE INTERIOR CAVITY DIMENSIONS


MODEL #	WMCS7022* /YWMCS7022*	
Unit of Measurement	in	cm
Cavity Height (A)	10 ³ / ₈	26.4
Cavity Width (B)	14 ³ / ₄	37.6
Cavity Depth (C)	17 ⁵ / ₈	44.8



CAVITY INTERIOR FRONT VIEW



CAVITY INTERIOR SIDE VIEW



FRONT


CAVITY INTERIOR TOP VIEW

NOTE: Specifications subject to change without notice.


FOUR À MICRO-ONDES

DIMENSIONS DU PRODUIT


NO DE MODÈLE	WMCS7022* /YWMCS7022*	
Unité de mesure	po	cm
Largeur totale (A)	21 $\frac{3}{4}$	55,3
Hauteur totale (B)	12 $\frac{1}{4}$	31,2
Hauteur de la porte (C)	11 $\frac{7}{16}$	29,1
Profondeur sans porte (D)	17 $\frac{3}{4}$	45,1
Profondeur avec porte (E)	18 $\frac{5}{16}$	46,5
Profondeur avec porte ouverte à 90° (F)	35 $\frac{5}{16}$	89,7



VUE DE FACE



VUE DU DESSUS



VUE LATÉRALE


➔ VUE AVANT

REMARQUE : Spécifications sujettes à changement sans préavis.



FOUR À MICRO-ONDES

DIMENSIONS DE CAVITÉ DU FOUR À MICRO-ONDES

NO DE MODÈLE ^e	WMCS7022* / YWMCS7022*	
Unité de mesure	po	cm
Hauteur de la cavité (A)	10 ³ / ₈	26,4
Largeur de la cavité (B)	14 ³ / ₄	37,6
Profondeur de la cavité (C)	17 ⁵ / ₈	44,8



VUE AVANT INTÉRIEURE DE LA CAVITÉ

VUE LATÉRALE INTÉRIEURE
DE LA CAVITÉ

VUE AVANT


VUE DE DESSUS INTÉRIEURE DE LA CAVITÉ

REMARQUE : Spécifications sujettes à changement sans préavis.


HORNO DE MICROONDAS

DIMENSIONES DEL PRODUCTO


N.º DE MODELO	WMCS7022* /YWMCS7022*	
Unidad de medida	pul	cm
Ancho total (A)	21 ³ / ₄	55,3
Altura total (B)	12 ¹ / ₄	31,2
Altura de la puerta (C)	11 ⁷ / ₁₆	29,1
Profundidad sin puerta (D)	17 ³ / ₄	45,1
Profundidad con puerta (E)	18 ⁵ / ₁₆	46,5
Profundidad con puerta abierta a 90° (F)	35 ⁵ / ₁₆	89,7



VISTA FRONTAL



VISTA SUPERIOR




VISTA LATERAL

NOTA: Las especificaciones están sujetas a cambios sin previo aviso.


HORNO DE MICROONDAS

DIMENSIONES DE LA CAVIDAD INTERIOR DEL MICROONDAS


N.º DE MODELO	WMCS7022* /YWMCS7022*	
Unidad de medida	pul	cm
Altura de la cavidad (A)	10 ^{3⁄8}	26,4
Ancho de la cavidad (B)	14 ^{3⁄4}	37,6
Profundidad de la cavidad (C)	17 ^{5⁄8}	44,8



VISTA FRONTAL DE LA CAVIDAD INTERIOR



VISTA LATERAL DE LA CAVIDAD INTERIOR



VISTA SUPERIOR DE LA CAVIDAD INTERIOR

NOTA: Las especificaciones están sujetas a cambios sin previo aviso.