Z10: Specifications

Print	Datasheet

Print Datasheet	
Specialties	
Number of specialties	32
Espresso	\checkmark
Cold Brew Espresso	\checkmark
2 × Espresso	\checkmark
Coffee	\checkmark
Cold Brew Coffee	✓
2 × Coffee	✓
Caffè Barista	\checkmark
2 × Caffè Barista	\checkmark
Americano	\checkmark
2 × Americano	✓
Espresso doppio	\checkmark
Jug of coffee	\checkmark
Cortado	\checkmark
Cold Brew Cortado	✓
Macchiato	✓
Cold Brew Macchiato	✓
Caffè latte	✓
Cold Brew Caffè latte	✓
Caffè latte Extra Shot	✓
Cappuccino	✓
Cold Brew Cappuccino	✓
Cappuccino Extra Shot	✓
Flat white	✓
Cold Brew flat white	✓

Flat white Extra Shot	✓
Latte macchiato	\checkmark
Cold Brew Latte macchiato	✓
Latte macchiato Extra Shot	✓
Portion of milk foam	✓
Portion of milk	✓
Hot water	✓
Hot water for green tea	✓
Specific benefits	
Cold Extraction Process	✓
Intelligent preheating	✓
Automatic Grinder Adjustment (A.G.A.)	✓
Active bean monitoring	✓
Automatic switching between milk and milk foam	✓
JURA Cockpit with maintenance status display	✓
Wi-Fi connection to home network	✓
Transmitter supplied as standard	Wi-Fi Connect
JURA coffee machine standards	
Pulse Extraction Process (P.E.P.®)	✓
3D brewing technology	✓
One-Touch Americano function	✓
One-Touch function	✓
Variable brewing unit	5–16 g
Grinder	Product Recognising Grinder (P.R.G.)
High-performance pump, 15 bar	1
Thermoblock heating system	1
Fluid systems	1
Milk system / interchangeable milk spout	HP3/CX3

Powder chute for ground coffee	✓
Aroma preservation cover	√
Operating and programming standards	
Compatible with J.O.E.®	√
Rotary Switch	√
Display	4.3" touchscreen color display
Position, duplicate and personalize products according to personal preference	✓
Individually programmable quantity of coffee water	✓
Individually programmable coffee strength	10 levels
Individually programmable amount of milk/milk foam	✓
Individually programmable milk/milk foam temperature	10 levels
Individually programmable brewing temperature	3 levels
Individually programmable hot water temperature	3 levels
Hygiene standards	
Automatic filter detection	√
Filter cartridge	CLEARYL Smart
One-Touch milk system cleaning (automatic)	✓
Integrated rinsing, cleaning, and descaling program	✓
Monitored drip tray	✓
JURA hygiene: TÜV-certified	✓
Energy standards	
Energy Save Mode (E.S.M.©)	✓
Zero-Energy Switch or power switch	√
Programmable switch-off time	✓
Design and materials	
Convex-concave 3 mm aluminium front	✓
Cup illumination	√

Water tank illumination	✓
In figures	
Height-adjustable/width-adjustable dual spout	3-5.9 in / 0.9-2 in 78-150 mm / 24-50 mm
Water tank capacity	81 oz / 2.4 l
Coffee grounds container (approx. servings)	20
Bean container holding capacity	10 oz. / 280 g
Cord length	47 in / 1.2 m
Voltage / power	120 V / 1450 W
Current	10 A
Stand-by power	0 W
Weight	27 lbs / 12.3 kg
Dimensions (W \times H \times D)	12.6 in × 15 in × 17.7 in 32 cm × 38 cm × 45 cm
Article number, Product code	15361, Aluminium White (NAA)
EAN code	7610917153619
Country of production	Made in Switzerland
Model year	2021