

ContourLine
60cm Speed Oven

H 6100 BM



ContourLine 60cm Speed Oven H 6100 BM



H 6100 BM

Features:

- DirectSelect controls offer turn dial operation with a 7-segment liquid crystal display
- 9 operating modes
- Rapid Preheat
- PerfectClean interior
- 1,000 watt microwave
- Popcorn button
- Minute Plus button - time and power individually programmable
- Timer
- Comfort handle

ContourLine 60cm Speed Oven H 6100 BM




Comfort Handle:
Standard with ContourLine


(DS 6708 Item #09828380)

ComfortSwivel Handle:
Optional for ContourLine
Optional for PureLine

(DS 6718 Item # 09828390)




Comfort Handle
standard on
H 6100 BM




ComfortSwivel Handle
standard on
H 6700 BM

Silhouette Handle:
Standard with Pureline
Optional for Contourline
(DS 6808 Item # 09828400)



Silhouette Handle
standard on
H 6200 BM and
H 6800 BM



Silhouette Handle (Chrome):
Standard with BrilliantWhite
(DS 6808 Item # 09828410)



Silhouette Handle:
Standard with Truffle Brown
(DS 6808 Item # 09870690)

ContourLine 60cm Speed Oven H 6100 BM



SPECIFICATIONS

H 6100 BM — Item 22620054USA

Overall Unit Width - Excluding Fascia Dimension	22 ¹ / ₁₆ " (560mm)
Overall Height - Excluding Fascia Dimension	17 ¹ / ₂ " (445mm)
Overall Unit Depth - Excluding Fascia Dimension	21 ⁹ / ₁₆ " (549mm)
Oven Door Clearance	34 ¹³ / ₁₆ " (885mm)
Overall Oven Interior Capacity	1.31 cu.ft - 37.0 liters
Overall Fascia Dimensions	23 ⁷ / ₁₆ " (595mm) W x 17 ¹⁵ / ₁₆ " (455.5mm) H x 7 ⁷ / ₈ " (22mm) D
Oven Interior Dimensions	18 ¹ / ₈ " (460mm) W x 8" (202mm) H x 15 ³ / ₈ " (390mm) D

Built-In

Cabinet Width	22 ¹ / ₁₆ " — 22 ³ / ₈ " (561mm — 568mm)
Minimum Cabinet Depth	min. 21 ⁷ / ₈ " (550mm)
Minimum Cabinet Opening Height	17 ³ / ₄ " — 17 ¹³ / ₁₆ " (448 — 452mm)
Minimum Base Support	125 lbs
Additional Cut-outs Required	No

Electrical

Electrical Requirements	240/208V AC, 60Hz, 20A circuit with Nema 14-30 outlet
Power Cord	Molded NEMA 14-30 configured plug
Cut out for power cord	Minimum 3" square
Electrical Rating	2.2kW (240V), 1.76kW (208V)
Total Amps	9.16A on 240V, 8.46A on 208V

Shipping

Shipping Weight	126 lbs
Shipping Dimensions	25 ⁵ / ₈ " W (727mm) x 24 ¹³ / ₁₆ " (630mm) H x 27" (686mm) L

Support


Call	800.843.7231
20/20	📞2020technologies.com

ContourLine 60cm Speed Oven H 6100 BM




PRODUCT VIEWS

Fascia




Top View




PRODUCT VIEWS

Rear View



Side View



* Oven with glass front


** Oven with metal front

ContourLine 60cm Speed Oven H 6100 BM



INSTALLATION SPECIFICATIONS

Install in Tall Cabinet




* Oven with glass front
** Oven with metal front

ContourLine 60cm Speed Oven H 6100 BM



INSTALLATION SPECIFICATIONS

Over 60cm Installation




ContourLine 60cm Speed Oven H 6100 BM



INSTALLATION SPECIFICATIONS


Undercounter Installation



* Oven with glass front
** Oven with metal front

Door Swing

Front dimensions



- A** H61xx: 2 5/16" (59 mm)
H62xx: 1 5/8" (42 mm)
- B** Speed Oven with glass front: 1/16" (2.2 mm)
Speed Oven with metal front: 1/16" (1.2 mm)