

APPEARANCE

Color Appearance	Gray
Installation	Free-Standing

CAPACITY

Unit Capacity	10 Gallons
----------------------	------------

FEATURES

Anode Rod	Aluminum
Configuration	Space Saver
Controls	Mechanical Temperature Control
Drain Valve Type	Plastic
Fuel Type	Electric
Heating Element	Stainless steel
Height Description	Point of Use
Installation Location	Indoor
Max. operating pressure (psi)	150
Max: operating pressure (psi)	150
Point of Use	Yes
Power Cord Length	6' Included
Product Type	Electric Point Of Use
Rated Capacity	10.0 gal

Temp & Pressure Relief Valve	Top
Temperature Setting	70-140° F Range
Temperature Setting Factory Default	120° F
Water Connection Location	Side

POWER / RATINGS

Amps	12
Power Rating-kW	14.4
Voltage (MAX)	120 V

WARRANTY

Parts Warranty	8-year limited
Warranty Notes	See written warranty for full details

WEIGHTS & DIMENSIONS

Approximate Shipping Weight	46 lb
Connection Sizes - Hot Water Outlet (MNPT)	1/2"
Connection Sizes - Water Inlet (MNPT)	1/2"
Net Weight	40.9 lb
Overall Depth	14 3/4 in
Overall Width	14.80 in

Product Diameter	14.800 in
Product Height (to top of unit)	24 1/2 in