

# Product data sheet

---

## CONSTRUCTION TYPE AND DESIGN

<b>Built-in oven</b>	•
<b>ContourLine</b>	•
<b>Appliance colour</b>	CleanTouch Steel

---

## CONVENIENCE FEATURES

<b>Rapid PreHeat</b>	•
<b>Food probe</b>	Wireless precision probe
<b>Keeping warm</b>	•
<b>Crisp function</b>	•

---

## OPERATING MODES

<b>Browning</b>	•
<b>Defrost</b>	•
<b>MasterChef programs</b>	•
<b>Auto Roast</b>	•
<b>Maxi Broil</b>	•
<b>Broil</b>	•
<b>Intensive</b>	•
<b>Moisture Plus</b>	•
<b>Moisture Plus with Convection Bake</b>	•
<b>Moisture Plus with Surround</b>	•
<b>Moisture Plus with Intensive</b>	•

---

<b>Moisture Plus with Auto Roast</b>	•
<b>Slow Roasting</b>	•
<b>Surround</b>	•
<b>Bake</b>	•
<b>Convection Broil</b>	•
<b>Special modes</b>	•
<b>Broiling operating modes</b>	•

#### USER CONVENIENCE

<b>DirectWater</b>	•
<b>Display</b>	M Touch
<b>SoftOpen</b>	•
<b>SoftClose</b>	•
<b>Ergonomic swivel handle</b>	•
<b>Language Options</b>	•
<b>MyMiele</b>	•
<b>Help function</b>	•
<b>Timed bursts of steam</b>	•
<b>Polyphonic audible signals</b>	•
<b>Time-of-day display</b>	•
<b>Time synchronization</b>	•
<b>Date display</b>	•
<b>Timer</b>	•
<b>Programmable start of cooking duration</b>	•
<b>Programmable end of cooking duration</b>	•
<b>Programmable cooking duration</b>	•
<b>Actual temperature display</b>	•

**Audible signal when desired temperature is reached** •

---

**Recommended temperatures** •

---

**Favourites** •

---

**Sabbath Program** •

---

**Networking with Miele@home** •

---

**Individual settings** •

---

**Timers** •

---

**MotionReact DG** •

---

#### **EFFICIENCY AND SUSTAINABILITY**

**Residual heat utilization** •

---

#### **CLEANING CONVENIENCE**

**Stainless steel / Clean Touch Steel surface** •

---

**SelfClean** •

---

**Catalyzer** •

---

**CleanGlass door** •

---

#### **SAFETY**

**Appliance cooling system with touch-cool fronts** •

---

**Safety shut-off** •

---

**System lock** •

---

**Door lock during SelfClean** •

---

**Sensor lock** •

---

**TECHNICAL DATA**

<b>Temperatures in °F (°C)</b>	85-575 (30-300)
<b>Number of shelf levels</b>	6
<b>Numbered shelf levels</b>	•
<b>Oven interior lighting</b>	2 halogen spots
<b>TwinPower Convection Fans</b>	•
<b>Appliance width in mm</b>	28 3/8 (720)
<b>Appliance height in mm</b>	50 7/8 (1290)
<b>Appliance depth in mm</b>	23 5/8 (597)
<b>Weight in lbs (kg)</b>	343.92 (156.0)
<b>Total rated load in kW</b>	10.500
<b>Voltage in V</b>	120
<b>Frequency in Hz</b>	60
<b>Fuse rating in A</b>	50
<b>Number of phases</b>	1
<b>Power cable with plug</b>	•
<b>Length of power cable in m</b>	1.80
<b>Length of water inlet hose in m</b>	1.5
<b>Appliance dimensions (W x H x D) in mm</b>	28 3/8 (720) x 50 7/8 (1290) x 23 5/8 (597)

**ACCESSORIES SUPPLIED**

<b>Anti-splash insert with PerfectClean</b>	1
<b>Self Clean ready wire rack with rail system</b>	2
<b>Universal tray with PerfectClean</b>	2
<b>Self Clean ready wire rack</b>	4
<b>Removable Self Clean ready side racks (pair)</b>	1

**Perforated gourmet baking tray with  
PerfectClean**

1

---