

H 7680 BP

30" Convection Oven - PureLine

Features:

- M-Touch S Display with Motion React Simple to use touch controls
- Miele@Home Control the appliances with your app
- Moisture Plus a burst of steam for professional quality cooking results at home
- Taste Control Prevents overcooked dishes
- · Direct Water No need to fill any water tanks
- · Automatic programs easily master new recipes

Included:

- 1 Universal baking tray
- · 2 Self Clean Ready Baking and Roasting Racks
- 1 Self Clean Ready Rack with rail system




MATERIAL#

11805550

SPECIFICATIONS	
Overall Unit Dimensions	29 ¹³ /16" (757 mm) W x 28 ⁵ /8" (727 mm) H x 23 ³ /4" (603 mm) D
Niche	
Minimum Cabinet Niche Opening	28 ¹ / ₂ " (724 mm) W x 28 ¹ / ₄ " (718 mm) H x 24" (610 mm) D
Plumbing	
Water Supply Requirements	 Cold water connection Male 3/8" compression fitting Water pressure range 7.25 psi (0.5 bar) and 145 psi (10 bar)
Water Connection Line (Supplied)	Length: 5 ft (1.5 m) Female 3/8" compression.
Electrical	
Electrical Requirements	120/208-240V, 60Hz, 30 Amps
Power Cord	NEMA 14-30 plug, 5 ft (1.52 m)
Shipping	
Shipping Weight	215 lbs (98 kg)
Shipping Dimensions	30 ⁷ / ₁₆ " (776 mm) W x 35 ³ / ₄ " (907 mm) H x 32 ¹⁵ / ₁₆ " (836 mm) D

PRODUCT DIMENSIONS




Miele Help Desk: 800 565 6435





FLUSH CUTOUT DIMENSIONS


Front View



Side View









- A Cut-out (4" x 28" [100 mm x 720 mm]) in the bottom of the cabinet for the power cord and Ventilation
- ①- Electrical and water supplies are recommended to be placed in adjacent cabinetry.


 Additional cabinet depth is required when placing the electrical and water supplies behind the appliance.



PROUD CUTOUT DIMENSIONS







- A Cut-out (4" x 28" [100 mm x 720 mm]) in the bottom of the cabinet for the power cord and Ventilation
- ①- Electrical and water supplies are recommended to be placed in adjacent cabinetry.

 Additional cabinet depth is required when placing the electrical and water supplies behind the appliance.