

Specs & Details

Dimensions: 10.3125 H x 29.875 W x 18.625 D

APPEARANCE

| | |
|---------------------------|-----------------|
| Color Appearance | Stainless Steel |
| Door Color | Stainless Steel |
| Door Swing | Hinges on Left |
| Handle | Pocket Handle |
| Installation | Easy Mount |
| Oven Door Features | Oven Window |

CAPACITY

| | |
|------------------------------------|------------|
| Total Capacity (cubic feet) | 1.20 cu ft |
| Vent CFM | 400 |

ECONOMICAL / QUIET

| | |
|---------------------|---|
| Non-Vented | Recirculating (Factory Set - Filter Included) |
| Venting Type | Convertible to External Venting |

FEATURES

| | |
|-------------------------|---------------------|
| Control Features | Popcorn Settings |
|-------------------------|---------------------|

| | |
|--|--|
| | Power Level Cook Time Vent Fan Surface Light/ Start/Add 30 sec; Pause; Off Lock Controls Sound volume adjustment Snack Sensor Potato Melt/Soften Sensor Reheat/ Auto Cook Sensor Cook/ Weight Defrost Timer/Clock Time Defrost Turntable On/Off |
| Control Location | Bottom Controls |
| Control Type | Glass Touch |
| Cooking Modes | Microwave |
| Cooking Technology | Microwave |
| Cooktop Lighting | LED High/Low/Off |
| Defrost Type | Weight/Time |
| Display Screen Size (Diagonal Length) | 3.25 |

| | |
|---|---|
| Display Type | LED |
| Electronic Digital Display with Clock | Yes (LED) |
| Exhaust Fan | 2-Speed Hi/Low/Off |
| Interior Oven Light | LED |
| Microwave Convenience Cooking Controls | Express |
| Microwave Oven Interior | Easy Clean Interior |
| Microwave Sensor Cooking Controls | Beverage Potato Melt Reheat |
| Microwave Watts (IEC-705) | 1,000 W |
| Power Levels | 10 |
| Product Type | Over-the-range Microwave |
| Sound Volume Control | 6 Levels - High/Med/Low/Off |
| Style | Over-The-Range Bottom Control Low-Profile |

| | |
|---------------------------|----------------------|
| Turntable | Glass Recessed |
| Turntable On / Off | Yes |
| Turntable Size | 12.4 |
| Vent | Top Back Front |

POWER / RATINGS

| | |
|---|--------|
| Electrical Input - 120V Amperage | 14.5 |
| Electrical Input - 120V Watts | 1700 |
| Electrical Requirements | 120V |
| Hertz | 60 |
| Input Volts/Hertz | 120/60 |
| Watts | 1700 |

WARRANTY

| | |
|-----------------------|---------------------------------|
| Labor Warranty | Limited 1-year entire appliance |
| Parts Warranty | Limited 1-year entire appliance |

WEIGHTS & DIMENSIONS

| | |
|------------------------------------|-----------------------------|
| Approximate Shipping Weight | 59.7 lb |
| Cabinet Width | 30 in |
| Cavity (W x H x D) | 21-15/16 x 7-7/16 x 12-4/16 |
| Cutout Depth (in) | 13.75 |
| Cutout Height (in) | 10.25 |
| Cutout Width (in) | 30 |
| Depth with Door Open | 29.625 in |
| Net Weight | 51 lb |
| Overall Depth | 18.625 in |
| Overall Height | 10.3125 in |
| Overall Width | 29.875 in |