

Product data sheet

CONSTRUCTION TYPE AND DESIGN

ArtLine	•
VitroLine	•
Built-in coffee machine	•
Colour	Graphite grey

DRINK SPECIALITIES

Drink portion size in ml	20-300
White tea, single	•
Japanese tea, single	•
Chai latte, single	•
Ristretto, double	•
Espresso, double	•
Coffee, double	•
Long coffee, double	•
Cappuccino, double	•
Latte macchiato, double	•
Hot milk, double	•
Milk froth, double	•
Espresso macchiato, double	•
Capuccino Italiano, double	•
Flat white, double	•
Café au lait, double	•
Caffè latte, double	•

Caffè Americano, double	•
Long black, double	•
Warm water, double	•
Hot water, double	•
Black tea, double	•
Herbal tea, double	•
Fruit tea, double	•
Green tea, double	•
White tea, double	•
Japanese tea, double	•
Chai latte, double	•
Espresso, single	•
Coffee, single	•
Long coffee, single	•
Ristretto, single	•
Capuccino, single	•
Latte macchiato, single	•
Caffè latte, single	•
Hot water, single	•
Espresso macchiato, single	•
Capuccino Italiano, single	•
Café au lait, single	•
Flat white, single	•
Long black, single	•
Caffè Americano, single	•
Warm water, single	•
Green tea, single	•
Black tea, single	•

Herbal tea, single	•
---------------------------	---

Fruit tea, single	•
--------------------------	---

Tea pot	•
----------------	---

Hot milk, single	•
-------------------------	---

Milk froth, single	•
---------------------------	---

Coffee jug	•
-------------------	---

CONVENIENCE FEATURES

AromaticSystemFresh	•
----------------------------	---

CoffeeSelect	•
---------------------	---

TeaTimer	•
-----------------	---

OneTouch preparation	•
-----------------------------	---

OneTouch for Two preparation	•
-------------------------------------	---

DoubleShot	•
-------------------	---

Flavour-preserving conical grinder	•
---	---

Programmable user profiles	10
-----------------------------------	----

Adjustable grinding grade	•
----------------------------------	---

Programmable quantity of coffee	•
--	---

Programmable water quantity	•
------------------------------------	---

Programmable water temperature	•
---------------------------------------	---

Programmable amount of milk	•
------------------------------------	---

Programmable amount of milk froth	•
--	---

Programmable pre-brewing	•
---------------------------------	---

USER CONVENIENCE

MotionReact: light comes on when movement is detected	•
MotionReact: display comes on when movement is detected	•
Performance mode	•
EasyClick milk flask	•
Brew unit lighting	•
Number of bean types	3
Number of bean containers	3
Total bean container capacity in g	21.16 (600)
Milk container capacity in l	0.7
Drip tray capacity in l	54.1 (1.6)
Time synchronization	•
Individual settings	•
Capacity of bean container B in g	150
Capacity of bean container C in g	150
Display	M Touch
Language Options	•
MyMiele	•
Help function	•
Time-of-day display	•
Date display	•
CupSensor	•
Height-adjustable central spout, min. range in cm	1 5/8 (4.0)
Height-adjustable central spout, max. range in cm	6 1/2 (16.5)
BrilliantLight	•

ComfortDoor	•
Hidden door handle	•
Easily accessible supply containers	•
Removable bean containers	•
Capacity of bean container A in g	300
Water container capacity in l	91.3 (2.7)
Programmable switch-on time	•
Programmable switch-off time	•
Programmable standby time	•
Expert mode	•
Networking with Miele@home	•
Waste container capacity in capsules	17
DirectWater	•

CLEANING CONVENIENCE

Manual descaling	•
AutoClean	•
Convenient cleaning programs	•
AutoDescale	•
Automatic rinse function	•
Automatic rinsing of milk pipework with water from the water container	•
ComfortClean	•
Removable milk pipework	•
Removable brew unit	•
Adjustable water hardness	•

EFFICIENCY AND SUSTAINABILITY

Power rating in standby mode in W 1.0

Power rating in networked standby in W 1.4

Time until automatic switch-off in min 20

Time until automatic switch to standby in min 20

Time until automatic switch to networked standby in min 20

Selectable energy-saving Eco mode .

SAFETY

System lock .

TECHNICAL DATA

Minimum niche width in mm 22 1/8 (560)

Maximum niche width in mm 22 3/8 (568)

Minimum niche height in mm 17 3/4 (450)

Maximum niche height in mm 17 7/8 (452)

Niche depth in mm 21 3/4 (550)

Appliance width in mm 23 1/2 (595)

Appliance height in mm 18 (455)

Appliance depth in mm 18 7/8 (478)

Depth with door open in cm 42 5/8 (108.0)

Total rated load in kW 1.450

Voltage in V 120

Fuse rating in A	15
Number of phases	1
Length of power cable in m	6 (2.0)

ACCESSORIES SUPPLIED

AutoCleaner	•
Glass milk container	•
Miele coffee 250 g	•
Descaling cartridge	•

SHOW LESS SPECS