# **Specs & Details**

Dimensions: 28 5/8 H x 29 3/4 W x 26 3/4 D

### **ACCESSORIES**

| Air Fry Basket       | Optional- JXAFTRAY1VSS                  |
|----------------------|---|
| Optional Accessories | UXWORXR30 - 30" Never Scrub Roller Rack |

### **APPEARANCE**

| Color Appearance   | Stainless Steel   |
|--------------------|---|
| Door Swing         | Right-Swing   |
| Handle             | Designer Style  |
| Handle Color       | Brushed Stainless   |
| Installation       | Above Warming Drawer Side-by-Side Under Built-In Advantium Under Built-In Microwave |
| Oven Door Features | Big View Oven Window  |

# **CAPACITY**

| Total Capacity (cubic feet) 5.00 cu ft |
|--|
|--|

# **FEATURES**

| Cleaning Time          | Variable with Delay Clean Option                     |
|------------------------|--|
| Configuration          | Single Oven  |
| Connected Capabilities | Amazon Alexa The Google Assistant IFTTT Fresco Innit |

|                       | Sonos Google Home  |
|-----------------------|--|
| Control Type          | 7" Full-Color Touch LCD Screen   |
| Cooking System        | True European Convection with Direct Air   |
| Cooking Technology    | Convection   |
| Fuel Type             | Electric   |
| OU Certified          | No   |
| Oven Cleaning Type    | Self-Clean with Steam Clean Option   |
| Oven Control Features | 12-Hour Shut-Off Capability Electronic Clock & Kitchen Timer Mis-Wire Detection Remote Enabled Temperature Probe Proof Mode Warm Mode Audible Preheat Signal Auto Recipe Conversion C° or F° Programmable Certified Sabbath Mode Control Lock Capability Scan-to-cook Cook Time Delay Time |
| Oven Cooking Modes    | Convection Bake Convection Bake Multi-Rack Convection Roast Convection Broil Hi/Lo Precision Cooking Modes Thermal Bake Thermal Broil Hi/Lo No Preheat Air Fry   |
| Oven Features         | 10-Pass Bake Element<br>10-Pass Dual Broil Element<br>Closed Door Broiling   |
| Oven Interior         | 2 Halogen Interior Oven Lights<br>Black Gloss Finish<br>Hidden Bake  |
| Oven Rack Features    | 1 Self-Clean Heavy-Duty Flat Rack<br>1 Self-Clean Roller Rack<br>Embossed Rack Positions   |

| Oven Rack Positions (Single or Upper/Lower) | 6           |
|---|-------------|
| Product Type                                | Single Oven |
| Sabbath Mode                                | Yes         |
| Self-Clean Oven Door Lock                   | Automatic   |
| WiFi Connect                                | Built-In    |

# **POWER / RATINGS**

| Amp Rating at 208V      | 20                  |
|-------------------------|---------------------|
| Amp Rating at 240V      | 20                  |
| Bake Wattage            | 2850W               |
| Broiler Wattage         | 4300W               |
| Convection Wattage      | 2400W               |
| Electrical Requirements | 208/240V; 60Hz; 20A |
| KW Rating at 208V       | 3.2                 |
| KW Rating at 240V       | 4.2                 |

# **WARRANTY**

| Labor Warranty | Limited 1-year entire appliance       |
|----------------|---------------------------------------|
| Parts Warranty | Limited 1-year entire appliance       |
| Warranty Notes | See written warranty for full details |

# **WEIGHTS & DIMENSIONS**

| Approxima  | te Shipping Weight | 177 lb |
|------------|--------------------|--------|
| Cabinet Wi | dth                | 30 in  |

| Cutout Depth (in)                          | 23.5                      |
|--|---------------------------|
| Cutout Dimensions (w x h x d) (in.)        | 28-5/8 x 27-5/16 x 23-1/2 |
| Cutout Height (in)                         | 27.3125 in                |
| Cutout Width (in)                          | 28.625 in                 |
| Net Weight                                 | 161 lb                    |
| Oven Interior Dimensions (W x H x D) (in.) | 25 x 17-3/8 x 20-1/4      |
| Overall Depth                              | 26 3/4 in                 |
| Overall Height                             | 28 5/8 in                 |
| Overall Width                              | 29 3/4 in                 |
|  |                           |