

# PRODUCT CATALOG

HOODS · LINERS · ACCESSORIES







800 WEST GRANT ST, PHOENIX, AZ 85007 PHONE: 602-900-8500 · TOLL FREE: 800-955-5737

WWW.T-WUSA.COM



1

#### **INDOOR HOODS**

### **RANGE HOOD LINERS + ACCESSORIES**

VSL 400 SERIES: 15"

VSL 400 SERIES: 18"

VSL 400 SERIES: 19 1/4 "

VSL 400 SERIES: 22"

VSL 400 SERIES: FOR REMOTE/IN-LINE BLOWERS

### **INSERTS + ACCESSORIES**

**13200 SERIES** 

#### **RANGE HOODS + ACCESSORIES**

3000 SLIM LINE SERIES

P3200 SERIES

H3200 SERIES

2

# **OUTDOOR HOODS**

#### **BARBECUE HOODS + ACCESSORIES**

P7200 PYRAMID-STYLE SERIES

P7200 ISLAND PYRAMID-STYLE SERIES

S7200CD SERIES

**7200 SERIES** 

T7200 SERIES

#### **BARBECUE LINERS + ACCESSORIES**

L7200 SERIES

3

#### WARRANTY

Trade-Wind Waranty Policy



#### **QUIET OPERATION**

Large 3-speed blower operates at lower RPM reducing the sound level

#### **ENDURING QUALITY**

- Commercial grade stainless steel (#304 grade) and galvanized steel construction
- LED lights brighten cooking area
- CFM and sound tested by Energy Systems Laboratory at Texas A&M University

#### **DISTINCTIVE LOW-PROFILE DESIGN**

- Style complements ALL custom and manufactured wood hood designs
- Simplicity of design preferred by homeowners

#### **EASE OF OPERATION**

- Remote control included with purchase
- Optional automatic 5 minute shut off timer
- Electronic touch controls with blue LED lighting

#### **SIMPLE INSTALLATION**

- Installs easily in standard size or custom-built wood range hoods
- Wiring diagram label for simple electrical connection

#### **EASY CLEANING**

- Dishwasher-safe commercial-style baffle filters with 2 easy-grip handles
- Detergent inlet holes and grease exit holes in baffle filters for superior dishwasher cleaning








# VSL 400 SERIES (15" MODELS) RANGE HOOD LINERS

MODEL	FRONT TO BACK	WIDTH	COLOR	3-SPEED INTERNAL BLOWER	CFM	LED LIGHTS	S/S BAFFLE FLITERS	REMOTE CONTROL	DUCT COLLAR	ELECTRONIC TOUCH CONTROL
VSL430615RC	15"	28 %"	S/S	√	600	2	√	√	8"	√
VSL436615RC	15"	34 %"	S/S	√	600	2	√	√	8"	√
VSL4481215R	<b>C</b> 15"	46 %"	S/S	√	1200	3	√	√	10"	√





8 0 0 WEST GRANT STREET PHOENIX, AZ 8 5 0 0 7 1 - 8 0 0 - 9 5 5 - 5 7 3 7 6 0 2 - 9 0 0 - 8 5 0 0

T-WUSA.COM



TRADE-WIND Manufacturing, LLC has a policy of continuous improvements and reserves the right to modify (at any time without notice) any or all of its products, features, designs, components and specifications. For further information on installation and wiring, see the installation instructions included with the product or visit us on the web.

© 2 0 2 3 TRADE-WIND MANUFACTURING, LLC



#### **QUIET OPERATION**

 Large 3-speed blower operates at lower RPM reducing the sound level

#### **ENDURING QUALITY**

- Commercial grade stainless steel (#304 grade) and galvanized steel construction
- LED lights brighten cooking area
- CFM and sound tested by Energy Systems Laboratory at Texas A&M University

#### **DISTINCTIVE LOW-PROFILE DESIGN**

- Style complements ALL custom and manufactured wood hood designs
- Simplicity of design preferred by homeowners





#### **EASE OF OPERATION**


- Remote control included with purchase
- Optional automatic 5 minute shut off timer
- Electronic touch controls with blue LED lighting

#### **SIMPLE INSTALLATION**

- Installs easily in standard size or custom-built wood range hoods
- Wiring diagram label for simple electrical connection


#### **EASY CLEANING**

- Dishwasher-safe commercial-style baffle filters with 2 easy-grip handles
- Detergent inlet holes and grease exit holes in baffle filters for superior dishwasher cleaning



#### **290 CFM MODELS**

OPTIONAL DUCTLESS CONVERSION KIT MODEL#: 5BL-39-400-DCK; 5BL-39-400-DCK1 (VSL4482RC ONLY)




OPTIONAL DUCTLESS CONVERSION KIT MODEL#: 5BL-39-400-DCK



# VSL 400 SERIES (18" MODELS) RANGE HOOD LINERS

MODEL	FRONT TO BACK	WIDTH	COLOR	3-SPEED INTERNAL BLOWER	CFM	LED LIGHTS	S/S BAFFLE FLITERS	REMOTE CONTROL	DUCT COLLAR	ELECTRONIC TOUCH CONTROL
VSL4302RC	18"	28 %"	S/S	√	290	2	√	√	6"	√
VSL4303RC	18"	28 %"	S/S	√	390	2	√	√	7"	√
VSL4304RC	18"	28 %"	S/S	√	390	2	√	√	3 ¼" x 10"	√
VSL4306RC	18"	28 %"	S/S	√	600	2	√	√	8"	√
VSL4362RC	18"	34 %"	S/S	√	290	2	√	√	6"	√
VSL4363RC	18"	34 %"	S/S	√	390	2	√	√	7"	√
VSL4364RC	18"	34 %"	S/S	√	390	2	√	√	3 ¼" x 10"	√
VSL4366RC	18"	34 %"	S/S	√	600	2	√	√	8"	√
VSL4422RC	18"	40 %"	S/S	√	290	2	√	√	6"	√
VSL4423RC	18"	40 %"	S/S	√	390	2	√	√	7"	√
VSL4424RC	18"	40 %"	S/S	√	390	2	√	√	3 ¼" x 10"	√
VSL4426RC	18"	40 %"	S/S	√	600	2	√	√	8"	√
VSL44212RC	18"	40 %"	S/S	√	1200	2	√	√	10"	√
VSL4482RC	18"	46 %"	S/S	√	290	3	√	√	6"	√
VSL4486RC	18"	46 %"	S/S	√	600	3	√	√	8"	√
VSL44812RC	18"	46 %"	S/S	√	1200	3	√	√	10"	√
VSL45412RC	18"	52 %"	S/S	√	1200	3	√	√	10"	√
VSL46012RC	18"	58 %"	S/S	√	1200	3	√	√	10"	√
VSL47212RC	18"	70 %"	S/S	√	1200	4	√	√	10"	√





800 WEST GRANT STREET PHOENIX, AZ 85007 1-800-955-5737 602-900-8500

T-WUSA.COM





TRADE-WIND Manufacturing, LLC has a policy of continuous improvements and reserves the right to modify (at any time without notice) any or all of its products, features, designs, components and specifications. For further information on installation and wiring, see the installation instructions included with the product or visit us on the web.

© 2 0 2 3 TRADE-WIND MANUFACTURING, LLC



# V S L 400 S E R I E S (19 1/4" M O D E L S) R A N G E H O O D LINERS

#### PERFORMANCE · QUALITY · CUSTOMER SERVICE

#### **QUIET OPERATION**

Large 3-speed blower operates at lower RPM reducing the sound level

#### **ENDURING QUALITY**

- Commercial grade stainless steel (#304 grade) and galvanized steel construction
- LED lights brighten cooking area
- CFM and sound tested by Energy Systems Laboratory at Texas A&M University

#### **DISTINCTIVE LOW-PROFILE DESIGN**

- Style complements ALL custom and manufactured wood hood designs
- Simplicity of design preferred by homeowners





#### **EASE OF OPERATION**


- Remote control included with purchase
- Optional automatic 5 minute shut off timer
- Electronic touch controls with blue LED lighting

#### SIMPLE INSTALLATION

- Installs easily in standard size or custom-built wood range hoods
- Wiring diagram label for simple electrical connection


#### **EASY CLEANING**

- Dishwasher-safe commercial-style baffle filters with 2 easy-grip handles
- Detergent inlet holes and grease exit holes in baffle filters for superior dishwasher cleaning



#### **390 CFM MODELS**


OPTIONAL DUCTLESS CONVERSION KIT MODEL#: 5BL-39-400-DCK





# VSL 400 SERIES (19 1/4" MODELS) RANGE HOOD LINERS

MODEL	FRONT TO BACK	WIDTH	COLOR	3-SPEED INTERNAL BLOWER	CFM	LED LIGHTS	S/S BAFFLE FLITERS	REMOTE CONTROL	DUCT COLLAR	ELECTRONIC TOUCH CONTROL
VSL430319RC	19 ¼ "	28 %"	S/S	√	390	2	√	√	7"	√
VSL430619RC	19 ¼ "	28 %"	S/S	√	600	2	√	√	8"	√
VSL436319RC	19 ¼ "	34 %"	S/S	√	390	2	√	√	7"	√
VSL436619RC	19 ¼ "	34 %"	S/S	√	600	2	√	√	8"	√
VSL442619RC	19 ¼ "	40 %"	S/S	√	600	2	√	√	8"	√
VSL4421219RC	19 ¼ "	40 %"	S/S	√	1200	2	√	√	10"	√
VSL448619RC	19 ¼ "	46 %"	S/S	√	600	3	√	√	8"	√
VSL4481219RC	19 ¼ "	46 %"	S/S	√	1200	3	√	√	10"	√
VSL4541219RC	19 ¼ "	52 %"	S/S	√	1200	3	√	√	10"	√
VSL4601219RC	19 ¼ "	58 %"	S/S	√	1200	3	√	√	10"	√
VSL4721219RC	19 ¼ "	70 %"	S/S	√	1200	4	√	√	10"	√



For more information, please contact your dealer or your TRADE-WIND® representative.



800 WEST GRANT STREET PHOENIX, AZ 85007 1-800-955-5737 602-900-8500

T-WUSA.COM





TRADE-WIND Manufacturing, LLC has a policy of continuous improvements and reserves the right to modify (at any time without notice) any or all of its products, features, designs, components and specifications. For further information on installation and wiring, see the installation instructions included with the product or visit us on the web.



# V S L 4 0 0 S E R I E S (22" M O D E L S) R A N G E H O O D L I N E R S

#### PERFORMANCE · QUALITY · CUSTOMER SERVICE

#### **QUIET OPERATION**

• Large 3-speed blower operates at lower RPM reducing the sound level

#### **ENDURING QUALITY**

- Commercial grade stainless steel (#304 grade) and galvanized steel construction
- LED lights brighten cooking area
- CFM and sound tested by Energy Systems Laboratory at Texas A&M University

#### **DISTINCTIVE LOW-PROFILE DESIGN**

- Style complements ALL custom hoods and manufactured wood hood designs
- Simplicity of design preferred by homeowners

#### **EASE OF OPERATION**

- Remote control included with purchase
- Optional automatic 5 minute shut off timer
- Electronic touch controls with blue LED lighting

#### SIMPLE INSTALLATION


- Installs easily in standard size or custom-built range hoods
- Wiring diagram label for simple electrical connection

#### **EASY CLEANING**

- Dishwasher-safe commercial-style baffle filters with 2 easy-grip handles
- Detergent inlet holes and grease exit holes in baffle filters for superior dishwasher cleaning









# VSL 400 SERIES (22" MODELS) RANGE HOOD LINERS

MODEL	FRONT TO BACK	WIDTH	COLOR	3-SPEED INTERNAL BLOWER	CFM	LED LIGHTS	S/S BAFFLE FLITERS	REMOTE CONTROL	DUCT COLLAR	ELECTRONIC TOUCH CONTROL
VSL436622RC	22"	34 %"	S/S	√	600	2	√	√	8"	√
VSL442622RC	22"	40 %"	S/S	√	600	2	√	√	8"	√
VSL4421222RC	22"	40 %"	S/S	√	1200	2	√	√	10"	√
VSL448622RC	22"	46 %"	S/S	√	600	3	√	√	8"	√
VSL4481222RC	22"	46 %"	S/S	√	1200	3	√	√	10"	√
VSL4541222RC	22"	52 %"	S/S	√	1200	3	√	√	10"	√
VSL4601222RC	22"	58 %"	S/S	√	1200	3	√	√	10"	√
VSL4721222RC	22"	70 %"	S/S	√	1200	4	√	√	10"	√





For more information, please contact your dealer or your TRADE-WIND® representative.



800 WEST GRANT STREET PHOENIX, AZ 85007 1 - 8 0 0 - 9 5 5 - 5 7 3 7 602-900-8500

T-WUSA.COM





TRADE-WIND Manufacturing, LLC has a policy of continuous improvements and reserves the right to modify (at any time without notice) any or all of its products, features, designs, components and specifications. For further information on installation and wiring, see the installation instructions included with the product or visit us on the web.



# VSL 400 SERIES RANGE HOOD LINERS FOR REMOTE/IN-LINE BLOWERS

#### PERFORMANCE · QUALITY · CUSTOMER SERVICE

#### **QUIET OPERATION**

- Variable rotary blower control reduces blower and air movement sound level
- Sound absorbing duct silencers are available

#### **EASE OF OPERATION**

- Adjusting the CFM is easy with the variable control
- Bright, dimmable LED lights
- Slip resistant control knobs

#### **DISTINCTIVE LOW-PROFILE DESIGN**

- Low-profile allows for flexible design options
- Style complements ALL custom and manufactured wood hood designs
- Simplicity of design preferred by homeowners

#### **EASY CLEANING**

- Dishwasher-safe commercial-style baffle filters with 2 easy-grip handles
- Detergent inlet holes and grease exit holes in baffle filters for superior dishwasher cleaning


#### **SIMPLE INSTALLATION**

- Installs easily in standard size or custom-built wood range hoods
- Wiring diagram label for simple electrical connection
- Pre-wired for use with single-speed in-line or external blowers


#### **ENDURING QUALITY**

 Commercial grade stainless steel (#304 grade) and galvanized steel construction












# VSL 400 SERIES RANGE HOOD LINERS FOR REMOTE/IN-LINE BLOWERS

MODEL	FRONT TO BACK	WIDTH	COLOR	LED LIGHTS	S/S BAFFLE FLITERS	REMOTE CONTROL	DUCT COLLAR	VARIABLE ROTARY CONTROL
VSL430BF	18"	28 ¾"	S/S	2	√	N/A	8"	√
VSL436BF	18"	34 %"	S/S	2	√	N/A	8"	√
VSL436-0-19BF	19 ¼"	34 %"	S/S	2	√	N/A	8"	√
VSL436-0-22BF	22	34 %"	S/S	2	√	N/A	8"	√
VSL442BF	18"	40 %"	S/S	2	√	N/A	10"	√
VSL442-0-19BF	19 ¼"	40 %"	S/S	2	✓	N/A	10"	√
VSL442-0-22BF	22"	40 %"	S/S	2	√	N/A	10"	√
VSL448BF	18"	46 %"	S/S	3	✓	N/A	10"	√
VSL448-0-19BF	19 ¼"	46 %"	S/S	3	√	N/A	10"	√
VSL448-0-22BF	22"	46 %"	S/S	3	✓	N/A	10"	√
VSL454BF	18"	52 %"	S/S	3	√	N/A	10"	√
VSL454-0-19BF	19 ¼"	52 %"	S/S	3	✓	N/A	10"	√
VSL454-0-22BF	22"	52 %"	S/S	3	√	N/A	10"	√
VSL460BF	18"	58 %"	S/S	3	✓	N/A	10"	√
VSL460-0-19BF	19 ¼"	58 %"	S/S	3	√	N/A	10"	√
VSL460-0-22BF	22"	58 %"	S/S	3	√	N/A	10"	√
VSL472BF	18"	70 %"	S/S	4	√	N/A	10"	√
VSL472-0-19BF	19 ¼"	70 %"	S/S	4	√	N/A	10"	√
VSL472-0-22BF	22"	70 %"	S/S	4	√	N/A	10"	√



For more information, please contact your dealer or your TRADE-WIND® representative.



8 0 0 WEST GRANT STREET PHOENIX, AZ 8 5 0 0 7 1 - 8 0 0 - 9 5 5 - 5 7 3 7 6 0 2 - 9 0 0 - 8 5 0 0

T-WUSA.COM



TRADE-WIND Manufacturing, LLC has a policy of continuous improvements and reserves the right to modify (at any time without notice) any or all of its products, features, designs, components and specifications. For further information on installation and wiring, see the installation instructions included with the product or visit us on the web.



#### **QUIET OPERATION**

• Large 3-speed blower operates at lower RPM reducing the sound level.

#### **DISTINCTIVE DESIGN**

- Style complements ALL kitchen designs
- Electronic touch controls with blue LED lighting
- Simplicity of design preferred by homeowners
- Designed to fit perfectly in 12" upper cabinet

#### **EASY CLEANING**

- Dishwasher-safe commercial-style baffle filters with 2 easy-grip handles
- Detergent inlet holes and grease exit holes in baffle filters for superior dishwasher cleaning

#### **SIMPLE INSTALLATION**

- Installs easily in standard size upper cabinets or custom-built wood range hoods
- Wiring diagram label for simple electrical connection

#### **EASE OF OPERATION**

- Remote control included with purchase
- Optional automatic 5 minute shut off timer

#### **ENDURING QUALITY**


- Commercial grade stainless steel (#304 grade) and galvanized steel construction
- LED light brightens cooking area, equivalent to 50W Halogen
- CFM and sound tested by Energy Systems Laboratory at Texas A&M University








MODEL	FRONT TO BACK	WIDTH	COLOR	3-SPEED INTERNAL BLOWER	CFM	LED LIGHTS	S/S BAFFLE FLITERS	REMOTE CONTROL	DUCT COLLAR	ELECTRONIC TOUCH CONTROL
132302RC	10 ½"	28 %"	S/S	√	290	1	√	√	6"	√
132303RC	10 ½"	28 %"	S/S	√	390	1	√	√	7"	√
132362RC	10 ½"	34 %"	S/S	√	290	1	√	√	6"	√
132363RC	10 ½"	34 %"	S/S	√	390	1	√	√	7"	√
132366RC	10 ½"	34 %"	S/S	√	600	1	√	√	8"	√



#### 13230 - MODELS

OPTIONAL DUCTLESS CONVERSION KIT MODEL #: 5BL-33-I36-DCK (290 & 390 CFM MODELS)



#### **13236 - MODELS**

OPTIONAL DUCTLESS CONVERSION KIT MODEL #: 5BL-33-I36-DCK (290 & 390 CFM MODELS)

For more information, please contact your dealer or your TRADE-WIND  $\!\!\! \text{ }^{}\!\! \text{w}$  representative.



8 0 0 WEST GRANT STREET PHOENIX, AZ 8 5 0 0 7 1 - 8 0 0 - 9 5 5 - 5 7 3 7 6 0 2 - 9 0 0 - 8 5 0 0

T-WUSA.COM



TRADE-WIND Manufacturing, LLC has a policy of continuous improvements and reserves the right to modify (at any time without notice) any or all of its products, features, designs, components and specifications. For further information on installation and wiring, see the installation instructions included with the product or visit us on the web.



## 3000 SLIM LINE SERIES RANGE HOODS

#### PERFORMANCE · QUALITY · CUSTOMER SERVICE

#### **QUIET OPERATION**

• Large 3-speed blower operates at lower RPM reducing the sound level

#### **EASE OF OPERATION**

- Remote control included with purchase
- Optional automatic 5 minute shut off timer
- Electronic touch controls with blue LED lighting

#### **EASY CLEANING**

- Dishwasher-safe commercial-style baffle filters with 2 easy-grip handles
- Detergent inlet holes and grease exit holes in baffle filters for superior dishwasher cleaning

#### SIMPLE INSTALLATION


- Includes simple wall mount brackets
- Wiring diagram label for simple electrical connection
- Under cabinet mount option (as shown)

#### **DISTINCTIVE LOW-PROFILE DESIGN**

- Contemporary low-profile design with telescopic 10' ceiling duct cover included
- Optional telescopic 12' ceiling duct cover

#### **ENDURING QUALITY**

- Commercial grade stainless steel (#304 grade) and galvanized steel construction
- LED lights brighten cooking area
- CFM and sound tested by Energy Systems Laboratory at Texas A&M University











### 3000 SLIM LINE SERIES RANGE HOODS


MODEL	FRONT TO BACK	WIDTH	COLOR	3-SPEED INTERNAL BLOWER	CFM	LED LIGHTS	S/S BAFFLE FLITERS	REMOTE CONTROL	DUCT COLLAR	ELECTRONIC TOUCH CONTROL
30303RC	20"	30"	S/S	√	390	2	√	√	7"	√
30363RC	20"	36"	S/S	√	390	2	√	√	7"	√
30366RC	20"	36"	S/S	√	600	2	√	√	8"	√
30423RC	20"	42"	S/S	√	390	2	√	√	7"	√
30426RC	20"	42"	S/S	√	600	2	√	√	8"	√
30486RC	20"	48"	S/S	√	600	3	√	√	8"	√



#### 390 CFM MODELS


OPTIONAL DUCTLESS CONVERSION KIT MODEL#: 5BL-33-300-DCK1






#### **DUCT COVER**

\*Included for ceilings 8' to 10'




**DUCT COVER: MODEL #: DC3000-12** 

\*Sold separately for ceilings 10' to 12'



#### **DUCT COVER**

\*Included for ceilings 8' to 10'



DUCT COVER: MODEL #: DC3000-6-12

\*Sold separately for ceilings 10' to 12'

For more information, please contact your dealer or your TRADE-WIND® representative.



800 WEST GRANT STREET PHOENIX, AZ 85007 1 - 8 0 0 - 9 5 5 - 5 7 3 7 602-900-8500

T-WUSA.COM



TRADE-WIND Manufacturing, LLC has a policy of continuous improvements and reserves the right to modify (at any time without notice) any or all of its products, features, designs, components and specifications. For further information on installation and wiring, see the installation instructions included with the product or

PROVERBS 22:29





#### **QUIET OPERATION**

Large 3-speed blower operates at lower RPM reducing the sound level

#### **EASY CLEANING**

- Dishwasher-safe commercial-style baffle filters with 2 easy-grip handles
- Detergent inlet holes and grease exit holes in baffle filters for superior dishwasher cleaning

#### **DISTINCTIVE LOW-PROFILE DESIGN**

- Pyramid hood shape with telescopic duct cover to 10' ceiling included
- Electronic touch controls with blue LED lighting
- Simplicity of design preferred by homeowners

#### **EASE OF OPERATION**

- Remote control included with purchase
- Optional automatic 5 minute shut off timer

#### SIMPLE INSTALLATION

- Installs easily to desired ceiling height with telescopic duct cover
- Wiring diagram label for simple electrical connection

#### **ENDURING QUALITY**

- Commercial grade stainless steel (#304 grade) and galvanized steel construction
- LED lights brighten cooking area
- CFM and sound tested by Energy Systems Laboratory at Texas A&M University











MODEL	FRONT TO BACK	WIDTH	COLOR	3-SPEED INTERNAL BLOWER	CFM	LED LIGHTS	S/S BAFFLE FLITERS	REMOTE CONTROL	DUCT COLLAR	ELECTRONIC TOUCH CONTROL
P32303RC	20"	30"	S/S	√	390	2	√	√	7"	√
P32306RC	20"	30"	S/S	√	600	2	√	√	8"	√
P32363RC	20"	36"	S/S	√	390	2	√	√	7"	√
P32366RC	20"	36"	S/S	√	600	2	√	√	8"	√
P32423RC	20"	42"	S/S	√	390	2	√	√	7"	√
P32426RC	20"	42"	S/S	√	600	2	√	√	8"	√
P32487RC	20"	48"	S/S	√	780	3	√	√	10"	√




#### **RANGE HOODS**

OPTIONAL DUCTLESS CONVERSION KIT MODEL #: 5BL-33-300-DCK1 (390 CFM MODELS ONLY)



#### **DUCT COVER**



**DUCT COVERS:** MODEL #: PDC3230, PDC3236, PDC3242, PDC3248

\*Sold separately for ceilings 10' to 12'

For more information, please contact your dealer or your TRADE-WIND® representative.



8 0 0 WEST GRANT STREET PHOENIX, AZ 8 5 0 0 7 1 - 8 0 0 - 9 5 5 - 5 7 3 7 6 0 2 - 9 0 0 - 8 5 0 0

T-WUSA.COM



TRADE-WIND Manufacturing, LLC has a policy of continuous improvements and reserves the right to modify (at any time without notice) any or all of its products, features, designs, components and specifications. For further information on installation and wiring, see the installation instructions included with the product or visit us on the web.



#### **QUIET OPERATION**

Large 3-speed blower operates at lower RPM reducing the sound level

#### **EASY CLEANING**

- Dishwasher-safe commercial-style baffle filters with 2 easy-grip handles
- Detergent inlet holes and grease exit holes in baffle filters for superior dishwasher cleaning

#### **DISTINCTIVE LOW-PROFILE DESIGN**

- Style complements ALL kitchen designs
- Electronic touch controls with blue LED lighting
- Simplicity of design preferred by homeowners

#### **EASE OF OPERATION**

- Remote control included with purchase
- Optional automatic 5 minute shut off timer

#### **SIMPLE INSTALLATION**

- Installs easily under standard size upper cabinets
- Wiring diagram label for simple electrical connection

#### **ENDURING QUALITY**


- Commercial grade stainless steel (#304 grade) and galvanized steel construction
- LED lights brighten cooking area
- CFM and sound tested by Energy Systems Laboratory at Texas A&M University







MODEL	FRONT TO BACK	WIDTH	COLOR	3-SPEED INTERNAL BLOWER	CFM	LED LIGHTS	S/S BAFFLE FLITERS	REMOTE CONTROL	DUCT COLLAR	ELECTRONIC TOUCH CONTROL
H32303RC	20"	30"	S/S	√	390	2	√	√	7"	√
H32306RC	20"	30"	S/S	√	600	2	√	√	8"	√
H32363RC	20"	36"	S/S	√	390	2	√	√	7"	√
H32366RC	20"	36"	S/S	√	600	2	√	√	8"	√
H32423RC	20"	42"	S/S	√	390	2	√	√	7"	√
H32426RC	20"	42"	S/S	√	600	2	√	√	8"	√
H32487RC	20"	48"	S/S	√	780	3	√	√	10"	√



#### **RANGE HOODS**

OPTIONAL DUCTLESS CONVERSION KIT MODEL #: 5BL-33-300-DCK1 (390 CFM MODELS ONLY)

For more information, please contact your dealer or your TRADE-WIND® representative.



800 WEST GRANT STREET PHOENIX, AZ 85007 1-800-955-5737 602-900-8500

T-WUSA.COM





TRADE-WIND Manufacturing, LLC has a policy of continuous improvements and reserves the right to modify (at any time without notice) any or all of its products, features, designs, components and specifications. For further information on installation and wiring, see the installation instructions included with the product or visit us on the web.



# P7200 PYRAMID-STYLE SERIES BARBECUE GRILL HOODS

#### PERFORMANCE · QUALITY · CUSTOMER SERVICE

#### **INDUSTRY LEADING PERFORMANCE**

- 1200 CFM internal blower in 36", 42", and 48" models
- 2300 CFM internal blowers in 60" and 72" models
- Optional in-line blower delivers 1266 CFM
- Easy conversion to horizontal ducting

#### **OPTIMAL SMOKE CAPTURE AREA**

- Full grill coverage of 32" front to back
- 24" tall for increased capture area
- Double bank of S/S baffle filters for better capture

#### **EASY CLEANING**

- Dishwasher-safe commercial-style baffle filters with 2 easy-grip handles
- Detergent inlet holes and grease exit holes in baffle filters for superior dishwasher cleaning

#### **DISTINCTIVE DESIGN**

- Pyramid hood shape with telescopic duct cover to 10' ceiling included
- Optional telescopic duct cover to 12' ceiling


#### **EASE OF OPERATION**

- 3-speed blower control (internal blower models)
- Variable blower control (in-line/remote models)
- Dimmable 50-watt halogen lights
- Slip-resistant control knobs

#### **ENDURING QUALITY**

 Commercial grade stainless steel (#304 grade) and galvanized steel construction











# P7200 PYRAMID-STYLE SERIES BARBECUE GRILL HOODS

DRAWING BELOW	FRONT TO BACK	WIDTH	COLOR	CFM	3-SPEED INTERNAL BLOWER	IN-LINE OR REMOTE BLOWER	HALOGEN LIGHTS	S/S BAFFLE FLITERS	CONVERTIBLE DUCTING	DUCT COLLAR	DIMMABLE LIGHT CONTROL
Α	32"	36"	S/S			√	2	√	√	10"	√
Α	32"	36"	S/S	1200	√		2	√	√	10"	√
А	32"	36"	S/S	1200	√		2	√	√	10"	√
Α	32"	42"	S/S			√	2	√	√	10"	√
Α	32"	42"	S/S	1200	√		2	√	√	10"	√
Α	32"	42"	S/S	1200	√		2	√	√	10"	√
Α	32"	48"	S/S			√	3	√	√	10"	√
Α	32"	48"	S/S	1200	√		3	√	√	10"	√
А	32"	48"	S/S	1200	√		3	√	√	10"	√
В	32"	60"	S/S			√	4	√	√	2 X 10"	√
В	32"	60"	S/S	2300	√		4	√	√	2 X 10"	√
В	32"	72"	S/S			√	4	√	√	2 X 10"	√
В	32"	72"	S/S	2300	√		4	√	√	2 X 10"	√
	A A A A A A B B B B	A 32" B 32" B 32" B 32"	A 32" 36" A 32" 36" A 32" 36" A 32" 42" A 32" 42" A 32" 42" A 32" 42" A 32" 48" A 32" 48" B 32" 60" B 32" 72"	A         32"         36"         S/S           A         32"         36"         S/S           A         32"         36"         S/S           A         32"         36"         S/S           A         32"         42"         S/S           A         32"         42"         S/S           A         32"         42"         S/S           A         32"         48"         S/S           A         32"         48"         S/S           B         32"         60"         S/S           B         32"         60"         S/S           B         32"         72"         S/S	A         32"         36"         S/S           A         32"         36"         S/S           A         32"         36"         S/S         1200           A         32"         36"         S/S         1200           A         32"         42"         S/S         1200           A         32"         42"         S/S         1200           A         32"         48"         S/S         1200           A         32"         48"         S/S         1200           A         32"         48"         S/S         1200           B         32"         48"         S/S         1200           B         32"         60"         S/S         2300           B         32"         60"         S/S         2300	A         32"         36"         S/S         1200         √           A         32"         36"         S/S         1200         √           A         32"         36"         S/S         1200         √           A         32"         42"         S/S         1200         √           A         32"         42"         S/S         1200         √           A         32"         42"         S/S         1200         √           A         32"         48"         S/S         1200         √           B         32"         60"         S/S         2300         √           B         32"         72"         S/S         2300         √	A         32"         36"         S/S         ✓           A         32"         36"         S/S         1200         ✓           A         32"         36"         S/S         1200         ✓           A         32"         36"         S/S         1200         ✓           A         32"         42"         S/S         1200         ✓           A         32"         42"         S/S         1200         ✓           A         32"         48"         S/S         1200         ✓           B         32"         60"         S/S         2300         ✓           B         32"         60"         S/S         2300         ✓           B         32"         72"         S/S         ✓	DRAWING BELOW         TO BACK         WIDTH         COLOR         CFM         INTERNAL BLOWER         REMOTE BLOWER         HALOGEN LIGHTS           A         32"         36"         S/S         ✓         2           A         32"         36"         S/S         1200         ✓         2           A         32"         42"         S/S         1200         ✓         2           A         32"         42"         S/S         1200         ✓         2           A         32"         42"         S/S         1200         ✓         2           A         32"         48"         S/S         1200         ✓         3           A         32"         48"         S/S         1200         ✓         3           A         32"         48"         S/S         1200         ✓         3           B         32"         60"         S/S         2300         ✓         4           B         32"         72"         S/S         2300         ✓         4	DRAWING BELOW         TO BACK         WIDTH         COLOR         CFM         INTERNAL BLOWER         REMOTE BLOWER         HALOGEN LIGHTS         \$/\$ BAFFLE FLITERS           A         32"         36"         \$/\$\$         \$/\$\$         \$\sqrt{2}\$         \$\sqrt{2}\$	DRAWING BELOW         TO BELOW         WIDTH COLOR         CFM         INTERNAL BLOWER BLOWER         HALOGEN LIGHTS         S/S BAFFLE CONVERTIBLE DUCTING           A         32"         36"         S/S         1200         √         2         √         √           A         32"         36"         S/S         1200         √         2         √         √           A         32"         42"         S/S         1200         √         2         √         √           A         32"         42"         S/S         1200         √         2         √         √           A         32"         42"         S/S         1200         √         2         √         √           A         32"         48"         S/S         1200         √         2         √         √           A         32"         48"         S/S         1200         √         3         √         √           A         32"         48"         S/S         1200         √         3         √         √           A         32"         60"         S/S         2300         √         √         4         √         √ <th>DRAWING BLOW         TO BACK         WIDTH VOLOR         CFM         INTERNAL BLOWER BLOWER         HALOGEN LIGHTS         S/S BAFFLE DUCTING         CONVERTIBLE DUCT COLLAR           A         32"         36"         S/S         ✓         2         ✓         ✓         10"           A         32"         36"         S/S         1200         ✓         2         ✓         ✓         10"           A         32"         36"         S/S         1200         ✓         2         ✓         ✓         10"           A         32"         42"         S/S         1200         ✓         2         ✓         ✓         10"           A         32"         42"         S/S         1200         ✓         2         ✓         ✓         10"           A         32"         48"         S/S         1200         ✓         2         ✓         ✓         10"           A         32"         48"         S/S         1200         ✓         3         ✓         ✓         10"           A         32"         48"         S/S         1200         ✓         3         ✓         ✓         10"           B</th>	DRAWING BLOW         TO BACK         WIDTH VOLOR         CFM         INTERNAL BLOWER BLOWER         HALOGEN LIGHTS         S/S BAFFLE DUCTING         CONVERTIBLE DUCT COLLAR           A         32"         36"         S/S         ✓         2         ✓         ✓         10"           A         32"         36"         S/S         1200         ✓         2         ✓         ✓         10"           A         32"         36"         S/S         1200         ✓         2         ✓         ✓         10"           A         32"         42"         S/S         1200         ✓         2         ✓         ✓         10"           A         32"         42"         S/S         1200         ✓         2         ✓         ✓         10"           A         32"         48"         S/S         1200         ✓         2         ✓         ✓         10"           A         32"         48"         S/S         1200         ✓         3         ✓         ✓         10"           A         32"         48"         S/S         1200         ✓         3         ✓         ✓         10"           B


\*EXT MODELS COME WITH TELESCOPIC DUCT COVER TO 12' CEILING




**A. RANGE HOODS** (36", 42", 48")




**B. RANGE HOODS** (60" OR 72")



A. REAR OPTION CONVERSION




**B. REAR OPTION CONVERSION** 



**DUCT COVERS** 

\*Included for ceilings 9' to 10'



<u>DUCT COVERS:</u> MODEL #: PDC7236, PDC7242, PDC7248, PDC7260, PDC7272

\*Sold separately for ceilings 10' to 12'



800 WEST GRANT STREET PHOENIX, AZ 85007 1-800-955-5737 602-900-8500

T-WUSA.COM



TRADE-WIND Manufacturing, LLC has a policy of continuous improvements and reserves the right to modify (at any time without notice) any or all of its products, features, designs, components and specifications. For further information on installation and wiring, see the installation instructions included with the product or visit us on the web.

© 2023 TRADE-WIND MANUFACTURING, LLC



# P7200 PYRAMID ISLAND-STYLE SERIES BARBECUE GRILL HOODS

#### PERFORMANCE · QUALITY · CUSTOMER SERVICE

#### **INDUSTRY LEADING PERFORMANCE**

- 1200 CFM internal blower in 48" model
- 2300 CFM internal blower in 60" model
- Optional in-line blower delivers 1266 CFM

#### **OPTIMAL SMOKE CAPTURE AREA**

- Full grill coverage of 32" front to back
- 24" tall for increased capture area
- Double bank of S/S baffle filters for better capture

#### **EASE OF OPERATION**

- 3-speed blower control (internal blower models)
- Variable blower control (in-line/remote models)
- Dimmable 50-watt halogen lights
- Slip-resistant control knobs

#### **DISTINCTIVE DESIGN**

- Pyramid hood shape with duct cover to 10' ceiling included
- Duct cover telescopes for perfect height over grill

#### **EASY CLEANING**

- Dishwasher-safe commercial-style baffle filters with 2 easy-grip handles
- Detergent inlet holes and grease exit holes in baffle filters for superior dishwasher cleaning

#### **ENDURING QUALITY**

 Commercial grade stainless steel (#304 grade) and galvanized steel construction












# P7200 PYRAMID ISLAND-STYLE SERIES BARBECUE GRILL HOODS

MODEL	FRONT TO BACK	WIDTH	COLOR	CFM	3-SPEED INTERNAL BLOWER	IN-LINE OR REMOTE BLOWER	HALOGEN LIGHTS	S/S BAFFLE FLITERS	DUCT COLLAR	DIMMABLE LIGHT CONTROL
P7248ISL	32"	48"	S/S			√	3	√	10"	√
P7248-12ISL	32"	48"	S/S	1200	√		3	√	10"	√
P7260ISL	32"	60"	S/S			√	4	√	2 X 10"	√
P7260-23ISL	32"	60"	S/S	2300	√		4	√	2 X 10"	√








#### **DUCT COVER**

\*Included for ceilings up to 10'



#### **DUCT COVER**

\*Included for ceilings up to 10'

**IMPORTANT:** For ceilings higher than 10', a "chase" or soffit must be constructed prior to hood installation, in order to secure the included duct cover.



800 WEST GRANT STREET PHOENIX, AZ 85007 1-800-955-5737 602-900-8500

T-WUSA.COM





TRADE-WIND Manufacturing, LLC has a policy of continuous improvements and reserves the right to modify (at any time without notice) any or all of its products, features, designs, components and specifications. For further information on installation and wiring, see the installation instructions included with the product or visit us on the web.

© 2023 TRADE-WIND MANUFACTURING, LLC



## S7200CD SERIES BARBECUE GRILL HOODS

#### PERFORMANCE · QUALITY · CUSTOMER SERVICE

#### **INDUSTRY LEADING PERFORMANCE**

- 1200 CFM internal blower in 36", 42", and 48" models
- 2300 CFM internal blowers in 54", 60", 66", and 72" models
- Optional in-line blower delivers 1266 CFM
- Easy conversion to horizontal ducting

#### **OPTIMAL SMOKE CAPTURE AREA**

- Full grill coverage of 32" front to back
- 24" tall for increased capture area
- Double bank of S/S baffle filters for better capture

#### **ENDURING QUALITY**

 Commercial grade stainless steel (#304 grade) and galvanized steel construction

\*SHOWN WITH OPTIONAL CUSTOM DUCT COVER

#### **DISTINCTIVE DESIGN**


- Straight-sided hood shape with optional telescopic duct cover to 10' ceiling
- Optional telescopic 12' ceiling duct cover

#### **EASY CLEANING**

- Dishwasher-safe commercial-style baffle filters with 2 easy-grip handles
- Detergent inlet holes and grease exit holes in baffle filters for superior dishwasher cleaning

#### **EASE OF OPERATION**

- 3-speed blower control (internal blower models)
- Variable blower control (in-line/remote models)
- Dimmable 50-watt halogen lights
- Slip-resistant control knobs




\*SHOWN WITH OPTIONAL 18" WIDE DUCT COVER







# S7200CD SERIES BARBECUE GRILL HOODS

MODEL	DRAWING BELOW	FRONT TO BACK	WIDTH	COLOR	CFM	3-SPEED INTERNAL BLOWER	IN-LINE OR REMOTE BLOWER	HALOGEN LIGHTS	S/S BAFFLE FLITERS	CONVERTIBLE DUCTING	DUCT COLLAR	DIMMABLE LIGHT CONTROL
S7236CD	А	32"	36"	S/S			√	2	√	√	10"	√
S723612CD	А	32"	36"	S/S	1200	√		2	√	√	10"	√
S7242CD	А	32"	42"	S/S			√	2	√	√	10"	√
S724212CD	А	32"	42"	S/S	1200	√		2	√	√	10"	√
S7248CD	А	32"	48"	S/S			√	3	√	√	10"	√
S724812CD	А	32"	48"	S/S	1200	√		3	√	√	10"	√
S7254CD	В	32"	54"	S/S			√	3	√	√	2 X 10"	√
S725423CD	В	32"	54"	S/S	2300	√		3	√	√	2 X 10"	√
S7260CD	В	32"	60"	S/S			√	4	√	√	2 X 10"	√
S726023CD	В	32"	60"	S/S	2300	√		4	√	√	2 X 10"	√
S7266CD	В	32"	66"	S/S			√	4	√	√	2 X 10"	√
S726623CD	В	32"	66"	S/S	2300	√		4	√	√	2 X 10"	√
S7272CD	В	32"	72"	S/S			√	4	√	√	2 X 10"	√
S727223CD	В	32"	72"	S/S	2300	√		4	√	√	2 X 10"	√








**A. RANGE HOODS** (36", 42", 48")

**B. RANGE HOODS** (54", 60", 66", 72")

<u>DUCT COVERS:</u> MODEL #: **A.** DC7201S; **B.** DC7201D \*Sold separately for ceilings 9' to 10'



36", 42" OR 48"

Ø 10"

**B. REAR OPTION CONVERSION** 

**DUCT COVERS:** MODEL #: **A.** DC7200S; **B.** DC7200D

\*Sold separately for ceilings 10' to 12'



**A. REAR OPTION CONVERSION** 

800 WEST GRANT STREET PHOENIX, AZ 85007

1 - 8 0 0 - 9 5 5 - 5 7 3 7 6 0 2 - 9 0 0 - 8 5 0 0

T-WUSA.COM





TRADE-WIND Manufacturing, LLC has a policy of continuous improvements and reserves the right to modify (at any time without notice) any or all of its products, features, designs, components and specifications. For further information on installation and wiring, see the installation instructions included with the product or visit us on the web.

© 2023 TRADE-WIND MANUFACTURING, LLC

3/4"

54",60"

66" OR 72"



#### **INDUSTRY LEADING PERFORMANCE**

- 1200 CFM internal blower in 36", 42", and 48" models
- 2300 CFM internal blowers in 54", 60", and 72" models
- Optional in-line blower delivers 1266 CFM
- Easy conversion to horizontal ducting

#### **OPTIMAL SMOKE CAPTURE AREA**

- Full grill coverage of 32" front to back
- 24" tall for increased capture area
- Double bank of S/S baffle filters for better capture

#### **EASE OF OPERATION**

- 3-speed blower control (internal blower models)
- Variable blower control (in-line/remote models)
- Dimmable 50-watt halogen lights
- Slip-resistant control knobs

\*SHOWN WITH OPTIONAL 42" WIDE DUCT COVER

#### **DISTINCTIVE DESIGN**


- Straight-sided hood shape with optional telescopic duct cover to 10' ceiling
- Optional telescopic 12' ceiling duct cover
- Decorative clavos design

#### **EASY CLEANING**

- Dishwasher-safe commercial-style baffle filters with 2 easy-grip handles
- Detergent inlet holes and grease exit holes in baffle filters for superior dishwasher cleaning

#### **ENDURING QUALITY**

 Commercial grade stainless steel (#304 grade) and galvanized steel construction




\*SHOWN WITH OPTIONAL 18" WIDE DUCT COVER






## 7200 SERIES BARBECUE GRILL HOODS


MODEL	DRAWING BELOW	FRONT TO BACK	WIDTH	COLOR	CFM	3-SPEED INTERNAL BLOWER	IN-LINE OR REMOTE BLOWER	HALOGEN LIGHTS	S/S BAFFLE FLITERS	CONVERTIBLE DUCTING	DUCT COLLAR	DIMMABLE LIGHT CONTROL
7236	Α	32"	36"	S/S			√	2	√	√	10"	√
723612	А	32"	36"	S/S	1200	√		2	√	√	10"	√
7242	А	32"	42"	S/S			√	2	√	√	10"	√
724212	А	32"	42"	S/S	1200	√		2	√	√	10"	√
7248	А	32"	48"	S/S			√	3	√	√	10"	√
724812	Α	32"	48"	S/S	1200	√		3	√	√	10"	√
7254	В	32"	54"	S/S			√	3	√	√	2 X 10"	√
725423	В	32"	54"	S/S	2300	√		3	√	√	2 X 10"	√
7260	В	32"	60"	S/S			√	4	√	√	2 X 10"	√
726023	В	32"	60"	S/S	2300	√		4	√	√	2 X 10"	√
7272	В	32"	72"	S/S			√	4	√	√	2 X 10"	√
727223	В	32"	72"	S/S	2300	√		4	√	√	2 X 10"	√



**A. RANGE HOODS** (36", 42", 48")




**B. RANGE HOODS** (54", 60", 66", 72")




**DUCT COVERS:** MODEL #: **A.** DC7201S; **B.** DC7201D

\*Sold separately for ceilings 9' to 10'



24"
3/4" 15"
21/2"
24"
24"
32"
54",60"
66" OR 72"



**B. REAR OPTION CONVERSION** 

**DUCT COVERS:** MODEL #: **A.** DC7200S; **B.** DC7200D

\*Sold separately for ceilings 10' to 12'



**A. REAR OPTION CONVERSION** 

800 WEST GRANT STREET PHOENIX, AZ 85007 1-800-955-5737

602-900-8500

T-WUSA.COM



TRADE-WIND Manufacturing, LLC has a policy of continuous improvements and reserves the right to modify (at any time without notice) any or all of its products, features, designs, components and specifications. For further information on installation and wiring, see the installation instructions included with the product or visit us on the web.

© 2023 TRADE-WIND MANUFACTURING, LLC



# T7200 SERIES BARBECUE GRILL HOODS

#### PERFORMANCE · QUALITY · CUSTOMER SERVICE

#### **INDUSTRY LEADING PERFORMANCE**

- 1200 CFM internal blower in 36", 42", and 48" models
- 3-speed blower control to select performance level
- Optional in-line blower delivers 1266 CFM

#### **OPTIMAL SMOKE CAPTURE AREA**

- Full grill coverage of 32" front to back
- 10" tall for increased capture area
- Double bank of S/S baffle filters for better capture

#### **EASE OF OPERATION**

- 3-speed blower control (internal blower models)
- Variable blower control (in-line/remote models)
- Dimmable 50-watt halogen lights
- Slip-resistant control knobs

#### **DISTINCTIVE DESIGN**

- Contemporary design with telescopic duct cover to 10' ceiling included
- Optional telescopic 12' ceiling duct cover

#### **EASY CLEANING**

- Dishwasher-safe commercial-style baffle filters with 2 easy-grip handles
- Detergent inlet holes and grease exit holes in baffle filters for superior dishwasher cleaning

#### **ENDURING QUALITY**

 Commercial grade stainless steel (#304 grade) and galvanized steel construction











# T7200 SERIES BARBECUE GRILL HOODS

MODEL	FRONT TO BACK	WIDTH	COLOR	CFM	3-SPEED INTERNAL BLOWER	IN-LINE OR REMOTE BLOWER	HALOGEN LIGHTS	S/S BAFFLE FLITERS	DUCT COLLAR	DIMMABLE LIGHT CONTROL
T7236	32"	36"	S/S			√	2	√	10"	√
T7236-12	32"	36"	S/S	1200	√		2	√	10"	√
*T7236-12EXT	32"	36"	S/S	1200	√		2	√	10"	√
T7242	32"	42"	S/S			√	2	√	10"	√
T7242-12	32"	42"	S/S	1200	√		2	√	10"	√
*T7242-12EXT	32"	42"	S/S	1200	√		2	√	10"	√
T7248	32"	48"	S/S			√	3	√	10"	√
T7248-12	32"	48"	S/S	1200	√		3	√	10"	√
*T7248-12EXT	32"	48"	S/S	1200	√		3	√	10"	√


<sup>\*</sup>EXT MODELS COME WITH TELESCOPIC DUCT COVER TO 12' CEILING





### **DUCT COVER**

\*Included for ceilings 9' to 10'



DUCT COVER: MODEL #: TDC7200

\*Sold separately for ceilings 10' to 12'



800 WEST GRANT STREET PHOENIX, AZ 85007

1 - 8 0 0 - 9 5 5 - 5 7 3 7 6 0 2 - 9 0 0 - 8 5 0 0

T-WUSA.COM





TRADE-WIND Manufacturing, LLC has a policy of continuous improvements and reserves the right to modify (at any time without notice) any or all of its products, features, designs, components and specifications. For further information on installation and wiring, see the installation instructions included with the product or visit us on the web.

© 2 0 2 3 TRADE-WIND MANUFACTURING, LLC



# L7200 SERIES BARBECUE GRILL LINERS

#### PERFORMANCE · QUALITY · CUSTOMER SERVICE

#### **INDUSTRY LEADING PERFORMANCE**

- 1200 CFM internal blower in 36", 42", and 48" models
- 2300 CFM internal blowers in 54", 60", 66", and 72" models
- Optional in-line blower delivers 1266 CFM

#### **EASE OF OPERATION**

- 3-speed blower control (internal blower models)
- Variable blower control (in-line/remote models)
- Dimmable 50-watt halogen lights
- Slip-resistant control knobs

#### **ENDURING QUALITY**

 Commercial grade stainless steel (#304 grade) and galvanized steel construction

# DISTINCTIVE DESIGN

- Design of the S/S commercial-style baffle filters adds a professional form and superior performance
- Allows personal selection of hood shape and finishes

#### **OPTIMAL SMOKE CAPTURE AREA**

- Full grill coverage of 32" front to back
- 8" tall for increased capture area
- Double bank of S/S baffle filters for better capture

#### **EASY CLEANING**

- Dishwasher-safe commercial-style baffle filters with 2 easy-grip handles
- Detergent inlet holes and grease exit holes in baffle filters for superior dishwasher cleaning











# L7200 SERIES BARBECUE GRILL LINERS

MODEL	DRAWING BELOW	FRONT TO BACK	WIDTH	COLOR	CFM	3-SPEED INTERNAL BLOWER	IN-LINE OR REMOTE BLOWER	HALOGEN LIGHTS	S/S BAFFLE FLITERS	DUCT COLLAR	DIMMABLE LIGHT CONTROL
L7236	Α	32"	34 ½"	S/S			√	2	√	10"	√
L7236-12	Α	32"	34 ½"	S/S	1200	√		2	√	10"	√
L7242	Α	32"	40 ½"	S/S			√	2	√	10"	√
L7242-12	Α	32"	40½"	S/S	1200	√		2	√	10"	√
L7248	Α	32"	46 ½"	S/S			√	3	√	10"	√
L7248-12	Α	32"	46 ½"	S/S	1200	√		3	√	10"	√
L7254	В	32"	52 ½"	S/S			√	3	√	2 X 10"	√
L7254-23	В	32"	52 ½"	S/S	2300	√		3	√	2 X 10"	√
L7260	В	32"	58 ½"	S/S			√	4	√	2 X 10"	√
L7260-23	В	32"	58 ½"	S/S	2300	√		4	√	2 X 10"	√
L7266	В	32"	64 ½"	S/S			√	4	√	2 X 10"	√
L7266-23	В	32"	64 ½"	S/S	2300	√		4	√	2 X 10"	√
L7272	В	32"	70 ½"	S/S			√	4	√	2 X 10"	√
L7272-23	В	32"	70 ½"	S/S	2300	√		4	√	2 X 10"	√



A. GRILL LINERS (34 ½", 40 ½", 46 ½")



**B. GRILL LINERS** (52 ½", 58 ½", 64 ½", 70 ½")



800 WEST GRANT STREET PHOENIX, AZ 85007 1-800-955-5737 602-900-8500

T-WUSA.COM



TRADE-WIND Manufacturing, LLC has a policy of continuous improvements and reserves the right to modify (at any time without notice) any or all of its products, features, designs, components and specifications. For further information on installation and wiring, see the installation instructions included with the product or visit us on the web.

© 2 0 2 3 TRADE-WIND MANUFACTURING, LLC



WARRANTY

PERFORMANCE · QUALITY · CUSTOMER SERVICE

### TRADE-WIND® VENTILATION PRODUCTS

#### What IS Covered:

**TRADE-WIND Manufacturing, LLC®** warrants its **TRADE-WIND®** Ventilation Products to the original user to be free of defects in materials and workmanship for three (3) years from the date of purchase.

**TRADE-WIND Manufacturing, LLC®**, at its option, will repair or replace the complete unit or any defective component without charge. This warranty may be voided if any unauthorized service, alterations, or repairs are made to the product.

#### What is NOT Covered:

- Normal maintenance and service of any product that has been subject to misuse, negligence, accident, or installation inconsistent with the recommended TRADE-WIND® Installation Instructions and TRADE-WIND® Best Practices Guidelines.
- Product used other than for normal in-home use or products used outside of the United States and Canada.
- Damage to the product caused by accident, fire, flood, or other acts of God.
- Service calls to educate the customer in the proper use and care of the product, change fuses, or to reset the circuit breakers.
- Service calls to correct faulty installation, such as performance issues relating to improperly sized ducting or restrictive roof caps, are not covered and will, by default, be charged back to the Homeowner.
- Light bulbs are not covered under warranty.

**TRADE-WIND Manufacturing, LLC®** disclaims and excludes any liability for implied warranties or for incidental or consequential damages wherever permitted by law. There are no implied warranties of merchantability or fitness for a particular use or purpose. This warranty gives you specific legal rights, and you may also have other rights, which vary from state to state.

For Service: If you need service on your **TRADE-WIND®** Ventilation Product, visit our website at: **www.t-wusa.com** and click on the warranty tab. Fill out the simple form providing the model number, serial number, date of purchase, and brief description of the problem. Proof of purchase will also be required.

WARRANTY REVISED: JANUARY 1, 2023

For more information, please contact your dealer or your TRADE-WIND® representative.



800 WEST GRANT STREET PHOENIX, AZ 85007 1-800-955-5737 602-900-8500

T-WUSA.COM



TRADE-WIND Manufacturing, LLC® has a policy of continuous improvements and reserves the right to modify (at any time without notice) any or all of its products, features, designs, components and specifications. For further information on installation and wiring, see the installation instructions included with the product or visit us on the web.