


C.R. PLASTIC PRODUCTS

we create sustainable outdoor living


C321




C.R. PLASTIC PRODUCTS

we create sustainable outdoor living


(A) X 1




(B) X 1




(C) X 1



(D) X 1



(E) X 1



#2



(F) X 16

2.50" / 63.5 mm



(G) X 3

2.00" / 51 mm



SCREW SIZE SCALE 1:1



1-866-439-9521



wecare@crplastics.com




www.crppproducts.com

1

- (A) x 1
- (B) x 1
- (F) x 4



NOTE: MAKE SURE TO FLUSH FRAME TO BACK CENTER STRINGER AS SHOWN.




2


- (C) x 1
- (D) x 1
- (F) x 4




NOTE: MAKE SURE TO FLUSH FRAME TO BACK CENTER STRINGER AS SHOWN.



3 (F) x 2




4 (F) x 2




5

Ⓔ x 1

Ⓕ x 4




STEP 5.1: PUSH Ⓔ DOWN AND FASTEN Ⓕ



FLUSH THIS SURFACE

Ⓕ

STEP 5.2: PUSH Ⓔ DOWN AND FASTEN Ⓕ




Ⓕ


NOTE: REPEAT SAME FOR OTHER SIDE.

6

Ⓖ x 3



PLACE ON CLEAN/SMOOTH SURFACE TO AVOID SCRATCH



Ⓖ

