

# CVIU321X1



|                 |              |
|-----------------|--------------|
| Installation    | Built-in     |
| Built-In Niche  | 45 cm        |
| Defrost         | Automatic    |
| Cooling type    | Fan assisted |
| Hinge type      | Standard     |
| Hinge position  | Right        |
| Reversible door | Yes          |



## Wine cellar compartment features



|                                             |                           |
|---------------------------------------------|---------------------------|
| Number of removable shelves                 | 2                         |
| Shelves material                            | Wood                      |
| Removable shelves on telescopic guide rails | Yes                       |
| Type of internal light                      | Led                       |
| Air filter                                  | Activated charcoal filter |

## Programs/Functions



|                   |                                      |                    |                     |
|-------------------|--------------------------------------|--------------------|---------------------|
| Control setting   | Touch control                        | Control lock       | Yes                 |
| Controls          | Inner, in the cellar compartment     | Lighting forced ON | In a maximum period |
| Display           | LED                                  | Fan forced ON      | Yes                 |
| Functions display | Temperature alarm, Temperature value | Temperature Alarm  | Yes                 |
| Power on lamp     | Yes                                  | Door open alarm    | Yes                 |

## Technical Features

|                              |         |                           |                          |
|------------------------------|---------|---------------------------|--------------------------|
| Adjustable temperature zones | 1       | Number of compressors     | 1                        |
| Independent cooling systems  | 1       | Compressor type           | Low vibration compressor |
| Number of door glasses       | 2       | Refrigerant gas type      | R600a                    |
| Temperature range            | 5-20 °C | Refrigerant Quantity (gr) | 0.7 oz                   |
|                              |         | Foam agent                | HFO                      |


|                             |            |                                       |                       |
|-----------------------------|------------|---------------------------------------|-----------------------|
| Type of temperature control | Electronic | Metal panel on the back of the fridge | Metal                 |
| Anti-UV door glass          | Yes        | Door opening type                     | With push pull system |
| Integrated heating element  | Yes        |                                       |                       |

## Performance / Energy Label - Reg. 2019

|                                          |              |                                                                                |           |
|------------------------------------------|--------------|--------------------------------------------------------------------------------|-----------|
| Max Capacity (bottles 0,75lt)            | 21           | Sum of the volumes of the frozen compartment(s)                                | 0.0 gal   |
| Annual energy consumption                | 100 kWh/year | Sum of the volumes of the chill compartment(s) and the unfrozen compartment(s) | 14.8 gal  |
| Airborne acoustical noise emission class | C            | Climate class                                                                  | SN, N, ST |
| Total net volume                         | 14.8 gal     | EEl                                                                            | 124 %     |

## Electrical Connection

|                              |        |                           |                |
|------------------------------|--------|---------------------------|----------------|
| Electrical connection rating | 40 W   | Frequency (Hz)            | 50/60 Hz       |
| Current                      | 1,95 A | Power supply cable length | 70 7/8 "       |
| Voltage (V)                  | 115 V  | Plug                      | (B) NEMA 5-15P |



---

## Alternative products

---



**CVIU121G1**

**Colour:** Neptune Grey

## Symbols glossary

|                                                                                  |                                                                                                                                 |                                                                                   |                                                                                                                                                |
|----------------------------------------------------------------------------------|---------------------------------------------------------------------------------------------------------------------------------|-----------------------------------------------------------------------------------|------------------------------------------------------------------------------------------------------------------------------------------------|
|  | The automatic defrost system works by automatically defrosting at regular intervals eliminating the need to defrost altogether. |  | A+: Energy efficiency class A+ helps to save up to 10% energy compared to class A. Maximum performance with minimum consumption is guaranteed. |
|  | LED display: to show programmes, functions and options selected and the time to the end of the cycle.                           |  | Ventilated: Forced distribution of cold air in the refrigerator compartment, which allows even temperature distribution within the fridge.     |
|  | Fingerprint proof stainless steel: Fingerprint proof stainless steel keeps stainless steel looking as good as new.              |  | LED interior lighting: is a more energy efficient and long lasting way of illuminating the interior of the appliance.                          |
|  | Built-in niche                                                                                                                  |  | Touch controls: Easy to use touch controls allow the appliance to be programmed at the touch of a button.                                      |