PRIME PLANK

vinyl plank

LUXURY VINYL





	US Units	Metric Units	
Style Number	0616V		
Construction	Residential Resilient LVT-Drybac<=2Mm		
Profile	Direct Glue		
Size	7" x 48"	17.78 cm x 121.92 cm	
Overall Thickness	0.079"	2 mm	
Wear Layer Thickness	6 mil (0.006")	0.2 mm	
Finish	Opticlean Urethane		
Edge Description	Square		
Area per Carton	51.33 sq ft	4.77 sq m	
Area per Pallet	2566.5 sq ft	238.44 sq m	
Installation	Glue		
Installation Grade	Above, On, Below		
Ortho-Phthalates Free	Yes		
Residential Warranty	15 Years Residential Resilient LVP/LVT Products Limited Warranty		
Commercial Warranty	5 Year Light Commercial		

Colors



Suggested Adhesive

Style Name	Style Number
SHAW 200 1 GAL	052VS
KWIKFLASH 4 GAL	080VS
KWIKFLASH LV 1	081VS
S150 SPRAY ADHS	069VS
SHAW 200 TPS 4G	026VS

Coordinating Trim







Omni Trim*Quarter RoundOverlap Stairnose*VSUN1 | 94"VSQT1 | 94"VSSN1 | 94"


*Packaged with molding track



PRIME PLANK

LUXURY VINYL

Coordinating Metal Trim



Finish	Reducer	T-Mold	Stair Cap
Satin Silver	152SA	155SA	149SA
Satin Nickel	153SA	156SA	150SA
Dark Bronze	154SA	157SA	151SA

Installation Range

Profile Size	Installation Range
3.5mm	1.5mm to 3.5mm heights
5.5mm	3.6mm to 5.5mm heights
8mm	6mm to 8mm heights

