



2005 Buckskin

	US Units	Metric Units
Style Number	SW594	
Construction	Engineered	
Species	Maple	
Nominal Overall Thickness	3/8"	8.2 mm
Nominal Width	6.38"	162.05 mm
Finish	ScufResist Platinum	
Gloss Level	40%	
Surface Texture	Scraped	
Edge Description	Pillowed	
End Description	Pillowed	
Profile	Tongue And Groove	
Weight per Carton	46 lbs	20.86 kg
SQFT per Carton	30.48 sq ft	2.83 sq m
SQFT per Pallet	1371.6 sq ft	127.42 sq m
Installation Methods	Nail, Staple, Glue, Floating	
Installation Grade	Above, On, Below	
Variation	Moderate	
GREENGUARD® Certified	Yes	
Cradle-to-Cradle Certified	Yes	
Radiant Heat Approved	Yes	
Residential Warranty	Lifetime	
Commercial Warranty	5 Year Commercial	
All measurements are nominal.	Cartons may include random lengths.	

Features

Pacific Grove emphasizes maple's mild wood grain and character in a wide plank. Subtle scraping creates a soft rolling texture that delicately maintains the clean, modern look of maple. It is available in a range of tones including light neutrals, warm brown shades and grey.

Suggested Adhesive

Style Name	Style Number
35MC	HS105
Urebond Plus	SWADH

Trim Pieces length: 78" (*Overlap Reducer and Overlap Stairnose are designed for floating installations only. These items are non-stocking - but are available through a quick-ship program. Delivery should take approximately 2 to 3 weeks.)



SRH38
Flush Reducer



SORH8
*Overlap Reducer



SSH38
Flush Stairnose



SOSH8
*Overlap Stairnose



SCH38
Threshold / Carpet
Reducer



TMH78
T-Molding



QTR96
Quarter Round

Trim images are for illustration purposes only. Actual dimensions will vary. Contact the Shaw Information Center for additional details: 800-441-7429.



MADE IN THE USA

PACIFIC GROVE




Colors



1001 Gold Dust




2005 Buckskin



3000 Bison



5002 Timberwolf



9003 Midnight