

Brand hansgrohe
 Art. Name **Talis C** Prep Kitchen Faucet, 2-Spray Pull-Down, 1.75 GPM
 Art. Nr. 04216800
 Surface Stainless Steel Optic
 Pos. 1


Product Picture



Features

- Swivel range 150°
- Aerated spray, shower spray
- Lockable shower spray, spray return automatically through handle closing
- MagFit magnetic shower holder
- Deck-mounted
- Maximum flow rate (at 3 bar): 6.6 l/min
- Ceramic cartridge
- G 3/8 hose connections
- Integrated non-return valve
- Extension length up to 50 cm
- Single handle kitchen faucet, connection hoses, fixation set, installation manual

Drawing



Technology




Spray Types



Brand	hansgrohe
Art. Name	Talis C Prep Kitchen Faucet, 2-Spray Pull-Down, 1.75 GPM
Art. Nr.	04216800
Surface	Stainless Steel Optic
Pos.	1

Spare Parts Drawings for build year: >11/20



Brand hansgrohe
 Art. Name **Talis C** Prep Kitchen Faucet, 2-Spray Pull-Down, 1.75 GPM
 Art. Nr. 04216800
 Surface Stainless Steel Optic
 Pos. 1

Spare parts list for build year: >11/20

Pos.	Description	Article number
1	handle	95900800
2	screw cover	96338000
3	flange	95498800
4	nut	97209000
5	cartridge, assy	92730000
6	locking screw for handle	95140000
7	seal	95008000
8	spout cpl.	95898800
9	fixing set (Ø 34)	95049000
10	weight	98551000
11	hose 1,50 m	88624000
12	connection hose 600 mm M10x1	95561000
13	filter	97735000
14	handspray	95899800
15	non return valve	93218000
16	set of non return valves DW 15	97350000
18	connection hose 35½" M8x0,75 3/8"	96316001