# Aquifer® | K-T30924

4-in-1 tall arc beverage faucet

## Features

- High-arch swing spout with 160° rotation offers superior clearance for filling pitchers, chilling bottles, and cleanup
- 16-1/16" (408 mm) spout height
- Laminar flow
- Digital interface touchpad allows user to select between ambient, chilled, near-boiling, or sparkling water
- Digital interface can be mounted directly on counter surface or on escutcheon plate
- Box includes: Faucet, digital interface, escutcheon plate, supply lines
- Aquifer® 4-in-1 Grated Drain sold separately
- Requires K-34113 Aquifer® Beverage System (sold separately)



## Sustainability

## Available Colors/Finishes

*Color tiles intended for reference only.*

| | | |
|---|---|---|
| | CP | Polished Chrome |
| | VS | Vibrant Stainless |
| | BL | Matte Black |
| | 2MB | Vibrant Brushed Moderne Brass |



1-800-4KOHLER (1-800-456-4537)
Kohler Co. reserves the right to make revisions without notice to product specifications.
For the most current specification sheet, go to www.kohler.com USA or www.kohler.ca Canada.
5-12-2026 23:15 - US-CA

## Codes/Standards

***ADA, CSA B651 compliant when installed to the specific requirements of these regulations.***

ADA | CSA B651

ASME A112.18.1/CSA B125.1
NSF/ANSI/CAN 372
NSF/ANSI/CAN 61
DOE - Energy Policy Act 1992
California Energy Commission (CEC)
ADA
ICC/ANSI A117.1
CSA B651

## Technical Information

***All product dimensions are nominal.***

Spout

| | |
|---|---|
| Spout Reach: | 6-15/16" (176 mm) |

Flow Rate

| | |
|---|---|
| Faucet Flow Rate: | 1 gpm (3.8 l/min) |

## Material

- Premium material construction for durability and reliability
- KOHLER finishes resist corrosion and tarnishing

## Recommended Products/Accessories

K-30928 Grated drain

## Required Products/Accessories

- K-34113 4-in-1 beverage system

## Warranty


***See website for detailed warranty information.***

KOHLER® Electronic Faucets, Valves, and Controls Five-Year Limited Warranty



1-800-4KOHLER (1-800-456-4537)
Kohler Co. reserves the right to make revisions without notice to product specifications.
For the most current specification sheet, go to www.kohler.com USA or www.kohler.ca Canada.
5-12-2026 23:15 - US-CA

THE BOLD LOOK OF KOHLER.




## Installation

- Single- or two-hole installation
- Flexible supply lines simplify installation

## Installation Notes

***Install this product according to the installation instructions.***

ADA, CSA B651 compliant when installed to the specific requirements of these regulations.



1-800-4KOHLER (1-800-456-4537)
Kohler Co. reserves the right to make revisions without notice to product specifications.
For the most current specification sheet, go to www.kohler.com USA or www.kohler.ca Canada.
5-12-2026 23:15 - US-CA

THE BOLD LOOK OF KOHLER.