

**APPEARANCE**

<b>Color Appearance</b>	White
<b>Installation</b>	EZ Mount

**CAPACITY**

<b>Cooling BTUH (MAX)</b>	5,050 Btu
<b>Dehumidification (pts./hr.)</b>	1.0

**FEATURES**

<b>Airflow (cfm) Roomside (hi/low)</b>	135/115
<b>Airflow Direction</b>	Top 2-Way
<b>Area to Cool</b>	100-150
<b>Chassis Type</b>	Fixed
<b>Delay Timer</b>	24-Hour On/Off Timer
<b>Digital Time Temp Display</b>	Yes
<b>Fan Speed Selections</b>	3 Cooling 3 Fan Only
<b>Filter Type</b>	Slide-Out
<b>LCDI / AFCI power cord</b>	Yes
<b>Louver Style</b>	2-Way
<b>Mounting Type</b>	EZ Mount
<b>Plug Type</b>	Parallel/NEMA 5-15

<b>Power Cord Length</b>	72" Minimum
<b>Product Type</b>	Window
<b>Refrigerant Type</b>	R32
<b>Remote Control</b>	Yes
<b>Room Air Conditioner Features</b>	Electronic Control Energy Saver On/Off Timer Remote Control
<b>Rotary Compressor</b>	Yes
<b>Thermostat Type</b>	Electronic
<b>Unit Type</b>	Cool Only
<b>Vent/Air Exchange Exhaust</b>	Top Air Discharge

## POWER / RATINGS

<b>CEER</b>	11.0
<b>Cooling - Rated Cooling Amps AHAM</b>	4.1
<b>Cooling - Watts</b>	455
<b>Sound Level (Low/High)</b>	56/59 dbA
<b>Voltage (MAX)</b>	115 V

## WARRANTY

<b>Parts Warranty</b>	First 90 days, Return to vendor 1-Year Replacement, Repair or Return
<b>Warranty Notes</b>	See written warranty for full details

**WEIGHTS & DIMENSIONS**

<b>Minimum Window Opening Height (in.)</b>	13-3/8
<b>Approximate Shipping Weight</b>	41.4 lb
<b>Depth to Louvers</b>	6 1/4 in
<b>Grille Depth</b>	1 3/16 in
<b>Min./Max. Window Opening Width (in.)</b>	21-7/8/36
<b>Minimum Window Opening Height (in.)</b>	13-3/8
<b>Net Weight</b>	36.6 lb
<b>Overall Depth</b>	15 in
<b>Overall Height</b>	12 9/16 in
<b>Overall Width</b>	16 7/16 in