

QUICK REFERENCE GUIDE

HC30PHTX1

30" WALL CHIMNEY PYRAMID RANGEHOOD



This wall chimney pyramid vent hood has four speeds and quietly and effectively removes steam, smoke and smells from your kitchen. Soft-touch controls and easy to read settings make this simple to use. Bright halogen lighting ensures the entire cook surface is illuminated.



A PEACE OF MIND SALE

24 Hours 7 Days a Week Customer Support

T 1.888.936.7872 W fisherpaykel.com

FEATURES & BENEFITS

Sized to Suit	Designed to fit easily in your kitchen, you can select the right sized vent hood for your range or cooktop. Available in 30" width, this vent hood suits small and large families and kitchens.
Effective and Quiet	Odors can linger in the kitchen well after cooking is finished. Four fan speeds with up to 600CFM air movement ensure steam and smells are quickly removed.
Designed to Match	This vent hood is designed for durability and finished in stainless steel with a smooth, streamlined aesthetic that matches the rest of Fisher & Paykel's family of appliances.
Easy Cleaning	An interior, wipeable plate makes cleaning effortless and multi-layered filters trap grease effectively. Designed for simple removal, the filters are easy to clean and dishwasher safe.

SKU Code	50026
UPC Code	822843500260

SPECIFICATIONS

Finish	Stainless steel
Dimensions	H(25 13/16" - 43 1/16") x W29 12/16" x D19 11/16"
Fan ratings	
Max. air movement	600CFM
Max. decibel rating	67dBA
Performance	
Extraction type	Surface
Fan speeds	4
Cleaning	
Dishwasher safe aluminium mesh filters	2
Stainless steel filter cover	●
Installation	
Two-piece height adjustable flue	●
Air outlet	6"
Ducted — top extraction	●
Recirculation — top extraction	●
Controls	
Control type	Soft-touch
Timer function	●
Light type	Halogen 2 x 50W
Supply voltage	120V
Accessories	
Ducting solution	●
Recirculation diverter	●
Recirculation carbon filter	●
Manufacturer's warranty	2 years


For full specifications visit fisherpaykel.com

Fisher & Paykel


Model no:

HC30PHTX1


Product Dimensions	in
Ⓐ Maximum height of rangehood	43 1/16"
Ⓑ Minimum overall height - recirculating	29 1/8"
Ⓒ Minimum overall height - ducted	26 3/4"
Ⓓ Overall width of rangehood	29 3/4"
Ⓔ Depth of rangehood chassis	19 11/16"
Ⓕ Height from bottom datum to top of lower chimney section	25 13/16"
Ⓖ Height of canopy	4 1/2"
Ⓗ Height of control panel	2 1/16"
Ⓘ Width of chimney	12 5/8"
Ⓚ Depth of chimney including rear bracket	11 7/16"
Ⓛ Ducting outlet diameter	6"
Ⓜ Distance from center of ducting outlet to rear datum	3 3/4"
Ⓝ Rear bracket depth	1/8"



PLAN VIEW



PROFILE VIEW



FRONT VIEW

INDICATES PRODUCT DATUM -----


DATE: 12.01.2016

IMPORTANT NOTE: Throughout this guide, dimensions may vary by ±2mm (3/32"). Please read the installation manual for detailed information on installing the product. For full installation instructions & specifications visit fisherpaykel.com

Model no:

HC30PHTX1

Product Dimensions	in
Ⓐ Overall width of rangehood	29 3/4"
Ⓑ Depth of rangehood chassis	19 11/16"
Ⓒ Distance between light centers	16 1/4"
Ⓓ Distance from center of lights to rear of chassis	1 5/8"
Ⓔ Rear bracket depth	1/8"



INDICATES PRODUCT DATUM -----

DATE: 12.01.2016

IMPORTANT NOTE: Throughout this guide, dimensions may vary by ±2mm (3/32"). Please read the installation manual for detailed information on installing the product. For full installation instructions & specifications visit fisherpaykel.com