Size & Weight

Weight Approx. 252g

**General Features** 

**Headphone Type** Closed, dynamic

**Driver Unit** 40mm

Neodymium Magnet

Impedance (Ohm) 48 ohm (when connecting via the

> headphone cable with the unit turned on), 16 ohm (when connecting via the headphone cable with the unit turned

> > off)

Frequency Response 7 Hz - 25,000 Hz (JEITA)

7 Hz - 25,000 Hz Frequency Response (Active

Operation)

**FREQUENCY** 20Hz-20,000Hz (44.1kHz sampling) RESPONSE(BLUETOOTH® 20Hz-40,000Hz (LDAC 96kHz sampling **COMMUNICATION**)

990kbps)

Sensitivities (dB/mW) 96dB / mW (when connecting via the

> headphone cable with the unit turned on), 96dB / mW (when connecting via the headphone cable with the unit

turned off)

**Volume Control Touch Sensor** 

Cord type Single-sided (detachable)

**Cord Length** Approx. 1.2m

Gold-plated L-shaped stereo mini plug Plug

Stereo Mini Jack Input(s)

Wearing Style Over-ear

DSEE Yes

**Passive Operation** Yes

**Battery** 

**Battery Charge Time** Approx. 3.5 hrs

**Battery Charge Method USB** 

Battery Life(continuous music Max. 30 hrs (NC ON), Max. 50 hrs (NC

playback time) OFF)

Max. 30 hrs (NC ON), Max. 40 hrs (NC **Battery Life(continuous** OFF) communication time)

Bluetooth® Specification

Bluetooth® version Bluetooth Specification Version 5.2

**Effective Range** 10m

**FREQUENCY RANGE** 2.4GHz band (2.4000GHz-2.4835GHz)

**Profile** A2DP, AVRCP, HFP, HSP

Supported Audio Format(s) SBC, AAC, LDAC

**Supported Content Protection** SCMS-T

**Noise Cancelling** 

NOISE CANCELLING ON/OFF SWITCH	Yes	
Ambient Sound Mode	Yes	
Quick Attention	Yes	
Features		
Color Options	Blue, Black	
What's In The Box		
What's In The Box	Carrying Case, Connection Cable, USB Cable Type-C®	