PURWS52PR1

Panel Ready Wine Cellar | DUAL ZONE






The PURWS52PR1 is specifically engineered with dual temperature zones to provide an ideal storage solution for a diverse range of high-quality wines. The significance of maintaining the perfect temperature, humidity, light exposure,

and minimal vibration ensures an optimal environment for safe preservation and aging. The natural beechwood shelves of the PURWS52PR1 are designed as full extensions, enabling effortless and secure access to each individual bottle, prioritizing convenience and safety.

LINE DRAWING



PURWS52PR1

Panel Ready Wine Cellar | DUAL ZONE



SPECIFICATIONS

Standard Width	24"	
Dimensions	23 7/16" W x 34 1/4" H x 23 1/4" D	
Weight	128 lbs	
Installation Type	Built-in and Free Standing	
Refrigerant Type	R600a	
Volume	4.8 cu ft (135L)	
Sound Level	39 dBA	
Door Finish	Panel Ready Frame + Tempered Glass	
Cabinet Finish	Black	
Interior Finish	Black	
Hinge Design	Articulated	
Lighting	3 Level White LED	
Controls	Capacitive Touch with Display with White Numbers	
COOLING ZONE 1 Total Capacity Temperature Range Shelving	16 Bottles of Wine (25 oz) 40 to 50°F 2 Full Extension Racks of Beechood with Metal Front Trim	
COOLING ZONE 2 Total Capacity Temperature Range Shelving	36 Bottles of Wine (25 oz) 50 to 64° F 3 Full Extension Racks of	

Beechwood with Metal Front trim

Compressor Brand	Embraco	
Min. Circuit Required	15 A	
AC Power	110-120V/60HZ	
Amperage	0.95A	
Plug Type	В	
Door Handle	Tubular - Included	
Door Glass	Tinted Dual Panel, Low-e Argon-filled	
Reversible Door	Yes	
Other Features	Superior Full Extension Racks Premium Beechwood Wine Racks Lights with 3 level KELVIN shades Anti Vibration Technology Double Panel, UV coated door Sabbath Mode	
KITS	Carbon Filter KIT ACC00114-1 PRO Handle ACC0175505	
WARRANTY	2 Year Parts and In-Home Labor.	

FEATURES



Panel Ready- Enhance your kitchen design by seamlessly integrating your undercounter drawer using custom panels that perfectly match your cabinetry.



Articulated Hinge - With an integrated articulated hinge within the door, it enables the refrigerator to have a zero clearance built in installation.



Door Alarm - Never forget the undercounter door open, with a beep alarm that activates after 5 minutes.



Energy Saving - Sustainable friendly, the unit will save consumption by mantaining a uniform temperature control and lights optimization.



Noiseless Operation - Keep a high performance performance without the noise, with a speed-control motor that minimize vibrations and reduce exterior sound levels.




Carbon Filters - Remove odors and other pollutants from the air, ensuring a fresh environment.







STORAGE CAPACITY





Overlay Panel Dimension:		
Door Panel Width	23 1/8"	
Door Panel Height	30 3/16"	
Door Panel Depth	3/4" max	
Door Panel Weight	10 lbs max	
Viewable Area Width	18 3/4"	

23 1/2"

Viewable Area Height

