



**ASKO**



# Dishwasher Line-Up

*Next Generation Dishwashers*



# Style



T-Bar  
Stainless White



Fully Integrated



Integrated  
Stainless Black

## Full TouchProof™ Stainless Steel



- Updated Styling
- Superior feel
- Long durability
- Easy to clean



## Key Product Enhancements

### ■ Styling

- New door design with full stainless steel front, no plastic panel.
  - Front control with no plastic panel.
- New easy to use user interfaces.
  - New OPP and mid models with LCD display and touch.
  - Mid model with LCD display top and front.



## New Interface



## Stainless Steel Top



54 / 94 Series - A stainless steel top & a stainless door gives a full stainless look





## Dishwasher Nomenclature

**D5894XXLHS**

### Product Category

**D = Dishwasher**

### Control

54 = Front Control - LCD / LCD Display

55 = Fully Integrated (FI) - Hidden Control LCD / LED

56 = Hidden Control LCD / LED w/Front Time Display

**58 = Hidden Control - LCD Display w/ Program / Option Description and Multi Languages**

### Options / Feature Pack

24 = Standard Racks, 50 dB(A), 2 Rack System, 7Spray™ System, SuperCleaningSystem™ (SCS), PowerZone™ Pots/Cutlery, AquaSafe™, Convection Dry

34 = Exclusive Lower / Premium Upper Racks, 48 dB(A), Turbo Fan Dry, Delay start (24h)

54 = Exclusive Racks, 46 dB(A), Adjustable Upper Rack, 3 Rack System with Middle Rack, 9Spray™ System, PowerZone™ Plate, Upper / Lower Wash, Status Lights (FI), Mix Wash, Time Saver

**94 = 44 dB(A), Turbo Dry Express, SensiDry-Sensor, 4 Rack System, 10Spray™ System, SuperRinse™, CoolTouch™**

### Tank Size

**XXL = 34" Installation Height, 15 ¼" clearance (lower rack), Up to 9" Clearance in Upper Rack**

ADA (XL) = 32 1/4" Installation Height, 12" Clearance (lower rack), 9" Clearance (upper rack)

### Handle Type & Color

**HS = Towel Bar Handle / TouchProof™ Stainless Steel**

CS = Curved Handle / TouchProof™ Stainless Steel

IS = Covered Integrated Grip / TouchProof™ Stainless Steel

FI = Fully Integrated

W = White

B = Black

S = Stainless Steel





## Asko DW90 Series Dishwashers

- Still The D5000XXL Format
- Types DW90.1, DW90.2, DW90.3
- DW90.1 - D5424, D5434 Front LED/LCD display
- DW90.2 - D5524, D5534, D5554, D5624, D5634, D5654 - Hidden LED display
- DW90.3 D5894 - Hidden LCD display



## Accelerometer

Type 90.2


Models D5554, D5634, D5654

The control unit contains an Accelerometer Sensor that senses position and acceleration

- Controls buttons and brightness of the light
- Turns off at a specific angle to avoid causing a distraction when seen from the counter top.

## Model Number Deleted From The Outer Panel

- Model number deleted from the panel to get cleaner graphics.
- (model number visible on the rating plate).





Rinse Aid indicator on the  
panel on all models



## KidSafe™

- Possible to lock the touch buttons on all models



Press both buttons at the same time to activate Kid Safe (activates immediately) Do the same maneuver to deactivate



## Improved Super Cleaning System™ (SCS+)

- ASKO's patented dishwashing system cleans the fine filter and all the interior surfaces.
- Circulation pump runs with intermittent operation - **NEW**
- This process is repeated (max) 8 times - **NEW**
- Improved wash performance 5% - **NEW**
- No need to rinse the dishes
- Saves water, electricity and effort!

## New Detergent Dispenser



- Easier to use
  - Larger compartment
  - Graduation of dosage level in the compartment
  - Easier to change rinse aid level (**Adjust level in user interface**)
  - Easier to fill rinse aid (Lid instead of knob)





## Status light

Load / running - Blue



Do not load / running - Red



Ready - Green



**Blue light** – The program has started – you can still load (no detergent in the machine)

**Red light** – Not recommended (detergent in the machine)


**Fault indicator** – flashing red light.

**Green light** – Program finished, standby light for 2 hours

## D5894 Status Light




## D5894 Status Light







## Improved Remaining Time Indication

- 
- Calculates the remaining time in the program cycle more frequently for improved precision of the time showed in the display.



## Plastic Program

- Gives a perfect drying result even on small loads or plastic items
- Time of program: **2h 50min** ( 1hour drying)
- Temperature in D5894XXL - up to 150°F
- Final rinse options 130°F or 150°F
- Available on D5894 with Turbo Drying Express™



## Crockery Warming


- For best result
  - Max. 8 pcs of plates
  - Place in left side of machine
- Available on D5894 with Turbo Drying Express™



## Turbo Drying Express™

Improves drying times by 40%


- Unique ability to dry plastic objects and smaller loads
- Shorter program times
- Pending patent
- Available on model D5894
- Complement to Turbo Drying™



**ASKO**



## D5894 Turbo Fan Express






## Turbo Drying Express™




## D5894 Turbo Fan Express






## D5894 Turbo Fan Express

### Heater Blower Limits





## D5894 Turbo Fan Express





## D5894 Turbo Fan Express




## D5894 Turbo Fan Express





## D5894 Turbo Fan Express





## D5894 Turbo Fan Express



Mounting tab goes  
into Diverter housing.




## D5894

Air Break needs the red cap in place if moisture appears around the cabinets on models with the Turbo Fan Express only.



## Flow Through Heater

120 Volt  
1200 Watt  
10 Amp  
12 Ohm




## 18 – 9 Stainless Tank






## Outer Base






## DW90 with rear panel removed




## Front Adjustable Door Springs

- Front adjustable door springs on FI model - D5894XXL
- Easy to use, adjust the spring tension with a screwdriver in the front. Weights printed on the side of the door
- Door weight XXL dishwashers: **1-9 kg**


Soft



Hard




## D5894XXLFI Door Spring Adjusting Screw





## D5894XXLFI Door Spring Adjusting Screw





## D5894XXLFI Door Spring Adjusting Screw





*Dishwashers News – D5934 Outdoor*



## Durable Construction


- Thick stainless steel top, sides and back to create a solid finished look.
- Stainless steel kick plate, flush with door





## Dimensions

- Height 34 ½ in.  
875 mm
- Width 24 5/8 in.  
625 mm
- Depth (Cabinet) 23 ¼ in.  
590 mm
- Depth (Overall) 25 in.  
635 mm



## D5934 Outdoor

- Stainless Steel (including SS top & sides)
- T-bar handle
- XXL
- Convection Dry
- 48dB(A)
- Exclusive Height adjustable Upper basket
- Exclusive Lower basket
- Knife basket




## D5934 Outdoor Dishwasher

### Stainless Steel Side Panel





## D5934 Outdoor Dishwasher Counter Balance Weights




# Outdoor Kitchen with Complementing Dishwasher



**Outdoor dishwasher is designed to clean grill utensils, outdoor dishes and food preparation plates**

## D5894

Light shielding film strip needs to be affixed to the counter above the control.






**D5424, D5434**

**DW90.1 control panel**



**D5424, D5434**

**DW90.1 control panel with front display**





**D5424, D5434**

**DW90.1 dishwasher control panel and front display**






## D5424, D5434

White plastic piece will fall out when control is removed from DW90.1



D5424, D5434



# 2 PLUS 1 Warranty

Register Online at:  
[www.askousa.com](http://www.askousa.com)





## Up to 2 PowerZones™

