



LIMITED REPEL HARDWOOD RESIDENTIAL FLOORING WARRANTIES

The true essence of the American home is captured in the time-honored choice of quality hardwood flooring. While job-site-finished floors may be beautiful for a while, they cannot compare to the distinctive and inherently stronger wood floors made by Shaw Industries Group, Inc. (Shaw). Shaw not only produces more durable floors, but we also offer comprehensive warranties. These products and limited warranties allow you to choose the floor that is right for you, your lifestyle, and your budget. While a quality product and warranty are extremely important, proper installation and maintenance of your new Shaw hardwood floor is also essential to ensure years of enjoyment.

Environmental Commitment and Renewable Resources

Shaw takes the environment seriously, and supports the best management practices for timber harvesting. Our environmental goals include: wildlife preservation, forest regeneration, limiting soil erosion, and making the most efficient use of all our raw materials.

Please Read This Entire Booklet Carefully

This booklet contains the warranty and maintenance information, plus common sense warranty exclusions that you'll need to know to maintain your limited warranty and to keep your new Shaw hardwood floor looking beautiful for years to come.

Floor Care and Maintenance

Important: All wood based products, even those specifically designed to have increased moisture resistance, are hygroscopic (they will react to moisture) and as a result will expand or contract accordingly. All sources of subfloor moisture must be remedied prior to installation. Any construction dampness must be remedied prior to installation. Although this product is water resistant, it is not waterproof and excessive wetting is to be avoided and water spills dried immediately. At no time should standing water be left on the floor.

Remember, like any floor covering, our factory finished wood floors will show signs of wear over time, depending on the size and lifestyle of your family. By observing a few precautions and setting up a regular cleaning routine and maintenance program, you can expect years of beauty from your Shaw floor. The following are examples of the reasonable and necessary maintenance you are expected to perform. They are not intended to be an exclusive list.

1. Sweep or vacuum regularly since built-up grit can damage the surface of the wood. The vacuum head must be a brush or felt type. Be certain the wheels of the vacuum are clean and do not damage the finish. Do not use a vacuum with a beater bar head.
2. Remove spills promptly using a soft cloth and cleaning products recommended by Shaw.
3. Shaw recommends the Shaw R2X Hard Surfaces Flooring Cleaner with a terry cloth mop. Always vacuum the floors prior to using R2XTM. Do not allow excess cleaner to remain on the floors surface as this may permanently damage the wood fiber.
4. Important: Do not use oil soaps, liquid or paste wax products or other household cleaners that contain citrus oils, lemon oil, tung oil, silicon, or ammonia since these warranties do not cover damage caused by non-recommended products. Use of these and other such products will harm the long-term performance of your floor and may also affect its recoat ability.
5. Do not use 2 in 1 cleaners with polish that may contain acrylics or urethane polish to restore gloss - damage resulting from the use of these products will not be covered under warranty and may produce unsatisfactory results when not applied properly.
6. Keep pets' nails trimmed, and paws clean and free of dirt, gravel, grease, oil, and stains.
7. Place protective felt pads beneath furniture legs and feet to reduce scratches and dents. Replace pads as needed.
8. Use a dolly and protective sheets of plywood when moving heavy objects, furniture, or appliances.
9. Make certain furniture casters are clean and operate properly (a minimum 1" wide vinyl surface where it comes in contact with wood is recommended). Clean wheels periodically to remove dirt and debris.
10. Remove shoes with spiked or damaged heels before walking on floor.
11. Exposure to the sun and its UV rays accelerates the oxidation and aging of wood. This can cause the stain and/or wood to fade and/or to change color. We recommend that you rearrange rugs and furniture periodically so the floor ages evenly. Exotic species such as Brazilian Cherry are more susceptible to color change during the aging process. These warranties do not cover damage from the sun and its UV rays.
12. Use area rugs in high traffic areas and pivot points (e.g., stair landings, room entries, etc.), especially if you have a large family or indoor pets.
13. Use a dry or dry/damp cloth to blot up spills as soon as they happen. Never allow liquids to stand on your floor.
14. For best results, utilize a dry damp sponge mop for routine cleaning. Avoid wet mopping.
15. Sweep, dust, or vacuum the floor regularly with the hard floor attachment (not the beater bar) to prevent accumulation of dirt and grit that can scratch or dull the floor finish.
16. Do not wash or wet mop the floor with soap, water, oil-soap detergent, or any other liquid cleaning material.
17. Do not use steel wool, abrasive cleaners, or strong ammoniated or chlorinated type cleaners.
18. Do not use any type of buffing or polishing machine
19. Do not use any type steam cleaner or any cleaning device that applies steam or water directly to flooring
20. A more frequent dust-mopping or vacuuming schedule may be required in very sandy areas such as a beach home.
21. Always remove everyday household spills immediately. For best long term flooring performance, remove all spills immediately.

shawfloors.com



For reference purposes only if printed or downloaded.



22. Shaw Repel Hardwood is water resistant; however, it is not water proof. As with any flooring, due care should be exercised to extend the life of your Shaw floor. Place walk off mats at entrances, dry dust mop as primary cleaning method. If additional cleaning is required, for best results, use a dry-damp sponge mop or microfibre mop. If mopping is required, occasionally mop using water in a well wrung out sponge mop. When cleaning, do not saturate the floor with water as this could cause swelling, warping, delamination, and joint line separation. Remember, Shaw Repel Hardwood is water resistant, not waterproof. Do not pour liquid directly on floor or use an excessively wet mop that will puddle or leave moisture standing on the floor. DO NOT use detergents, cleaners, soaps, waxes or polishes. DO NOT use rotating beater bars, floor scrubbers, steamers, jet mops or similar products. DO NOT allow topical moisture (small household spills) to remain on the floor.

Environmental Protection

1. Entry mats will help collect the dirt, sand, grit, and other substances such as oil, asphalt, or driveway sealer that might otherwise be tracked onto your floor.
2. To prevent slippage of area rugs, use an approved vinyl rug underlayment.
3. Use floor protectors and wide-load bearing leg bases/ rollers to minimize the chance of indentations and scratches from heavy objects. As a rule, the heavier the object, the wider the floor protector.
4. Maintain a normal indoor relative humidity level between 35% and 65% throughout the year to minimize the natural expansion and contraction of the wood.
 - a. Heating season (Dry): A humidifier is recommended to prevent excess shrinkage due to low humidity levels. Wood stove and electric heat tend to create very dry conditions.
 - b. Non-Heating Season (Wet): An air conditioner, dehumidifier, or periodically turning on your heating will help to maintain humidity levels during summer months.
5. Avoid excessive exposure to water during periods of inclement weather.
6. Keep your pet's nails trimmed to prevent them from scratching your floor.
7. Never try to slide heavy objects across the floor.
8. A protective mat should be used for furniture or chairs with castors.

Radiant Heat Guidelines

Selected Shaw brand engineered products are approved over radiant heated subfloors provided that the floors are installed in strict accordance with the Shaw installation guidelines pertaining to radiant heated subfloors. The products approved for use over radiant heat MUST be designated as radiant heat approved with the radiant heat logo on the actual Shaw sample board. Products without this logo are NOT recommended for use over radiant heat and are NOT warranted for this application.

The following guidelines must be applied throughout the life of the floor in order to reduce the affects of radiant heat on engineered wood floors. Even when these guidelines are followed it is still possible that your flooring may experience some cracks (seasonal checking) on the surface, gapping between boards, or delamination of boards. The approved engineered products can only be installed over radiant heated subfloors using the installation methods approved by Shaw.

The temperature and humidity levels described below must be maintained otherwise any damage resulting from such failure to maintain will not be covered under warranty. After the flooring is installed, slowly raise the temperature to the preferred comfort level (over at least 5 day time frame) beginning two days after installation or at the onset of colder weather conditions.



- The radiant heat system must be controlled and the surface temperature of the flooring must never be allowed to exceed 82°F.
 - The proper humidity level (35%-55%) must be maintained within your home at all times during the year. Use of a humidification system may be required to maintain proper humidity levels to avoid excessive drying of the wood flooring.
 - Seasonal gapping should be expected.
- Surface checking can be expected if the proper humidity level is not properly maintained between 35-55% R. H. or if the floor's surface temperature exceeds 82°.

LIMITED WARRANTIES

These warranties, which begin from the date of purchase, apply to products used in dry residential applications. Lifetime warranties apply for as long as the original purchaser owns and resides in the home where the product was installed.

Limited Lifetime Structural Warranty

Shaw warrants all first quality engineered hardwood floors, in their manufactured condition, to be free from defect in material and workmanship including milling, assembly, dimension and grading. Shaw additionally warrants that these engineered hardwood floors, will not delaminate when properly installed and maintained according to Shaw's installation and maintenance procedures. In the event that the plies should delaminate due to glue bond failure, Shaw will, at our option,

shawfloors.com



For reference purposes only if printed or downloaded.

2



either: (1) repair the defective plank(s); (2) replace the defective plank(s). **This warranty is a limited lifetime warranty for all first quality Shaw engineered products. Solid products are excluded.**

Limited Warranty for Residential Finish Wear

Our, factory applied finishes make hardwood floor installations fast and easy. Every plank is ready to install right out of the carton. There is no need for sanding or staining. With our UV-cured finish you gain the assurance of superior durability and wear ability. Shaw will warrant under normal residential conditions and uses, and providing that Shaw's maintenance guidelines are strictly followed, that the finish will not wear through or peel off of the hardwood flooring during the length of the warranty (i.e., 3 year, 25 year, lifetime, etc.) of the product you purchase. Consult your retail salesperson or the Shaw Information Center 800-441-7429 if you have questions about the length of your warranty. In the event that the finish wears through or peels off of the hardwood flooring, Shaw will, at our option, either: (1) replace the affected plank(s); (2) recoat the affected area. **NOTE** that this limited warranty extends only for defects that cover at least 10% of the surface area of the installed flooring. **NOTE: Gloss Reduction, Scratches and Dents** in the finish are not considered surface wear and are not covered under this warranty. Please note that Maple, Pine and Birch floors require extra care. Maple and Birch are inherently smooth wood and will show scratches and dents more readily than Oak or Pecan. You should consider these factors when making your flooring selection.

Splash-Proof Warranty

Shaw warrants that for the stated warranty period (may vary by product) from the date of original purchase, your Shaw Repel Hardwood product:

- Will resist damage from moisture due to normal cleaning practices (see Care and Maintenance document for additional information)
- Will resist damage from moisture due to everyday household spills (see Care and Maintenance document for additional information)

This limited warranty does not apply to damage caused by water or moisture in the subfloor or underneath the flooring, including but not limited to damage from subfloor hydrostatic pressure or other conditions that result in water or moisture being under the floor. This warranty covers topical moisture. It does not cover moisture that spills through any seams on the floor.

Important: All wood based products, even those specifically designed to have increased moisture resistance, are hygroscopic (they will react to moisture) and as a result will expand or contract accordingly. All sources of subfloor moisture must be remedied prior to installation. Any construction dampness must be remedied prior to installation. Although this product is water resistant, it is not waterproof and excessive wetting is to be avoided and water spills dried immediately. At no time should standing water be left on the floor.

SPECIAL NOTE: WARRANTY LIMITATIONS (APPLIES TO ALL WARRANTIES UNDER WHICH SHAW IS OR MAY BE OBLIGATED). Shaw products are not warranted against squeaking, popping or crackling. Some squeaking, popping, or crackling is possible when using staple-down or nail-down installation methods. In addition, Shaw floors are not warranted against staple or nail pullout from the subfloor.

Who is Covered Under these limited Warranties?

These limited warranties apply to you only if you: (1) are the original consumer purchaser of any Shaw hardwood floor; (2) have paid in full for your hardwood floor, and (3) have purchased the hardwood floor for your own personal residential use and not for resale. These warranties **ARE NOT** transferable or assignable and they **DO NOT** apply to nonresidential, rental, or commercial purchases/ installations. If professionally installed, Shaw will pay the reasonable labor costs to perform the replacement or repair during the first five (5) years from the date of the original purchase. In the event that the style installed in the home is no longer available, Shaw will authorize your dealer to replace the affected floor with another style of equal value. The above described remedy is the purchaser's sole and exclusive remedy for claim under this limited warranty.

Warranty Process

Product determined to have any possible defect by the person doing the installation should be returned to your dealer for inspection and possible replacement **PRIOR TO INSTALLATION**. All questions of product quality are to be addressed prior to installation.

shawfloors.com



For reference purposes only if printed or downloaded.

3



What you should do if any of the above listed problems occur and you need warranty service:

During the warranty period, should you have any problems with your Shaw floor, please contact the authorized Shaw Hardwood Flooring dealer who sold the product within 30 days from the date the problem occurs. **NOTE** that these dealers are not authorized to make any decisions regarding warranty coverage or any remedies thereunder; they are merely the means through which you should report any problems to Shaw. **NOTE ALSO** that Shaw must be given a reasonable opportunity to inspect the floor prior to the determination of any coverage or remedy issue, which should be no less than thirty (30) days after you report the problem.

Shaw's Curative Actions/Remedies

THE ABOVE TERMS AND CONDITIONS OF EACH LIMITED WARRANTY ARE THE SOLE AND EXCLUSIVE REMEDIES AVAILABLE FOR THESE WARRANTIES. IF YOU ARE FOUND TO BE ENTITLED TO COVERAGE UNDER ANY WARRANTY, EXPRESSED OR IMPLIED, IN ADDITION TO THOSE SPECIFICALLY LISTED ABOVE, AND YOU CAN PROVE THAT SHAW BREACHED SUCH WARRANTY, THEN YOUR SOLE AND EXCLUSIVE REMEDY FOR ANY PROVEN BREACH IS EITHER (AT THE OPTION OF SHAW): (1) REPAIR THE DEFECTIVE PLANK(S); (2) REPLACEMENT OF THE DEFECTIVE PLANK(S). IF THE REMEDY SHAW INITIALLY SELECTS IS FOUND TO FAIL IN ITS ESSENTIAL PURPOSE, THEN ANY FURTHER REMEDY TO WHICH YOU MAY BE ENTITLED IS SOLELY AND EXCLUSIVELY LIMITED TO ONE OF THE REMAINING REMEDIES (OF THE TWO OPTIONS, DESCRIBED ABOVE IN THE LIMITED WARRANTIES), WHICH SHALL BE CHOSEN BY SHAW.

Warranty Exclusions

Wood is a natural product containing natural variations in color, tone, and graining. Shaw cannot warrant against natural variations in color or any other variations, such as mineral streaks, small knots, and grain variations from plank to plank. Nor can we warrant against natural variations or gloss level between samples/models and installed flooring. Any sample or model shown or used by your seller is for demonstrative purposes only, and such sample or model **DOES NOT** create a warranty of any kind that the goods you purchased shall conform thereto. Any warranties based on any such sample or models are specifically disclaimed.

Improper Installation: The floor must be installed according to Shaw's installation guidelines. Detailed installation instructions are included in cartons of Shaw hardwood flooring. Damage caused by improper storage, handling, or installation methods are not covered by these warranties. Improper preparation of, or deficiencies in, the subfloor/floor joist assembly, including but not limited to excessive floor deflection, uneven or irregular subfloor surface (particularly at joints) or voids in the subfloor, are not covered under these warranties. Check to be certain that the subfloor is within specs.

Improper Care and Maintenance: The floor must be maintained according to Shaw's installation guidelines. Damage caused by improper maintenance is not covered by these warranties. Water damage resulting from improper installation or flooding caused by natural disaster, plumbing failures, etc... are not warranted. This limited warranty does not apply to moisture damage by events beyond everyday household spills, including, but not limited to: flooding, standing water allowed remaining on floor, appliance leaks, leaking plumbing, or any source of continuous, repetitive or long term water exposure. This limited warranty does not apply to damage caused by subfloor moisture. This limited warranty applies to topical moisture sources only. Any moisture or water coming from underneath the floor is not covered under warranty. This limited warranty does not apply to improperly installed flooring. This warranty does not apply if flooring is installed in areas where moisture repeatedly occurs or if flooring is installed or maintained contrary to the guidelines set forth in the installation, care and maintenance, and warranty documents including but not limited to improper subfloors, or areas exposed to excessive or continuous, repetitive or long term topical moisture, structural and manufacturing requirements. Defects or failures of other manufacturers' products at the subfloor assembly, including but not limited to subfloor material, fasteners, patching compound, adhesives, and other floor coverings are not covered by these limited warranties. In no event shall Shaw be held responsible for any damage caused to your hardwood flooring by other manufacturers' products. Other items not covered under the limited warranties include construction traffic, abuse to the surface of the flooring; use of non-recommended nailers, staplers, or adhesives; end gapping due to mastic memory or improper seating of planks during installation; squeaking, popping or crackling by any cause. (Popping sounds caused by depressions in the subfloor **ARE NOT** covered under these limited warranties.)

Cabinets and other built-in appliances should be installed **PRIOR** to the installation of the hardwood flooring. They should **NOT** be installed on top of the hardwood flooring. Pre-finished hardwood floors should be installed at the same time as carpets and **AFTER** finishing the walls to prevent damage from paint, dry wall dust, wallpaper adhesives, and other materials.

Improper Maintenance: Floor maintenance must follow the recommendations outlined in this guide. Damage to the flooring

shawfloors.com



For reference purposes only if printed or downloaded.

4



such as dents, scratches, or dulling of the finish are **NOT** covered. Wet or damp-mopping your floor with water or other substances are not covered by these limited warranties. In addition, the following are **NOT** covered under these limited warranties: use of hard floor cleaning machines; use of non-recommended maintenance and floor-care products, including but not limited to oil soaps, liquid or paste wax products, other household cleaners that contain lemon, orange, or tung oils; neglect or abuse of the hardwood floor, including but not limited to not taking proper precautions to protect furniture legs and feet with protective pads to reduce scratches and dents; not using dollies and protective plywood when moving heavy objects; furniture or appliances having dirty or improperly operating casters; spiked and/or damaged heels; pet claws and scratches; falling or dropped objects which can dent or fracture the flooring and finish; and dents or scratches in the flooring caused by furniture, appliances, casters or normal foot traffic.

Improper Environment: Shaw floors are not warranted against damage caused by man made or natural disasters, including but not limited to leaking or broken plumbing, landscape watering/irrigation, fire, flood, earthquake, insect infestation, or standing water during or after construction. Shaw also does not warrant against: (1) moisture infiltration from side walls, through the subfloor or from any source; (2) normal wearing of the finish in high traffic areas, pivot points and seating areas; or (3) other extraordinary circumstances such as extreme low humidity (below 35% for an extended period of time). In extreme low humidity conditions (below 35%), planks may shrink and or exhibit surface checking until the humidity returns to a normal level.

Seasonal Checking: Cracks or checks in the surface of planks due to low humidity, excessively high humidity, or dramatic fluctuations in humidity are inherent in all wood products and may affect your floor's finish. Checking is not covered under these Limited Warranties. The use of a humidifier/dehumidifier may be necessary to maintain the proper humidity level between 35%-55%. Shaw research and experience shows that some species such as Hickory or Pecan are more susceptible to this phenomenon than others and are not recommended in certain regions without the use of a humidification system.

Recoating and Finish Alterations: Alterations to the finish or non-factory applied finishes (finishes applied by the owner or installer), including but not limited to refinishing or recoating, are **NOT** part of the Limited Warranty for residential finish wear stated above and therefore are **NOT** warranted by Shaw.

Natural Sunlight: The sun and its UV rays cause the aging of wood and therefore can cause the stain and/or wood to fade and/or change color. This includes any showroom sample/models; therefore, fading or discoloration due to exposure to sunlight and its UV rays are not covered by these warranties. Use draperies or shades to help block out most of the sun's harmful rays. Samples or models in the showroom may also fade, making an exact match to new flooring impossible. Custom finishing and staining of interior millwork and/or cabinets should be done from the actual floor to be installed, not a showroom sample, if a color and/or gloss match is desired.

Special Series, Cabin Grade, and Non Standard items carry a One Year Limited Warranty for Residential Finish Wear only and Engineered products carry a One Year Limited Structural Warranty when installed in a residential installation only. **NOTE:** All warranty exclusions, disclaimers, and limitations, including the available remedies, stated throughout this booklet apply to Special Series, Cabin Grade, or Non standard items.

Warranty Disclaimers

ANY WARRANTIES ARISING OUT OF THIS SALE IN ADDITION TO THE ABOVE LIMITED WARRANTIES, INCLUDING BUT NOT LIMITED TO THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE, ARE LIMITED IN DURATION TO THE LIMITED WARRANTY FOR RESIDENTIAL FINISH WEAR DESCRIBED ABOVE. SHAW SHALL NOT BE LIABLE FOR LOSS OF USE OR ANY OTHER INCIDENTAL OR CONSEQUENTIAL COSTS, EXPENSES OR DAMAGES INCURRED BY THE PURCHASER OR BY ANY OTHER PERSON. THE REMEDIES AS DESCRIBED IN THESE WARRANTIES ARE THE SOLE AND EXCLUSIVE REMEDIES AVAILABLE TO YOU FOR ANY BREACH BY SHAW OF THE EXPRESSED AND IMPLIED WARRANTIES ARISING FROM THIS SALE. THESE WARRANTIES EXCLUDE CONSEQUENTIAL AND INCIDENTAL DAMAGES, INCLUDING BUT NOT LIMITED TO REMOVAL OR DAMAGE TO MOLDINGS, CABINETS, BUILT-IN APPLIANCES, CARPETING, DRYWALL, WALLPAPER, PAINT, AND ALL RELOCATION COSTS ASSOCIATED WITH ANY REPAIR OR REPLACEMENT OF THE FLOORING. YOU UNDERSTAND AND AGREE THAT ALL INCIDENTAL AND CONSEQUENTIAL DAMAGES ARE SOLELY YOUR RESPONSIBILITY AND ARE EXCLUDED AS A POTENTIAL REMEDY FOR ANY BREACH BY SHAW OF THE EXPRESSED AND IMPLIED WARRANTIES ARISING FROM THIS SALE. SOME STATES DO NOT ALLOW LIMITATIONS ON THE AVAILABLE REMEDIES, OR THE LENGTH OF AN IMPLIED WARRANTY OR THE EXCLUSION OR LIMITATION OF INCIDENTAL OR CONSEQUENTIAL DAMAGES, SO THE ABOVE LIMITATIONS MAY NOT APPLY TO YOU. THESE WARRANTIES GIVE YOU SPECIFIC LEGAL RIGHTS, AND YOU MAY HAVE OTHER RIGHTS THAT VARY FROM STATE TO STATE. UNLESS A STATEMENT MADE IN THIS DOCUMENT IS SPECIFICALLY IDENTIFIED AS A WARRANTY, ANY OTHER STATEMENTS MADE HEREIN, OR BY YOUR SELLER, ARE NOT WARRANTIES AND ARE NOT A PART OF THE BASIS

shawfloors.com



For reference purposes only if printed or downloaded.



OF THE BARGAIN FOR THE SALE OF THE HARDWOOD FLOORS. ANY AND ALL WARRANTIES, EXCEPT THOSE LIMITED WARRANTIES PROVIDED HEREIN, ARE SPECIFICALLY DISCLAIMED AND EXCLUDED. THIS AGREEMENT SHALL BE GOVERNED BY AND CONSTRUED IN ACCORDANCE WITH THE LAWS OF THE STATE OF GEORGIA AND ANY APPLICABLE FEDERAL LAWS OF THE UNITED STATES OF AMERICA. ANY ACTION BROUGHT SEEKING THE RESOLUTION OF ANY CONTROVERSY ARISING OUT OF OR RELATING TO ANY WARRANTIES REFERENCED HEREIN SHALL BE BROUGHT IN THE COURTS OF THE STATE OF GEORGIA OR IN THE UNITED STATES DISTRICT COURT FOR THE NORTHERN DISTRICT OF GEORGIA.

shawfloors.com

For reference purposes only if printed or downloaded.

