

STU8623X

Dishwashers, Classic, Fully-integrated built-in , 24", Number of place settings: 13, Stainless steel



86 cm ▼	iÖi	\otimes	渔	27min	65°	() () () () () () () () () () () () () (0 150°
	\bigcirc	(<u>")</u>)	Ś	•	<u>(()))</u>	ORBITAL SYSTEM	ACQUALITOR
< 48 dB							

TYPE

Product family: Dishwashers • Commercial height: 86 cm • Number of place settings: 13 • Installation: Fully-integrated built-in • Width: 24" • EAN code: 8017709303679

AESTHETIC

Color: Stainless steel • Finishing: Fingerprint-proof • Aesthetic: Classic • Door: Stainless steel • LED display color: White •

Handle color: Stainless steel

PROGRAMS / FUNCTIONS

Number of programs: 10 • Soak: Yes • Express 27': Yes • Mix: Yes • Sterilize: Yes • Delicates: Yes • Normal: Yes • Crystal & China: Yes • Eco express: Yes • Express 60': Yes • Pots & Pans: Yes • Washing temperatures: 100, 113, 122, 130, 150, 158, 167 ° F

OPTIONS

Dry Assist option: Yes • Delay start: Up to 24 hours • FlexiZone half-load option: Yes • Special programs option: Yes

BASKETS

N° baskets: 3, FlexiDuo • Basket color: Gray • Upper basket: 1 foldable rack • Glass holder: Yes • Upper basket height adjustment: On 3 levels • Sliding Guides Extra Glide: Yes • Lower basket: With 2 foldable racks • Largest loadable dish in upper basket: 7.5 inches • Largest loadable dish in lower basket: 13 3/4 inches • Cutlery basket: Yes • Colour Inner Components: Blue

TECHNICAL FEATURES

Display: Delay start, Program progress indicator, Time-to-end indicator • Door opening system: Yes • Display type: LED display (3 digits) • Salt indicator: Light • Rinse aid indicator: Light • End-of-cycle indicator: Acoustic signal • Washing system: Orbital • Drying system: Natural condensation drying • Engine: Single phase • Third spray arm: Single • Water softener: With electronic setting • Flood protection system: Single Aquastop • Max water hardness: 100°fH;58°dH • Tub material: Stainless steel • Filter: Stainless steel • Min. and max. frontal panel weight: 4.4 - 17.6 lbs • Hinges: Self-balancing with variable hinges • Min. and max plinth height: 4" - 9" • Adjustable feet: 2 3/4", from 33 7/8" to 36 5/8" • Adjustable plinth: By height and depth

PERFORMANCE / ENERGY LABEL

Noise level: 48 dB(A) re 1pW • Annual energy consumption: 255 KWh/year • Energy Star: Yes

PERFORMANCE / ENERGY LABEL NEW

ELECTRICAL CONNECTION

Connected power: 1800 W • Voltage: 115 V • Connection type: Single-phase • Frequency (Hz): 60 Hz • Power supply cable length: 55 "

STATISTICS FEATURES

ALSO AVAILABLE

LOGISTIC INFORMATION

Net weight: 117 lbs • Gross weight: 123 lbs

OPTIONAL

KITPL60X: Toe kick, DishwashersKITPL60B: Toe kick, DishwashersKITPL60N: Toe kick, Dishwashers



