FRIGIDAIRE.

French Door Refrigerators

FFHN2750T D/S



Signature Features

Adjustable Interior Storage

Over 100 ways to organize and customize your refrigerator.

PureSource Ultra® II Water Filtration

Discover how our genuine filtration works to keep your water cleaner. PureSource Ultra® II Water Filters remove 99.3% of lead and 99.9% of cysts from your household water.

Multi Level LED Lighting

Corner-to-corner LED lighting throughout the refrigerator for better visibility.

Store-More™ Bins

Our gallon-size bins are designed to store more, so you can fit a gallon of milk.

27.6 Cu. Ft. Standard-Depth

Product Dimensions

Height (Including Hinges & Rollers) 69-7/8" Width (Doors) 36" Depth (Including Door) 33-3/8"

More Easy-To-Use Features

Effortless™ Glide Crisper Drawers Our humidity-controlled crisper drawers can be configured any number of ways, either side-by-side or stacked on top of each other so you can organize your refrigerator the way you want.

Store-More™ Shelves

More space to store your food with edge-to-edge shelves.

Freezer Basket with Divider Deep freezer storage with adjustable divider keeps food organized and

accessible.

Effortless™ Glide Freezer Drawers Drawers glide out smoothly and fully extend, giving you easy access to what's inside.

ENERGY STAR® Sabbath Mode (Star-K* Certified)



Available in:






French Door Refrigerators

FFHN2750T D/S 27.6 Cu. Ft. Standard-Depth

| Features | |
|---|---|
| Door Design | Soft-Arc Doors |
| Door Handle Design | Black Stainless (D), Stainless Steel (S) |
| Cabinet Finish | Black (D), Grey (S) |
| Door Stops/Door Closers | Yes/Yes |
| Door Hinge Covers | Hidden |
| Rollers - Front/Rear | Adjustable/Yes |
| Energy Saver Plus Technology | |
| Water Filter Location | Top-Right Fresh Food Section |
| Sound Package | |
| Control Features | |
| Controls | Ready-Select* |
| Control Panel Location | Left Door, Inside Edge |
| Number of Control Buttons | 11 |
| Ice Option/Freeze Option | Quick Ice/No |
| Display On/Off Option | |
| Lock | |
| Temp/Door Ajar/Power Failure Alerts | |
| Water Filter Change Indicator Light | Yes |
| Air Filter Change Indicator Light | |
| Refrigerator Features | |
| Lighting | Dual-Level LED |
| Water Filter Type | PureSource Ultra® II |
| Air Filter Type | |
| Quarter-Width Fixed Shelves | |
| Half-Width Fixed Shelves | |
| Quarter-Width Sliding Shelves | |
| Half-Width Sliding Shelves | 4 Edge to Edge |
| Cantilever Shelves | Yes |
| Store-More™ Full-Width Drawer | 1 Cool Zone™ |
| Hanging Wine Rack/Can Dispenser | |
| Crisper Drawer/Humidity Controls | 2 Clear/2 |
| Store-More™ Fixed Door Bins | |
| 2-Liter Fixed Door Bins | |
| Gallon Adjustable Door Bins | 4 Clear |
| 2-Liter Adjustable Door Bins | |
| Dispenser Bin | |
| Non-Slip Bin Liner/Bottle Retainers | |
| Freezer Features | |
| Self-Closing Pull-Out Drawer | Yes |
| Sliding Full-Width Freezer Baskets | 2 Effortless™ Glide |
| Basket Dividers | 1 (Bottom Basket) |
| Lighting | LED |
| Ice Maker | Yes |
| Certifications | |
| Sabbath Mode (Star-K* Certified) | Yes |
| ENERGY STAR* | Yes |
| Specifications | |
| Total Capacity (Cu. Ft.) | 27.6 |
| Refrigerator Capacity (Cu. Ft.) | 18.9 |
| Freezer Capacity (Cu. Ft.) | 8.7 |
| Power Supply Connection Location | Right Bottom Rear |
| Water Inlet Connection Location | Left Bottom Rear |
| Voltage Rating | 120V/60Hz |
| Connected Load (kW rating) @ 120 Volts ¹ | 1.02 |
| Amps @ 120 Volts | 8.5 |
| | |
| Minimum Circuit Required (Amps) | 15 |

¹For use on adequately wired 120V, dedicated circuit having 2-wire service with a separate ground wire. Appliance must be grounded for safe operation.



NOTE: For planning purposes only. Always consult local and national electric and plumbing codes. Refer to Product Installation Guide for detailed installation instructions on the web at frigidaire.com.




| Product Dimensions | |
|---|-------------|
| A-Height (Incl. Hinges & Rollers) | 69-7/8" |
| B-Cabinet Width/Door Width | 35-7/8"/36" |
| C-Depth (Incl. Door) | 33-3/8" |
| Depth with Door Open 90° | 47-3/8" |
| Depth with Drawer Fully Extended (Incl. Handle) | 55" |

Accessories information available on the web at **frigidaire.com**

French Door Refrigerators

FFHN2750T D/S 27.6 Cu. Ft. Standard-Depth



French Door Refrigerator Specifications

- Product Shipping Weight (approx.) 365 Lbs.
- An electrical supply with grounded three-prong receptacle is required. The power supply circuit must be installed in accordance with current edition of National Electrical Code (NFPA 70) and local codes & ordinances.
- Voltage Rating 120V/60 Hz
- Connected Load (kW Rating)@120 Volts = 1.02 kW
- Amps @ 120 Volts = 8.5 Amps
- · Always consult local and national electric & plumbing codes.
- Floor should be level surface of hard material, capable of supporting fully loaded refrigerator.
- When installing refrigerator adjacent to wall, cabinet or other appliance that extends beyond front edge of unit, 20" minimum clearance recommended to allow for optimum 120° to 180° door swing, providing complete drawer / crisper access and removal. (Absolute 4-1/2" minimum clearance will ONLY allow for 90° door swing which will provide drawer / crisper access with restricted removal.)
- To ensure optimum performance, avoid installing in direct sunlight or close proximity to range, dishwasher or other heat source.
- For proper ventilation, front grille MUST remain unobstructed.

- Recess electrical outlet when possible.
- Water recess on rear wall recommended to prevent water line damage.
- Water Pressure Cold water line must provide between 30 and 100 pounds per square inch (psi).
- Copper tubing with 1/4" O.D. recommended for water supply line with length equal to distance from rear of unit to household water supply line plus 7 additional feet. Optional Water Supply Installation With available
- Adjustable front rollers to assist with door alignment.

"Built-In Look" Specifications

- Minimum opening of 70-1/4" H x 36" W x 28-7/8" D required to allow for ease of installation, proper air circulation, and plumbing/electrical connections.
- Remove all wall/floor molding prior to installation.

Note: For planning purposes only. Refer to Product Installation Guide on the web at frigidaire.com for detailed instructions.

