



HOSHIZAKI

HOSHIZAKI FOODSERVICE EQUIPMENT


EXCEPTIONAL DESIGN WITH SUPERIOR FEATURES AND BENEFITS



BEYOND STRONG.




TYPES OF ICE



KMEdge™ Crescent Cube
Individual, hard, clear crescent shape




AM - Top Hat Cube
Individual, hard, clear round shape




Flaked Ice
Soft, light, chewable
moldable ice




Cubelet Ice
Chewable, soft, small
pellet shape




SPECIALTY - 1by1 Cube
Individual, hard, clear square shape



SPECIALTY - 2by2 Cube
Individual, hard, clear square shape



SPECIALTY - Sphere
1.8" in diameter, clear and solid



ICE MACHINES

UNDERCOUNTER CUBERS with BUILT-IN BINS



- | | | |
|---------------------|--------------------------|------------------------|
| • AM-50(DS) | 14.8"W x 22.6"D x 33.5"H | Up to 55 lbs./24 Hrs. |
| • AM-50 (AD) (ADDS) | 14.8"W x 22.6"D x 33.5"H | Up to 55 lbs./24 Hrs. |
| • KM-81* | 17.8"W x 24"D x 39"H | Up to 78 lbs./24 Hrs. |
| • KM-116* | 23.8"W x 24"D x 39"H | Up to 125 lbs./24 Hrs. |
| • KM-161 | 23.8"W x 28"D x 39"H | Up to 163 lbs./24 Hrs. |
| • KM-231 | 24"W x 28"D x 39"H | Up to 213 lbs./24 Hrs. |
| • KM-301 | 30"W x 28"D x 39"H | Up to 290 lbs./24 Hrs. |



Energy Star qualified products meet strict energy-efficiency specifications set by the U.S. EPA helping you save energy and money while protecting the environment.

KMEdge X™ CUBERS

BINS SOLD SEPARATELY

- ▶ Individual crescent cubes
- ▶ Factory-installed ultrasonic bin control
- ▶ Simple, one-hour cleaning

- | | | |
|-----------|----------------------|------------------------|
| • KM-350* | 22"W x 27.4"D x 28"H | Up to 489 lbs./24 Hrs. |
| • KM-520* | 22"W x 27.4"D x 28"H | Up to 556 lbs./24 Hrs. |
| • KM-660* | 22"W x 27.4"D x 28"H | Up to 669 lbs./24 Hrs. |



KM-350* / 520* / 660 on B-300



ICE STORAGE BINS

- ▶ Scoop protected by H-GUARD Plus Antimicrobial Agent
- ▶ Seamless polyethylene bin liner for sanitary storage
- ▶ Sealed door gasket reduces risk of airborne bacteria

- | | | | |
|--------------|------------------------|------------|----------------------|
| • B-250SF | 30"W x 32.5"D x 33.4"H | • B-900SF | 52"W x 32.5"D x 46"H |
| • B(D)-300SF | 22"W x 32.5"D x 46"H | • B-1150SS | 48"W x 41"D x 60"H |
| • B(D)-500SF | 30"W x 32.5"D x 46"H | • B-1300SS | 22"W x 24.6"D x 28"H |
| • B-700SF | 44"W x 32.5"D x 46"H | • B-1500SS | 60"W x 41"D x 62"H |
| • B-800SF | 48"W x 32.5"D x 46"H | • B-1650SS | 60"W x 41"D x 66"H |

MODULAR CUBERS

BINS SOLD SEPARATELY



KM-901* /KM-1100 on B-500
KM-1340* /KM-1601M on B-900

- ▶ Individual crescent cubes
- ▶ Durable stainless steel evaporator
- ▶ CycleSaver™ design for longer equipment life

- **KM-901*** 30"W x 27.4"D x 32.5"H Up to 950 lbs./24 Hrs.
- **KM-1100** 30"W x 27.4"D x 32.5"H Up to 1156 lbs./24 Hrs.
- **KM-1340*** 30"W x 27.4"D x 41.5"H Up to 1428 lbs./24 Hrs.
- **KM-1601*** 30"W x 27.4"D x 41.5"H Up to 1653 lbs./24 Hrs.

LOW-PROFILE CUBERS

BINS SOLD SEPARATELY

- ▶ Better fit in tight spaces
- ▶ CycleSaver™ design



KML-325/500 on B-500 **KML-700*** on B-500

- **KML-325** 30"W x 27.4"D x 22"H Up to 385 lbs./24 Hrs.
- **KML-500** 30"W x 27.4"D x 22"H Up to 543 lbs./24 Hrs.
- **KML-700*** 30"W x 27.4"D x 26"H Up to 756 lbs./24 Hrs.

STACKABLE CUBERS

BINS SOLD SEPARATELY



- ▶ Stackable for 2-3 times the ice production
- ▶ Stainless steel evaporator
- ▶ CycleSaver™ design for longer equipment life



KM-1900* on B-900

- **KM-1301*** 48"W x 27.4"D x 27.4"H Up to 1433 lbs./24 Hrs.
- **KM-1601** 48"W x 27.4"D x 27.4"H Up to 1671 lbs./24 Hrs.
- **KM-1900*** 48"W x 27.4"D x 36.9"H Up to 1933 lbs./24 Hrs.
- **KM-2200*** 48"W x 27.4"D x 36.9"H Up to 2221 lbs./24 Hrs.
- **KM-2600*** 48"W x 27.4"D x 36.9"H Up to 2617 lbs./24 Hrs.

HIGH-CAPACITY CUBER

BIN SOLD SEPARATELY



KMH-2100*
36"W x 40"D x 36.4"H
Up to 2060 lbs./24 Hrs.

SPECIALTY ICE



- ▶ Individual 2" square cubes
- ▶ Increase revenue per cocktail
- ▶ Small footprint easily fits under a bar

- ▶ Individual 1" square cubes
- ▶ Versatile enough for all beverages
- ▶ Perfect for preparation & presentation
- ▶ Available in two sizes (200 lb./500 lb.)

- ▶ 1.8" spheres in diameter, clear and solid
- ▶ Increase revenue per cocktail
- ▶ Perfect amount of chilling with minimal dilution
- ▶ Small footprint easily fits under bar counter

2by2

1by1

SPHERE



IM-50BAA-LM
2by2 Cube



IM-200
1by1 Cube



IM-50BAA-Q
Sphere



IM-500 on B-800
1by1 Cube
BIN SOLD SEPARATELY

3

MODULAR FLAKERS / CUBELET

BINS SOLD SEPARATELY



- ▶ Durable stainless steel exterior
- ▶ Advanced CleanCycle24™ design
- ▶ Stainless steel auger with greaseless bearing



F-450(-C) on B-300 **F-1002(-C)** on B-500 **F-1501(-C)** on B-900

- **F-450_-C** 22"W x 27.4"D x 22"H Up to 450 lbs./24 Hrs.
- **F-450_-C** 22"W x 27.4"D x 22"H Up to 492 lbs./24 Hrs.
- **F-801*** 22"W x 27.4"D x 26"H Up to 751 lbs./24 Hrs.
- **F-801_-C*** 22"W x 27.4"D x 26"H Up to 690 lbs./24 Hrs.
- **F-1002** 22"W x 27.4"D x 26"H Up to 1028 lbs./24 Hrs.
- **F-1002_-C** 22"W x 27.4"D x 26"H Up to 890 lbs./24 Hrs.
- **F-1002_-C** 22"W x 27.4"D x 26"H Up to 1705 lbs./24 Hrs.
- **F-1501** 30"W x 27.4"D x 34.4"H Up to 1376 lbs./24 Hrs.
- **F-1501_-C** 30"W x 27.4"D x 34.4"H Up to 2098 lbs./24 Hrs.
- **F-2001** 30"W x 27.4"D x 34.4"H Up to 2098 lbs./24 Hrs.
- **F-2001_-C** 30"W x 27.4"D x 34.4"H Up to 1832 lbs./24 Hrs.

UNDERCOUNTER FLAKERS / CUBELET with BUILT-IN BINS



- ▶ Durable stainless steel exterior
- ▶ Stainless steel auger with greaseless bearing



C-80 **F-330(-C)** **F-300 / 500**

- **C-80(DS)** 14.9"W x 22.6"D x 33.5"H Up to 80 lbs./24 Hrs.
- **C-80(AD)(ADDS)** 14.9"W x 22.6"D x 31.5"H Up to 80 lbs./24 Hrs.
- **F-330** 24"W x 26"D x 39"H Up to 332 lbs./24 Hrs.
- **F-330_-C** 24"W x 26"D x 39"H Up to 228 lbs./24 Hrs.
- **F-300** 36"W x 24.3"D x 39.3"H Up to 353 lbs./24 Hrs.
- **F-500** 38"W x 29"D x 42"H Up to 536 lbs./24 Hrs.

See Catalog & Price Guide for complete list.

DISPENSER SERIES CUBERS

DISPENSERS SOLD SEPARATELY

- ▶ Designed for dispensing applications
- ▶ Individual crescent cubes



KMD-410



KMD-460 / 530

- **KMD-410** 22"W x 24"D x 24"H Up to 440 lbs./24 Hrs.
- **KMD-460** 30"W x 24.3"D x 22.2"H Up to 487 lbs./24 Hrs.
- **KMD-530** 30"W x 24.3"D x 22.2"H Up to 560 lbs./24 Hrs.
- **KMD-860** 30"W x 24.6"D x 28"H Up to 967 lbs./24 Hrs.

SERENITY SERIES

- ▶ Quieter operation

- **KMS-822** 22"W x 24.6"D x 28"H Up to 851 lbs./24 Hrs.
- **KMS-1122*** 22"W x 18.2"D x 31.3"H Up to 1151 lbs./24 Hrs.
- **KMS-1402** 30"W x 24"D x 28"H Up to 1501 lbs./24 Hrs.
- **KMS-2000** 30"W x 24"D x 32.8"H Up to 1938 lbs./24 Hrs.

DISPENSER SERIES CUBELET

DISPENSER SOLD SEPARATELY

- ▶ Chewable ice for dispensers
- ▶ Stainless steel auger with greaseless bearings



FD-650-C*



FD-1002-C

- **FD-650-C*** 22"W x 24"D x 26"H Up to 634 lbs./24 Hrs.
- **FD-1002-C** 22"W x 24"D x 26"H Up to 890 lbs./24 Hrs.

SERENITY SERIES

- ▶ Quieter operation

- **FS-1001-C** 30"W x 11"D x 26"H Up to 851 lbs./24 Hrs.
- **FS-1022-C** 22"W x 16.5"D x 26"H Up to 851 lbs./24 Hrs.
- **FS-1501-C** 30"W x 16.5"D x 34" H Up to 1386 lbs./24 Hrs.

ICE and WATER DISPENSERS

STANDS SOLD SEPARATELY



- ▶ Durable stainless steel exterior
- ▶ Advanced CleanCycle24™ design
- ▶ Opti-Serve option for hands-free operation

DCM-751
on **SD-752**

- **DCM-271(-OS)** 16.6"W x 24.3"D x 31.8"H Up to 257 lbs./24 Hrs.
- **DCM-300(-OS)** 26"W x 22.5"D x 40"H Up to 321 lbs./24 Hrs.
- **DCM-500(-OS)** 30"W x 16.5"D x 29"H Up to 618 lbs./24 Hrs.
- **DCM-751/752(-OS)** 34.1"W x 28.5"D x 48.1"H Up to 801 lbs./24 Hrs.



DISPENSER STANDS

- ▶ Heavy duty stands for floor model icemakers/dispensers
- ▶ Corrosion resistant stainless steel exterior
- ▶ Easy cleaning with attractive appearance

- **SD-200** 30"W x 28"D x 32.8"H
- **SD-500** 25.9"W x 22"D x 32.4"H
- **SD-271** 16.5"W x 24"D x 35.2"H
- **SD-750** 34"W x 28"D x 32.4"H



SD-271



SD-500

MODwater WATER DISPENSER



- ▶ Four water options: Chilled, Alkaline, Hot, and Sparkling
- ▶ High capacity flow (20 gal/hour sparkling & chilled)
- ▶ Attractive modern design with LED touch buttons
- ▶ Designed to fit on C-80 or AM-50

- **DWM-20A** 14.88"W X 21.75"D X 16.63"H

Installation kit included
CO₂ tank must be sourced from local vendor

DISPENSERS



DKM-500*

30"W x 28"D x 77"H

Up to 545 lbs./24 Hrs.



DB-130

22"W x 30"D x 53"H

130 lbs. ice storage capacity



DB-200

30"W x 30"D x 53"H



DM-200

30"W x 28"D x 36.4"H

200 lbs. ice storage capacity



DM-4420N

22"W x 30.5"D x 40"H

REFRIGERATION

REFRIGERATORS & FREEZERS



- ▶ Maximum interior storage capacity with smallest external footprint
- ▶ Stainless steel interior and exterior front, sides and top
- ▶ Unique ducted air distribution system

- R1A-FS(L)* / F1A-FS(L) 27.5"W x 33.5"D x 79.5"H
- R1A-HS(L)* / F1A-HS(L) 55"W x 33.5"D x 79.5"H
- R2A-FS / F2A-FS 55"W x 33.5"D x 79.5"H
- R2A-HS / F2A-HS 55"W x 33.5"D x 79.5"H
- R2A-FSN / F2A-FSN 52"W x 33.5"D x 79.5"H
- R3A-FS / F3A-FS 82.5"W x 33.5"D x 79.5"H

- R3A-HS / F3A-HS 82.5"W x 33.5"D x 79.5"H
- R1A-FG / F1A-FG 27.5"W x 34.5"D x 79.5"H
- R1A-HG / F1A-HG 27.5"W x 34.5"D x 79.5"H
- R2A-FG / F2A-FG 55"W x 34.5"D x 79.5"H
- R2A-HG / F2A-HG 55"W x 34.5"D x 79.5"H
- R3A-FG* / R3A-HG* 82.5"W x 34.5"D x 79.5"H


DUAL-TEMPS

- ▶ Refrigerator/Freezer combinations for maximized space
- ▶ Stainless steel interior and exterior front, sides and top
- ▶ Environmentally friendly R290 Refrigerant



- DT1A-HS 27.5"W x 35"D x 79.5"H
- DT2A-FS 55"W x 33.5"D x 79.5"H

ROLL-IN & ROLL-THRUS



- RN1A-FS 35"W x 34.5"D x 87.5"H
- RN2A-FS 68"W x 34.5"D x 87.5"H
- RT1A-FS-FS 35"W x 36.75"D x 87.5"H
- RT2A-FS-FS 68"W x 36.75"D x 87.5"H

- ▶ Stainless steel interior and exterior front, sides and top
- ▶ Unique ducted air distribution system
- ▶ Environmentally friendly R290 hydrocarbon refrigerant

PASS-THRUS

- ▶ Engineered to maintain NSF-7 temperatures in 100°F ambient
- ▶ Stainless steel interior and exterior front, sides and top
- ▶ Unique ducted air distribution system



- PT1A-FS-FS* 27.5"W x 35.75"D x 79.5"H
- PT1A-HS-HS* 27.5"W x 35.75"D x 79.5"H
- PT1A-FG-FG 27.5"W x 37.75"D x 79.5"H
- PT2A-FS-FS 55"W x 35.75"D x 79.5"H
- PT2A-HS-HS 55"W x 35.75"D x 79.5"H
- PT2A-FG-FG 55"W x 37.75"D x 79.5"H

HEATED CABINETS

REACH-INS & PASS-THRUS

- ▶ Top-mounted heating element with fan to circulate heat through cabinet; heat shield foamed in next to heating element
- ▶ Maximum interior storage capacity with smallest external footprint
- ▶ Additional storage fits 12 sheet pans

- HC1A-FS* 27.5"W x 33.5"D x 79.5"H
- HC1A-HS* 27.5"W x 33.5"D x 79.5"H
- HC2A-FS* 55"W x 35.5"D x 79.5"H
- HC2A-HS* 55"W x 35.5"D x 79.5"H



HC1A-FS-FS*

- HC1A-FS-FS* 27.5"W x 35.75"D x 79.5"H
- HC1A-HS-HS* 27.5"W x 35.75"D x 79.5"H
- HC2A-FS-FS* 55"W x 35.75"D x 79.5"H
- HC2A-HS-HS* 55"W x 35.75"D x 79.5"H

UNDERCOUNTER / WORKTOP REFRIGERATORS & FREEZERS

Drawer / Door combinations available (-01) with locks

- ▶ Engineered to maintain NSF-7 temperatures in 100°F ambient
- ▶ Stainless steel interior and exterior front, sides and top
- ▶ Front breathing air flow design



HR15A*

HR24C*

UR27B-GLP01

UR36B(-01)*

UR27B-LP*

WR60B*

WR27B-01*

- HR15A* / HR15A-G 14.8"W x 25.75"D x 31.5"H
- HR24C* / HR24C-G 23.4"W x 24.7"D x 31.5"H
- UR27B(-01)* / UF27B(-01) 27"W x 30"D x 33.6"H
- UR27B-LP* / UF27B-LP 27"W x 30"D x 31.9"H
- UR27B-GLP01 / UF27B-GLP01 27"W x 32"D x 31.9"H
- UR36B(-01)* 36"W x 30"D x 33.6"H

- UR48B(-01)* / UF48B(-01) 48"W x 30"D x 33.6"H
- UR48B-GLP01* 48"W x 32"D x 31.9"H
- UR60B(-01)* / UF60B(-01)* 60"W x 30"D x 33.6"H
- UR72B(-01)* 72"W x 30"D x 33.6"H
- WR27B(-01)* 27"W x 30"D x 40"H
- WF27B(-01) 27"W x 30"D x 40"H

- WR36B(-01)* 36"W x 30"D x 40"H
- WR48B(-01)* 48"W x 30"D x 40"H
- WF48B(-01) 48"W x 30"D x 40"H
- WR60B(-01)* 60"W x 30"D x 40"H
- WF60B(-01)* 60"W x 30"D x 40"H
- WR72B(-01)* 72"W x 30"D x 40"H

With Drawers: UR27B-D2 UR48B-D4 UR60B-D4 UR72B-D4
 UF27B-D2 UF48B-D4 UF60B-D4 UF72B-D4
 With Doors: WR27B-D2 WR60B-D2 WF48B-D4 WR72B-D2
 WR48B-D4 WR60B-D4

SANDWICH PREP REFRIGERATORS

DRAWER / DOOR COMBINATIONS AVAILABLE

- ▶ Engineered to maintain NSF-7 temperatures in 100°F ambient
- ▶ Stainless steel interior and exterior front, sides and top
- ▶ Front breathing air flow design



SR48B-12D4

- SR27B-8 27"W x 30"D x 44.3"H
- SR36B-10 36"W x 30"D x 44.3"H
- SR48B-8 / 12 48"W x 30"D x 44.3"H
- SR60B-8 / 12 / 16 60"W x 34"D x 44.3"H
- SR72B-12 / 16 / 18 72"W x 30"D x 44.3"H

With Drawers: SR27B-8MD2
 SR48B-12D4

MEGA TOP REFRIGERATORS

DRAWER / DOOR COMBINATIONS AVAILABLE

- ▶ Engineered to maintain NSF-7 temperatures in 100°F ambient.
- ▶ Stainless steel interior and exterior front, sides and top
- ▶ 6" stem casters standard - 2 with brakes



SR72B-30MD6

- SR27B-12M 27"W x 34"D x 44.3"H
- SR48B-12M / 18M 48"W x 34"D x 44.3"H
- SR60B-12M / 18M / 24M 60"W x 34"D x 44.3"H
- SR72B-18M / 24M / 30M 72"W x 34"D x 44.3"H

With Drawers: SR27B-12MD2 SR60B-24MD4
 SR48B-18MD4 SR72B-30MD6

PIZZA PREP REFRIGERATORS

DRAWER / DOOR COMBINATIONS AVAILABLE

- ▶ Engineered to maintain NSF-7 temperatures in 100°F ambient
- ▶ Stainless steel interior and exterior front, sides and top
- ▶ Adjustable ducted air distribution system distributes air evenly and maintains product temperature



PR93A

- PR46B 46"W x 32.25"D x 43.25"H
- PR60B 60"W x 32.25"D x 43.25"H
- PR67B 67"W x 32.25"D x 43.50"H
- PR93A 93"W x 32.25"D x 43.50"H

With Drawers: PR46B-D2 PR93A-D2
 PR60B-D4 PR93A-D4
 PR67A-D2 PR93A-D6
 PR67A-D4

See Catalog & Price Guide for complete list.

GLASS DOOR MERCHANDISERS

REFRIGERATORS & FREEZERS

- ▶ Curved vertical corners with silver aluminum exterior provide enhanced product display
- ▶ Forced air evaporator for quick temperature pull down
- ▶ Vertical LED lights

- | | | | |
|----------------|--------------------------|-------------|-----------------------|
| • RM-7-HC | 21.25"W x 25"D x 37.75"H | • RM-49-HC* | 60"W x 29.8"D x 78"H |
| • RM-10-HC* | 25.5"W x 23"D x 54.5"H | • RM-65-HC | 78"W x 29.8"D x 78"H |
| • RM-26-HC* | 30"W x 29.8"D x 78"H | • FM-23-HC | 30"W x 29.75"D x 78"H |
| • RM-45-SD-HC* | 51"W x 30.3"D x 78.3"H | | |



RM-45-SD-HC*

CHEF BASE REFRIGERATORS

- ▶ Heavy duty 16 gauge stainless steel top with marine edge (front/rear), drip edge (sides)
- ▶ Ceramic heat shield integral to top protects food from high heat
- ▶ 700 pound capacity provides sturdy base for cooking equipment

- | | |
|----------|-------------------------|
| • CR36A | 36.5"W x 32.3"D x 26"H |
| • CR49A | 49"W x 32.3"D x 26"H |
| • CR60A | 60.5"W x 32.25"D x 26"H |
| • CR72A | 72.5"W x 32.3"D x 26"H |
| • CR85A | 85"W x 32.3"D x 26"H |
| • CR98A | 98"W x 32.3"D x 26"H |
| • CR110A | 110.5"W x 32.3"D x 26"H |



CR85A

BACK BAR REFRIGERATORS

STAINLESS STEEL (-S) MODELS AVAILABLE.

- ▶ Stainless steel interior with LED lights
- ▶ Heavy duty 18-gauge stainless steel top
- ▶ Maximum product storage capacity with the ability to store tall boys three high per section

- | | |
|----------|------------------------|
| • BB59 | 59.5"W x 29"D x 36.9"H |
| • BB69 | 69.5"W x 29"D x 36.9"H |
| • BB80 | 80"W x 29"D x 36.9"H |
| • BB95 | 95.5"W x 29"D x 36.9"H |
| • BB59-G | 59.5"W x 29"D x 36.9"H |
| • BB69-G | 69.5"W x 29"D x 36.9"H |
| • BB80-G | 80"W x 29"D x 36.9"H |
| • BB95-G | 95.5"W x 29"D x 36.9"H |



BB59



BB80-G

Without compromising performance, HOSHIZAKI seeks natural solutions such as sustainable materials and hydrocarbon refrigerants for a clean and healthy environment.



DIRECT DRAW REFRIGERATORS

STAINLESS STEEL (-S) MODELS AVAILABLE.

- ▶ Heavy duty 18-gauge stainless steel top
- ▶ Stainless steel interior with LED lights
- ▶ Polished stainless-steel insulated towers with plated brass faucet
- ▶ Vertical LED lights

- | | |
|--------|------------------------|
| • DD24 | 24.9"W x 30"D x 36.9"H |
| • DD59 | 59.5"W x 29"D x 36.9"H |
| • DD69 | 69.5"W x 29"D x 36.9"H |
| • DD95 | 95.5"W x 29"D x 36.9"H |
| • DD80 | 80"W x 29"D x 36.9"H |



DD24



DD69

BOTTLE COOLER REFRIGERATORS

STAINLESS STEEL (-S) MODELS AVAILABLE.

- ▶ Stainless steel interior
- ▶ Heavy duty 18-gauge stainless steel top
- ▶ Durable slide top lids include locks
- ▶ Vertical LED lights

- | | |
|--------|--------------------------|
| • CC50 | 50.5"W x 26.5"D x 33.4"H |
| • CC65 | 65.5"W x 26.5"D x 33.4"H |
| • CC80 | 80"W x 26.5"D x 33.4"H |
| • CC95 | 95"W x 26.5"D x 33.4"H |



CC50

SUSHI CASES

- ▶ LED lights create a perfectly illuminated display
- ▶ Elegant curved front glass design enhances product on display
- ▶ Condenser airflow comes in the back and out the side



HNC-120BA-L-SLH



HNC-150BA-L-SLH

- | | |
|----------------------|------------------------|
| • HNC-120BA-R(L)-SLH | 47.3"W x 13.6"D x 11"H |
| • HNC-150BA-R(L)-SLH | 59.1"W x 13.6"D x 11"H |
| • HNC-180BA-R(L)-SLH | 70.9"W x 13.6"D x 11"H |
| • HNC-210BA-R(L)-SLH | 82.7"W x 13.6"D x 11"H |

See Catalog & Price Guide for complete list.



HOSHIZAKI. BEYOND STRONG.

HOSHIZAKI AMERICA, INC.

618 Hwy. 74, South, Peachtree City, GA 30269

TEL 800-438-6087 | FAX 800-345-1325

hoshizakiamerica.com

For more information
SCAN THE CODE



Item #40069 | 11-21-2023

