

LIEBHERR

MCB 3051

Combined refrigerator-freezer with BioFresh and NoFrost for integrated use

Product dimensions (H/W/D) 83 3/4|29 11/16|24 1/16 inch

Net capacity, total 14.5 cubic feet

0° compartment BioFresh

IceMaker Fixed water connection 3/4"

Smart Device

Bio Fresh Plus

Duo Cooling

Infinity Swipe

Infinity Light

Super Cool

Super Frost

Infinity Spring

Ice Maker

Soft System

Power Cooling

Active Green

Soft-Telescopic

Frost Safe System

Soft-Telescopic



General product information

Model type Combined refrigerator-freezer with BioFresh and NoFrost for integrated use

GTIN 9005382250198

Output and consumption

Energy consumption in 24h	1.397 kWh / 24h
---------------------------	-----------------

Energy consumption per year	510 kWh/a
-----------------------------	-----------

Climate class	SN-T
---------------	------

Noise level	38 dB
-------------	-------

Net capacity, total	14.5 cubic feet
---------------------	-----------------

Refrigerator compartment	9.4 cubic feet
--------------------------	----------------

of which BioFresh	2.5 cubic feet
-------------------	----------------

Freezer compartment	5.1 cubic feet
---------------------	----------------

Gross capacity, total	17.4 cubic feet
-----------------------	-----------------

Freezer compartment	5.6 cubic feet
---------------------	----------------

Refrigerator compartment	11.9 cubic feet
--------------------------	-----------------

of which BioFresh	2.6 cubic feet
-------------------	----------------

Voltage	115 V ~
---------	---------

Frequency	60 Hz
-----------	-------

Connection rating	3.0 A 236.2 W
-------------------	---------------

Dimensions and weight

Product dimensions (H/W/D)	83 3/4 29 11/16 24 1/16 inch
----------------------------	------------------------------

Measurements: height of recess in inches	84 1/16 inch
--	--------------

Measurements: width of recess in inches	30 inch
---	---------

Measurements: depth of recess (min.) in inches	25 inch
--	---------

Height / Width / Depth (with packaging)	89 3/8 32 5/16 30 1/8 inch
---	--------------------------------

Weight (without packaging)	407.9 pounds
----------------------------	--------------

Weight (with packaging)	438.7 pounds
-------------------------	--------------

Control and functions

Type of control	3,5" LCD colour display, touch and swipe
-----------------	--

Position of control unit	behind the door
--------------------------	-----------------

Control operation	Touch & Swipe
-------------------	---------------

Individual temperature zones	3
------------------------------	---

Temperature display	Fridge, freezing compartment& BioFresh safe
---------------------	---

Malfunction: Warning signal	optical and acoustical
-----------------------------	------------------------

Door open: Warning signal, refrigerator compartment	audible
Door open: Warning signal, freezer compartment	audible
Child proofing	✓
SuperCool	✓
SuperFrost	Automatic
SmartDeviceBox	integrated
Forced air cooling	✓

Refrigerator compartment

Defrosting method	automatic
Lighting	Illuminated side wall
Number of storage shelves	3
of which height-adjustable	2
of which are adapted for versatile use as a bottle shelf	0
No. of dividable glass shelves cooling compartment	0

Bottle shelf	upgradable
Bottle rack	0
Number of can racks	1
Egg trays	–
0° compartment *	BioFresh
with SoftTelescopic	✓
with lighting	Down light
Vegetable bins	0

Freezer compartment

Cooling technology	NoFrost
Defrosting method	automatic
Storage time during interruptions in power supply	17 h
Freezing capacity in 24 hrs	11 kg
No. of drawers in freezer compartment	2
of which mounted on telescopic rails	1

Material adjustable shelves freezer compartment	—
Lighting	LED ceiling lighting
IceMaker	Fixed water connection 3/4"
Ice cube capacity in 24 h	4 pounds
Ice cube storage	6.6 pounds

Design and materials

Door material	Steel
---------------	-------

Set-up and installation

Door assembly	Fixed door
Door hinges	Left reversible
Door opening angle	115°
Vario plinth	—
Height-adjustable feet	0
Ventilation	Base ventilation

* BioFresh: complies Chill compartment after DIN EN ISO 15502

Please be aware that despite careful data management, discrepancies may occur between images and/or text on this website, and availability of appliances within the market. Liebherr may choose to make technical or optical changes to any of our appliances without prior notice, at any time. Any such changes may not be reflected on our website or printed materials in real time. The images and text included on this website are for demonstrative and informational purposes only, and do not form part of any contractual obligation. Always check with your Authorized Liebherr Dealer for the most current available appliances in your market. Thank you!

LIEBHERR