




ASSEMBLY INSTRUCTIONS

BRECKENRIDGE II COLLECTION

ITEM#: L3183A-13P2
DESCRIPTION : BRECKENRIDGE II
 GLIDER RECLINER W/ PWR FR & HR

Thank you for purchasing this quality product. Be sure to check all packing materials carefully for small parts, which may have come loose during shipment. Identify and count all items and compare with the parts list shown below. It is recommended to have two people during assembling and to remove the back and base of the furniture out from the box. **Please follow the drawings below to assemble the item**

| PARTS LIST | | | |
|------------|-----------------|---|-----|
| NO. | DESCRIPTION | SKETCH | QTY |
| A | Seat |  | 1PC |
| B | Backrest |  | 1PC |
| C | Power Cable 29V |  | 1PC |

All images shown are for illustration purpose only.
 Actual product may vary due to product enhancement.

ASSEMBLY INSTRUCTIONS


BRECKENRIDGE II COLLECTION

ITEM#: L3183A-13P2

DESCRIPTION : BRECKENRIDGE II GLIDER
RECLINER W/ PWR FR & HR


Step 1:

Check the bottom of the Seat (A) to cut and remove any fastener that is holding the mechanism in place during transportation.



Step 2:

Insert the backrest(B) to the seat (A) and make sure the backrest is secured in position



All images shown are for illustration purpose only.
Actual product may vary due to product enhancement.

ASSEMBLY INSTRUCTIONS


BRECKENRIDGE II COLLECTION

ITEM#:L3183A-13P2

DESCRIPTION : BRECKENRIDGE II GLIDER
RECLINER W/ PWR FR & HR


Step 3:

Connect the wire on the backrest (B) with the wire on the seat (A).



Step 4:

Locate the Transformer (C) at the bottom of the Seat (A).



All images shown are for illustration purpose only.
Actual product may vary due to product enhancement.

ASSEMBLY INSTRUCTIONS


BRECKENRIDGE II COLLECTION

ITEM#: L3183A-13P2

DESCRIPTION : BRECKENRIDGE II GLIDER
RECLINER W/ PWR FR & HR



Step 5:

Connect the Power Cable 29V (C) to the power socket on the back of Seat (A).



Step 6:

Open/close the footrest and headrest by pressing the power buttons.



All images shown are for illustration purpose only.
Actual product may vary due to product enhancement.