# T36IT903NP

## 36-INCH BUILT-IN FRENCH DOOR BOTTOM FREEZER



FREEDOM® COLLECTION, PANEL-READY (WHITE INTERIOR)











#### **FEATURES & BENEFITS**

- Freedom® Hinge enables true flush design
- ThermaFresh System, Humidity and Temperature controlled drawers
- SoftClose® Drawers and Produce Bins for easy and controlled storage
- Sleek clean design for the perfect symmetry when paired with additional columns
- TFT control panel managing all your columns functions

TEMPERATURE RANGES	
Refrigerator	36°F (2°C) to 46°F (8°C)
SuperCool	36°F (2°C) for approximately 6 hours
Energy Saving (Economy) Mode	Refrigerator: 45°F (7°C) Freezer: 3°F (-16°C)
Freezer	-11°F (-24°C) to 7°F (-14°C)
SuperFreeze®	-22°F (-30°C) for approximately 52 hours

GENERAL PROPERTIES	
Home Connect™ (Wi-Fi Enabled)	Yes
Panel Ready	Yes
Reversible Door Swing	No
SoftClose® Door	Yes
SoftClose® Drawers	Yes
Carbon Air Filter	Yes
Lighting	LED Sidewall and Theater Lighting
Refrigerator Shelves	3
Adjustable Shelves – Refrigerator	2
Shelf Material	Glass w/Aluminum Profile
Full Extension Drawers @ 115° Door Opening Angle	Yes
Full Extension Drawers @ 90° Door Opening Angle	Yes
Adjustable Temperature Drawer	1
Humidity Managed Drawer	1
Door Bins – Refrigerator	4
Gallon Door Bins – Refrigerator	2
Defrost Process – Freezer	Frost-Free
Freezer Baskets	2
Ice Maker with Diamond Ice System	Yes
Door Open Alarms	Yes
Open Door Assist	No
SuperCool	Yes
SuperFreeze®	Yes
Special Modes	Sabbath, Economy, Vacation
CAPACITY	
Total Capacity	19.4 cu. ft.
Refrigerator Capacity	13.9 cu. ft.
Freezer Capacity	5.5 cu. ft.
TECHNICAL DETAILS	
Watts	350 W
Current	15 A
Volts	110-120 V
Frequency	60 Hz
Power Cord Length	118"
Plug Type	120V-3 Prong
DIMENSIONS & WEIGHT	
Appliance Dimensions (H x W x D)	83 <sup>3</sup> /4"* x 35 <sup>3</sup> /4" x 24"
Required Cutout Size (H x W x D)	84" x 36" x 25"
Net / Gross Weight	468 / 510 lbs
EFFICIENCY	
ENERGY STAR® Qualified	Yes
LINEROT STAR® Qualified	

\*Height adjustable + / -1/2" (+ / -13 mm)

4 / 21 Page 1 of 3

# T36IT903NP

## 36-INCH BUILT-IN FRENCH DOOR BOTTOM FREEZER




FREEDOM® COLLECTION, PANEL-READY (WHITE INTERIOR)

WARRANTY	
Limited, Entire Appliance, Parts and Labor on Any Part of the Refrigerator that Fails Because of a Manufacturing Defect	2 Year
Limited Warranty for Sealed Refrigeration System*; Parts and Labor	3rd to 6th Year
Limited Warranty for Sealed Refrigeration System*; Parts Only	7th to 12th Year
Limited Warranty for Stainless Steel Rust-Through	Lifetime

<sup>\*</sup>Sealed refrigeration system includes compressor, evaporator, condenser, dryer / strainer and connection tubing

#### **CUTOUT DIMENSIONS**




#### Furniture return

**A:** Area for installation of power connection.


**B**: Area for running the water line. It is recommended that the waterbox is placed adjacent to the installation cavity, so that it can be accessed for service without uninstalling the appliance. If this is not possible, place the recessed waterbox adjacent to the water supply socket elevated at the heights as referenced in areas A and B.

**C:** Recess depth depends on kitchen design. For a flush installation, the depth needs to be at least 24 inches plus the thickness of the door panel.

Stainless steel models contain a panel-ready base unit, ready-to-install stainless steel door(s) with a right or left door swing and handle(s).



#### **TOP VIEW CLEARANCE**



\*\* door handle must be added to this dimension.

Page 2 of 3 4 / 21


## T36IT903NP

## 36-INCH BUILT-IN FRENCH DOOR BOTTOM FREEZER





#### PRODUCT AND PANEL DIMENSIONS



#### **ACCESSORIES (OPTIONAL)**

#### FLAT STAINLESS STEEL DOOR PANELS

36-Inch French Door Flat Stainless Steel Door Panel



TFL36IT800
For use with Handle
TFL36IT905
Handleless

#### **HANDLES**

Choose between two options:

#### PR36HNDL20 (QTY. 3)

36-Inch Professional Series Handle

or

#### MS36HNDL20 (QTY. 3)

36-Inch Masterpiece $^{\circledR}$  Series Handle

#### **STORAGE**



## 3DHFGALBIN

French Door Half Gallon Bin



#### SPRODBIN10

Small Produce Bin



#### 3DPRODRAIL

French Door Produce Railing

#### **FILTERS**



#### REPLFLTR55

Freedom® Water Filter Replacement water filter for use in all freezer and bottom freezer models

# (<152 mm) Heater Kit Required

#### **HEATRKIT20 - 13W @ 120V**

Freedom® Heater Kit When two appliances are installed side-by-side a sealing kit must be used. For combinations that involve a freezer column, this kit is included. For all other (non-traditional, i.e. two wine columns, two bottom freezers, etc.) side-by-side combinations or instances where any appliances are installed less than 6-inches (152 mm) apart from one another but not connected side-by-side, purchase this kit. This kit is recommended for use with any installation in areas that are subject to humidity, or located next to an outside wall.

### FRAMEKIT10

Freedom® Frame Kit

For any custom column installation in 24-inch deep cutouts. With two metal side trims whose placement between the interior cutout wall and the appliance helps overcome the challenge of unfinished cabinet returns.

These warranties give you specific legal rights and you may have other rights that vary from state to state. Limited warranty from date of purchase. For complete warranty details, refer to your Use & Care manual, or ask your dealer.

Specifications are for planning purposes only. Refer to installation instructions and consult your countertop supplier prior to making counter opening. Consult with a heating and ventilation engineer for your specific ventilation requirements. For the most detailed information, refer to installation instructions accompanying product or write to Thermador indicating the model number. Specifications are correct at time of printing. Thermador reserves the right to change product specifications or design without notice. Some models are certified for use in Canada. Thermador is not responsible for products that are transported from the U.S. for use in Canada.

1 800 735 4328 | USA THERMADOR.COM | CANADA THERMADOR.CA | @2021 BSH HOME APPLIANCES CORPORATION. ALL RIGHTS RESERVED.

Page 3 of 3 4 / 21