

2804-SECTP in Fabric 959-02

FLEXSTEEL®

© Flexsteel Industries, Inc. | Last Updated 02/24

Mason | 2804

Mason | 2804

| | | 58M | | FEATURES | PRODUCT DIMENSIONS OVERALL | | | SEAT | | | | | | |
|--|---|-----|----|-----------------------|--------------------------------|--------|-------|-------|--------|-------|-------|--------|---------------|-------------------|
| | | 57M | 23 | | | Height | Width | Depth | Height | Width | Depth | | Open Denth | Wall Clearance |
| | | | | Flexsteel Spring Unit | | | | | | | | neight | Deptil | ciculatice |
| | • | • | | DualFlex | Full Wedge | 43" | 64" | 43" | 20" | 41" | 25" | 20" | | |
| | | | • | Sinuous Wire | -23 | 45" | 64 | 45" | 20 | 41" | 25 | 20" | | |
| | | | | Back Construction | Armless Chair | 43" | 26" | 4]" | 20" | 25" | 22" | 20" | | |
| | • | • | • | Attached | -19 | 40 | 20 | 41 | 20 | 25 | 22 | 20 | | |
| | | | | Seat Construction | RAF Power Recliner | 43" | 33" | 4]" | 20" | 23" | 22" | 27" | 69" | 5" |
| | • | • | • | Attached | -58M | | | | | | | | | |
| | | | | | Straight Console | 43" | 8" | 39" | 24" | 8" | 23" | 24" | | |
| | _ | | | | -72 | | | | | | | | | |
| | • | • | • | High-Density (HC) | LAF Power Recliner | 43" | 33" | 41" | 20" | 23" | 22" | 27" | 69" | 5" |
| | | | | Tailoring | -57M | | | | | | | | | |
| | | 0 | | | Armless Power Recliner -59M | 43" | 26" | 4]" | 20" | 25" | 22" | 20" | 69" | 5" |
| | | | | | Armless Recliner | 43" | 26" | ۷ | 20" | 25" | 22" | 20" | 69" | 5 " |

43"

26"

41"

20"

25"

22"

20"

69"

5"

Standard

o Optional

NOTES

-59

Easy-to-access power controls in both arms adjust the recline Power control allows you to adjust between sitting and reclining

USB port built into power control for convenient charging Storage console features two cup holders and space to house remotes, magazines and other items

Pad-over armrests enhance comfort and provide additional forearm support Seat features divided chaise pad for added comfort and refined look High-divide back cushions have distinctive look and cradle the head, neck and shoulders

Biscuit-tufted back cushions the lower back

Built to last with our DualFlex Spring System™—sturdy steel ribbons attached to flexible coils that offer a wide range of motion and durability High-density cushions consist of a high-resiliency, high-density polyurethane foam core with a soft fiber wrap that ensures comfort as you sit and recline with a soft fiber wrap that ensures comfort as you sit and recline Available in durable, cleanable performance fabrics will withstand everyday use

by an active family Available in over 250 fabrics to suit any décor

Removable backs allow for easy lifting and maneuvering through doorways

Power allows you to smoothly recline to any position.

A single USB port is included on each power button control on styles with arms.

F L E X S T E E L[®]

2804 Mason Components & Configurations

Sectionals

Components

LAF = Left-Arm-Facing RAF = Right-Arm-Facing



Dimensions are in inches and are subject to variance. © Flexsteel Industries, Inc. 6/22 FLX-2804-CC-PP

FLEXSTEEL°