

Product data sheet

CONSTRUCTION TYPE AND DESIGN

PureLine	•
Speed oven	•
Appliance colour	CleanTouch Steel

CONVENIENCE FEATURES

Quick & Gentle	•
Rapid PreHeat	•
Food probe	With cable
Keeping warm	•
Crisp function	•

OPERATING MODES

Defrost	•
MasterChef programs	•
Auto Roast	•
Gentle Bake	•
Maxi Broil	•
Intensive	•
Slow Roasting	•
Microwave	•
Microwave with Auto Roast	•
Microwave with Broil	•

Microwave with Convection Bake	•
Microwave with Convection Broil	•
Surround	•
Bake	•
Convection Broil	•
Special modes	•
Broiling operating modes	•

USER CONVENIENCE

Display	M Touch S
SoftOpen	•
SoftClose	•
Ergonomic swivel handle	•
Language Options	•
MyMiele	•
Help function	•
Popcorn function	•
Time-of-day display	•
Time synchronization	•
Date display	•
Timer	•
Programmable start of cooking duration	•
Programmable end of cooking duration	•
Programmable cooking duration	•
Actual temperature display	•
Audible signal when desired temperature is reached	•
Recommended temperatures	•

Recommended microwave power	•
------------------------------------	---

Quick MW	•
-----------------	---

Favourites	•
-------------------	---

Sabbath Program	•
------------------------	---

Networking with Miele@home	•
-----------------------------------	---

Individual settings	•
----------------------------	---

Timers	•
---------------	---

MotionReact DG	•
-----------------------	---

EFFICIENCY AND SUSTAINABILITY

Residual heat utilization	•
----------------------------------	---

CLEANING CONVENIENCE

Stainless steel / Clean Touch Steel surface	•
--	---

Stainless steel oven compartment with linen-weave pattern and PerfectClean finish	•
--	---

Hinged broiler	•
-----------------------	---

CleanGlass door	•
------------------------	---

SAFETY

Appliance cooling system with touch-cool fronts	•
--	---

Safety shut-off	•
------------------------	---

System lock	•
--------------------	---

Sensor lock	•
--------------------	---

TECHNICAL DATA

Temperatures in °F (°C)	85-475 (30-250)
Oven compartment volume in cubic feet (l)	1.52 (43) ft³ (l)
Number of shelf levels	3
Oven interior lighting	1 LED spot
Electronically controlled microwave power	•
Niche width min. in inches (mm)	28 5/8 (724)
Niche width max. in inches (mm)	28 5/8 (724)
Niche height min. in inches (mm)	18 5/8 (470)
Niche height max. in inches (mm)	18 5/8 (472)
Niche depth in mm	24 1/8 (610)
Appliance width in mm	29 7/8 (757)
Appliance width in mm	29 7/8 (757)
Appliance width in mm	29 7/8 (757)
Appliance height in mm	18 7/8 (479)
Appliance height in mm	18 7/8 (479)
Appliance height in mm	18 7/8 (479)
Appliance depth in mm	22 5/8 (574)
Appliance depth in mm	22 5/8 (574)
Appliance depth in mm	22 5/8 (574)
Weight in lbs (kg)	101 (45.5)
Weight in lbs (kg)	101 (45.5)
Weight in lbs (kg)	101 (45.5)
Weight in lbs (kg)	100.31 (45.5)
Total rated load in kW	4.000
Voltage in V	120
Frequency in Hz	60
Fuse rating in A	30
Number of phases	1

Power cable with plug	•
Length of power cable in m	1.80
Microwave power levels in power levels	1□7
Appliance dimensions (W x H x D) in mm	29 7/8 (757) x 18 7/8 (479) x 22 5/8 (574)
Appliance dimensions (W x H x D) in mm	29 7/8 (757)<NBSP/>x<NBSP/>18 7/8 (479) <NBSP/>x<NBSP/>22 5/8 (574)
Voltage convertible in V	240/208

ACCESSORIES SUPPLIED

Wire rack with PerfectClean	1
Glass tray	1

AVAILABLE DISPLAY LANGUAGES

Available display languages via Language Options	bahasa malaysia
--	-----------------