

15" Induction Cooktop

Induction cooking has been used in Europe for decades by professionals and homeowners demanding the best in performance. They are 90-95% energy efficient; as a result, no heat is wasted because energy is supplied directly to the cooking vessel. With Wolf's unframed induction cooktops there's no stainless steel trim, just the sophisticated, minimalist exterior subtly patterned design to hide any unsightly scratches.




FEATURES

- · Stainless steel trim finish.
- Integrated design allows for installation of multiple cooktops or modules.
- Easy-to-clean black ceramic glass surface is resistant to scratching, staining, impact and heat.
- Induction elements heat cookware, not the glass, for a cooler, safer cooking surface.
- Two high-efficiency induction elements deliver power and control.
- Maximum element power: 1800 W with 3000 W boost and 1200 W.
- True simmer setting on rear element
- Melt setting on front element.
- Cookware sensing elements will not be energized without an induction-compatible pan on the cooktop surface.
- Hi-Power mode boosts rear element power by diverting power from front element.
- Temperature limiter to ensure that safe operating temperature of ceramic glass is never exceeded.
- Illuminated touch controls with graduated control lighting and adjustable sound frequency and volume.
- Hot-surface indicator light in control panel.
- Lock mode—cooktop will be locked so that no elements can be turned on.
- · Universal OFF turns all elements off.
- Countdown timer with 1 to 99 minute range.

ACCESSORIES

- Filler strip for installation of multiple cooktops or modules.
- Bracket supports for installation of two integrated modules with downdraft (model DD30 only).


Accessories are available through your authorized Wolf dealer. For local dealer information, visit the find a showroom section of our website, wolfappliance.com.



The electricity flows through a coil to produce a magnetic field under the ceramic cooktop. When a cast iron or magnetic stainless steel pan is placed on the ceramic glass surface, currents are induced in the cooking utensil and instant heat is generated due to the resistance of the pan. Induction only works with cooking vessels made of magnetic materials, such as cast iron and magnetic stainless steel (it will not work with aluminum or copper pots).



Model CT15I/S




Hi-Power boost control.



15" Induction Cooktop

OVERALL DIMENSIONS




Unit dimensions may vary by $\pm 1/8$ ".

SPECIFICATIONS

Overall Width	15"
Overall Height	21/2"
Overall Depth	21"
Induction Elements	Two
Countertop Cut-Out Wid	dth* 13 ³ /8"
Countertop Cut-Out Dep	oth 19 ¹ / ₄ "
Maximum Element Power 1200 W (front) 1800 W with 3000 W boost (rear)	
Element Diameters	6 ³ / ₄ " and 8 ³ / ₄ "
Electrical Requirements 50/6	240/208 V AC 60 Hz, 20 amp circuit
Conduit	4' flexible 3-wire
Electrical Rating	3.6 kW at 240 V AC 3.1 kW at 208 V AC
Shipping Weight	30 lbs


*If the cooktop is to be used with any combination of additional cooktop units or modules with a filler strip, the cut-out width increases to 14".

INSTALLATION SPECIFICATIONS



*Minimum clearance from cooktop cut-out to combustible materials up to 18" (457) above countertop. NOTE: Application shown allows for installation of two 15" (381) modules side by side.

Countertop Cut-Out Dimensions



Dimensions in parentheses are in millimeters unless otherwise specified.

INSTALLATION NOTES

The 15" induction cooktop can be installed alone or in combination with other Wolf cooktops or modules.

Complete installation specifications can be found on our website, wolfappliance.com.