

# ASSEMBLY INSTRUCTIONS

MODEL #

### FM65003BR-SF


#### **Questions?**

GIVE US A CALL: 1-888-980-5122 MON-FRI 8:30AM - 5:30PM (PT)

### **TOOLS REQUIRED**



2 - People



### **ASSEMBLY RATING**



The Assembly Rating is a 5-point system showing the level of effort needed to assemble a specific product.






Thank you for your purchase!

We hope you enjoy this new addition to your home for many years to come.

Our commitment to providing quality products does not simply end when you purchase our product. We fully stand behind our products from start to finish. Our customer service department is available Monday – Friday 8:30 AM – 5:30 PM Pacific Time and can help with assembly questions as well as, if necessary, replacing damaged or missing parts. To help expedite our service, please have these assembly instructions readily available, along with your order receipt.





1		


#### Are you missing anything?

Double-check all parts, hardware and accessories listed are all acccounted for.



#### Should we send any replacements?

Are there any irregularities or flaws in the parts? We can send replacements!



We recommend reviewing the pre-assembly handouts. Even experts need a refresher now and then!



Please review the assembly instructions and all diagrams prior to assembling.

# **PRE ASSEMBLY INTRODUCTION**

We understand building ready-to-assemble furniture can be a challenging experience for some. To help avoid confusion, we have provided some helpful tips that may speed up the process.



















#### **Teamwork**

ALWAYS have at least two people to help with transporting and assembling the product to avoid potential injury and/or damage.

#### Suitable Location

Assembling near the area of the intended location is highly recommended.

#### **Sufficient Space**

Make sure you have enough space to move around during the assembly.

#### **Avoid Scratches**

Use cardboard, blankets or a carpeted area while assembling furniture to prevent to prevent scratches and damages.


#### **Flat Surface**

Make sure the furniture rests on a flat and level surface with each leg evenly touching the floor.

# ASSEMBLY AND CARE ADVICE



FAILURE TO FOLLOW THE GUIDELINES BELOW MAY RESULT IN INJURY AND/OR PROPERTY DAMAGE.



IT IS THE USER'S RESPONSIBILITY TO MAINTAIN THE FURNITURE. THE HARDWARE MAY LOOSEN OVER TIME AND MAY CAUSE THE FURNITURE TO BE WOBBLY AND UNABLE TO SUPPORT ITS INTENDED WEIGHT CAPACITY. THIS MAY LEAD TO COLLAPSE AND MAY CAUSE SERIOUS INJURY.

Thank you for purchasing this quality product. Be sure to check all packing materials carefully for small parts, which may have come loose inside the carton during shipment. Identify and count all items and compare with the PARTS LIST and/or HARDWARE LIST shown below.

CAUTION: Read the instructions carefully before assembly.


1. We recommend that you assemble this product with the assistance of another person to eliminate damage to the product during assembly.

2. When you want to reposition the product, please always "LIFT & MOVE".

PARTS LIST			HARDWARE LIST					
NO	DESCRIPTION	SKETCH	Q'TY (PCS )	NO.	DESCRIPTION	SKETCH	Q'TY (PCS)	
А	SEAT FRAME		1	1	FLAT WASHER Ø5/16 x 3/4"	$\bigcirc$	11	
В	LEFT SIDE FACING (LSF) ARM		1	2	WASHER Ø5/16 x 1/2"	0	11	
с	RIGHT SIDE FACING (RSF) ARM		1	3	BOLT Ø5/16 x 2"	©	8	
			1	4	ALLEN KEY Ø5/16 x 3¼"		1	
D BACKRES	BACKREST			5	THREAD BOLT Ø5/16 x 3¼"		3	
Е	SEAT CUSHION		1	6	HEX NUT Ø5/16 x 1/2"	$\langle\!\!\!\langle O\!\!\!\rangle$	3	
F	MIDDLE LEG		1	7	WRENCH 1/2" x 3½"	Ц	1	
G	SQUARE PILLOW		2					
Н	KIDNEY PILLOW		1					
I	SOLID PILLOW		2					


# STEP 1:

Lay the seat frame (A) on its backside to reach the holes to secure the bolts for the arms. Align and assemble the LSF arm (B) and RSF arm (C) to the seat frame (A) by using the Allen Key (4) with hardware 1, 2, and 3. Screw the support legs (F) to the bottom of seat frame (A).




# STEP 2:

Place the backrest (D) on its backside. Install the thread bolt (5) into the hole on the bottom of the backrest (D) by using your hands to rotate the bolt about 25 mm into the backrest (D).




# STEP 3:

Place the frame up right and install the backrest (D) to the LSF arm (B) and RSF arm (C) by sliding the brackets all the way until it is secured.




# STEP 4:

Place the chair on its back on a clean and soft surface to reach the thread bolt (5). Secure the backrest (D) to the seat frame (A) by using the Wrench (7) with hardware 1,2, and 6.



# STEP 5:

Place the chair up right and install the seat cushion (E) to the seat frame (A).



FINISH

