

PureLine Brilliant White 24" Speed Oven

H 6600 BM BRWS



PureLine Speed Oven H 6600 BM BRWS



H 6600 BM BRWS

Features:

- SensorTronic controls: 5-line TFT display with laterally positioned sensor controls that clearly present menu content
- 19 operating modes
- Rapid Preheat
- Roast probe for perfect roasting results
- MasterChef menu offers over 100 food types to cook to perfection
- Favorites - up to 20 recipes
- 1,000 watt microwave
- Popcorn button
- Minute Plus button - time and power individually programmable
- PerfectClean interior
- Timer
- Sabbath Program
- The simple yet sleek Silhouette handle seems to float enhancing its modern design lines

SPECIFICATIONS

H 6600 BM BRWS — Item 22660014USA

Overall Unit Width - Excluding Fascia Dimension	22 ¹ / ₁₆ " (560 mm)
Overall Unit Height - Excluding Fascia Dimension	17 ¹ / ₂ " (445 mm)
Overall Unit Depth - Excluding Fascia Dimension	21 ⁵ / ₁₆ " (542 mm)
Oven Door Clearance	12 ⁵ / ₁₆ " (313 mm)
Overall Fascia Dimensions	23 ⁷ / ₁₆ " (595 mm) W x 17 ¹⁵ / ₁₆ " (455 mm) H x 7 ⁷ / ₈ " (22 mm) D

Built-In

Minimum Cabinet Opening Width	22 ¹ / ₁₆ " (561 mm)
Minimum Cabinet Opening Depth	21 ⁵ / ₈ " (550 mm)
Minimum Cabinet Opening Height	17 ³ / ₄ " (450 mm)
Minimum Base Support	125 lbs

Electrical

Electrical Requirements	240/208V AC, 60Hz, 20A
Power Cord	Molded NEMA 14-30 configured plug
Electrical Rating	2.2kW (240V), 1.76kW (208V)

Shipping

Shipping Weight	126 lbs
Shipping Dimensions	25 ⁵ / ₈ " W (727 mm) x 24 ¹³ / ₁₆ " (630 mm) H x 27" (686 mm) L

Support

Call Miele	800.843.7231
Miele Website	www.mieleusa.com
20/20 Link	2020technologies.com

PureLine Speed Oven H 6600 BM BRWS




HANDLE SPECIFICATIONS

Comfort Handle:


Optional with ContourLine
Optional with PureLine
(DS 6708 Item # 09828380)

ComfortSwivel Handle:

Standard for ContourLine
Optional for PureLine
(DS 6718 Item # 09828390)




Comfort Handle
standard on
H 6100 BM




ComfortSwivel Handle
standard on
H 6500 BM
H 6700 BM

Silhouette Handle:

Standard with Pureline
Optional for Contourline
(DS 6808 Item # 09828400)



Silhouette Handle
standard on
H 6200 BM
H 6600 BM
H 6800 BM



Silhouette Handle (Chrome):
Standard with BrilliantWhite
(DS 6808 Item # 09828410)




Silhouette Handle:
Standard with Truffle Brown
(DS 6808 Item # 09870690)

PureLine Speed Oven
H 6600 BM BRWS




PRODUCT VIEWS

Fascia



Top View




PureLine Speed Oven H 6600 BM BRWS




PRODUCT VIEWS

Rear View



Side View




* Oven with glass frc
** Oven with metal fr

PureLine Speed Oven H 6600 BM BRWS



INSTALLATION SPECIFICATIONS

Door Swing Details




PureLine Speed Oven H 6600 BM BRWS



INSTALLATION SPECIFICATIONS


Install in Tall Cabinet



- Ⓐ Cut-out (4" x 22" / 100 mm x 560 mm) in the bottom of the cabinet for power cord and ventilation
- Ⓑ Power cord with plug

* Oven with glass front
** Oven with metal front

Undercounter Installation With Framed Cabinet



- Ⓐ Cut-out (4" x 22" / 100 mm x 560 mm) in the bottom of the cabinet for power cord and ventilation
- Ⓑ Power cord with plug

* Oven with glass front
** Oven with metal front


H 6600 BM BRWS

PureLine Speed Oven H 6600 BM BRWS



INSTALLATION SPECIFICATIONS


Undercounter Installation Against CounterTop



- Ⓐ Cut-out (4" x 22" / 100 mm x 560 mm) in the bottom of the cabinet for power cord and ventilation
- Ⓑ Power cord with plug

* Oven with glass front
** Oven with metal front

Under Counter Install Against Counter Top
Front View



PureLine Speed Oven H 6600 BM BRWS



INSTALLATION SPECIFICATIONS

Stacked With 24 Inch Oven Installation

