

LUXURY VINYL

THOROUGHLY MO 6
vinyl plank



529 Interstate

shawfloors.com

Shaw
FLOORS

For reference purposes only if printed or downloaded.

	US Units	Metric Units
Style Number	5M215	
Construction	Residential Resilient LVT-Drybac<=2Mm	
Profile	Direct Glue	
Size	6" x 36"	15.24 cm x 91.44 cm
Overall Thickness	0.079"	2 mm
Wear Layer Thickness	6 mil (0.006")	0.2 mm
Edge Description	Square	
Area per Carton	53.48 sq ft	4.97 sq m
Area per Pallet	2567.04 sq ft	238.49 sq m
Installation	Glue	
Installation Grade	Above, On, Below	
FloorScore Certified	Yes	
Residential Warranty	Residential Resilient Limited Warranty - Defects 15 Years Residential Resilient LVP/LVT Products Limited Warranty	
Commercial Warranty	5 Year Light Commercial	
Smoke Density (ASTM E662, Flaming Mode)	Passes, <450	
Radiant Panel (ASTM E648)	Passes, Class I	

Features

Thoroughly Modern's colors and designs are intentionally suited for urban spaces and multi-family housing - anywhere people enjoy forward thinking decor. This collection features clean simple-grained woods like white oak and maple- alongside striations that are wood-like but don't represent a species. This design was created to avoid regional characteristics and works well for both west coast and east coast looks.




Colors



Suggested Adhesive

Style Name	Style Number
SHAW 200 1 GAL	052VS
KWIKFLASH 4 GAL	080VS
KWIKFLASH LV 1	081VS
S150 SPRAY ADHS	069VS
SHAW 200 TPS 4G	026VS

Coordinating Metal Trim



Finish	Reducer	T-Mold	Stair Cap
Satin Silver	152SA	155SA	149SA
Satin Nickel	153SA	156SA	150SA
Dark Bronze	154SA	157SA	151SA

Installation Range

Profile Size	Installation Range
3.5mm	1.5mm to 3.5mm heights
5.5mm	3.6mm to 5.5mm heights
8mm	6mm to 8mm heights

